INDEX OF AUTHORS' NAMES.

TRANSACTIONS AND PROCEEDINGS. 1907.

(Marked T. and P. respectively.)

COMPILED BY MARGARET D. DOUGAL

A.

Allen, *Thomas Boles.* See *William Robert* **Lang.**

Andrew, *John Harold.* See *William Henry* **Bentley.**

Atkinson, *Ernest Francis Joseph*, *Harry* **Ingham**, and *Jocelyn Field* **Thorpe**, the formation and reactions of imino-compounds. Part III. The formation of 1:3-naphthylenediamine and its derivatives from *o*-toluonitrile, T., 578; P., 76.

Atkinson, *Ernest Francis Joseph*, and *Jocelyn Field* **Thorpe**, the formation and reactions of imino-compounds. Part V. The formation of methyl derivatives of 1:3-naphthylenediamine from the three tolylacetonitriles, T., 1687; P., 216.

Auld, *Samuel James Manson*, mercury derivatives of pseudo-acids containing the group ·CO·NH·, T., 1045; P., 151.

the hydrolysis of amygdalin by emulsion, P., 72; discussion, P., 72.

Austin, *Percy Corlett.* See *Alfred* **Senier.**

B.

Bain, *Alexander William*, the action of ethylene dibromide and of propylene dibromide on the disodium derivative of diacetylacetone, T., 544; P., 77.

Bain, *Alexander William.* See also *Samuel* **Smiles.**

Baker, *Frank*, the structure of carbonium salts, T., 1490; P., 192; discussion, P., 193.

Baker, *Frank*, and *Edward Charles Cyril* **Baly**, the relation between absorption spectra and chemical constitution. Part VII. Pyridine and some of its derivatives, T., 1122; P., 157.

Baker, *Herbert Brereton*, and (*Mrs.*) *Muriel* **Baker**, gaseous nitrogen trioxide, T., 1862; P., 239; discussion, P., 240.

Baker, *Herbert Brereton*, and *Alexander Hutcheon* **Bennett**, the atomic weight of tellurium, T., 1849; P., 240; discussion, P., 241.

Baker, (*Mrs.*) *Muriel.* See *Herbert Brereton* **Baker.**

Baly, *Edward Charles Cyril*, *William Bradshaw* **Tuck**, (*Miss*) *Effie Gwendoline* **Marsden**, and, (in part), (*Miss*) *Maud* **Gazdar**, the relation between absorption spectra and chemical constitution. Part VIII. The phenylhydrazones and osazones of *α*-diketones, T., 1572; P., 194.

Baly, *Edward Charles Cyril.* See also *Frank* **Baker** and *William Henry* **Bentley.**

Barger, *George*, and *Francis Howard* **Carr**, the alkaloids of ergot, T., 337; P., 27; discussion, P., 27.

Barker, *Thomas Vipond*, note on the iodates and periodates of the alkali metals and the ammonium radicle, P., 305.

Barlow, *William*, and *William Jackson* **Pope**, the relation between the crystalline form and the chemical constitution of simple inorganic substances, T., 1150; P., 142; discussion, P., 143.

note on the theory of valency, P., 15.

Barrett, *Ernest*, and *Arthur* **Lapworth**, the velocity of reaction of bromine with some unsaturated acids in aqueous solution, P., 18.

the influence of acids and alkalis on the velocity of formation of acetoxime, P., 307.

Barrowcliff, *Marmaduke*, the constituents of the essential oil of American pennyroyal; occurrence of a dextromenthone, T., 875; P., 114.

Barrowcliff, *Marmaduke*, and *Frederick Belding* **Power**, the constitution of chaulmoogric and hydnocarpic acids, T., 557; P., 70.

Barrowcliff, *Marmaduke*, and *Frank* **Tutin**, chemical examination of the root and leaves of *Morinda longiflora*, T., 1907; P., 248.

Beck, *Thomas Constantine*. See *William Jackson* **Pope**.

Bellars, *Albert Ernest*. See *Robert Selby* **Morrell**.

Bennett, *Alexander Hutcheon*. See *Herbert Brereton* **Baker**.

Bentley, *William Henry*, *Arthur* **Friedl**, *Frederick* **Thomas**, and *Charles* **Weizmann**, [with an addendum by *Edward Charles Cyril* **Baly** and *William Bradshaw* **Tuck**], derivatives of naphthacenequinone, T., 411.

Bentley, *William Henry*, *Arthur* **Friedl**, and *Charles* **Weizmann**, derivatives of naphthacenequinone, T., 1588; P., 215.

Bentley, *William Henry*, *Henry Dent* **Gardner**, *jun.*, and *Charles* **Weizmann**, [with *John Harold* **Andrew** and *Claude Vazeille* **Temperley**], researches on anthraquinones and phthaleins, T., 1626; P., 215.

Bentley, *William Henry*, (*Miss*) *Rona* **Robinson**, and *Charles* **Weizmann**, 3-hydroxyphthalic and 3-methoxyphthalic acids and their derivatives, T., 104.

Bentley, *William Henry*, and *Charles* **Weizmann**, 4-hydroxyphthalic and 4-methoxyphthalic acids, T., 98.

Berkeley, (*Earl of*), on the more exact determination of the densities of crystals, T., 56.

Bevan, *Edward John*. See *Charles Frederick* **Cross**.

Beveridge, *Heather Henderson*. See *James* **Walker**.

Bloxam, *William Popplewell*. See *Arthur George* **Perkin**.

Briggs, *John Frederick*. See *Charles Frederick* **Cross**.

Brislee, *Francis Joseph*, the velocity of reduction of the oxides of lead, cadmium, and bismuth by carbon monoxide, and the existence of the suboxides of these metals, P., 286.

Brown, *James Campbell*, some double ferrocyanides of calcium, potassium, and ammonium, T., 1826; P., 233.

Brühl, *Julius Wilhelm*, the optical influence of contiguity of unsaturated groups, T., 115.

Buckney, *Frank*, and *Humphrey Owen* **Jones**, the optical activity of cyclic ammonium compounds, T., 1821; P., 234.

Buckton, *George Bowdler*, obituary notice of, T., 663.

Burdett, (*Miss*) *Frances*. See *Kennedy Joseph Previté* **Orton**.

Burrows, *Harry*, and *Charles Alexander* **Keane**, the condensation of diethylmalonamide with aldehydes, T., 269; P., 36.

C.

Cahen, *Edward*. See *Gilbert Thomas* **Morgan**.

Cain, *John Cannell*, the constitution of diazo-compounds, T., 1049; P., 158; discussion, P., 159.

Caldwell, *Robert John*, and *Stephen Lewis* **Courtauld**, the hydrolysis of amygdalin by acids, T., 666; P., 71; discussion, P., 72.

mandelonitrile glucosides; prulaurasin, T., 671; P., 71; discussion, P., 72.

Caldwell, *William*, and *Emil Alphonse* **Werner**, derivatives of multivalent iodine. Part II. Action of heat on *p*-iodoacetophenone dichloride, *p*-iodoacetanilide dichloride, and on the dichlorides derived from *o*-, *m*-, and *p*-iodotoluene, T., 240; P., 17.

derivatives of multivalent iodine. Part III. The action of heat on iodobenzene dichloride, and on the *m*- and *p*-nitro- and *p*-chloro-derivatives, T., 528; P., 64.

Cameron, *Alexander Thomas*, and (*Sir*) *William* **Ramsay**, some properties of radium emanation, T., 1266; P., 178; discussion, P., 178.

the chemical action of radium emanation. Part II. On solutions containing copper, and lead, and on water, T., 1593; P., 217.

Cameron, *Alexander Thomas*. See also *Hugh* **Marshall**.

Carr, *Francis Howard*. See *George* **Barger**.

Chadwick, *Samuel*. See *David Leonard* **Chapman**.

Chapman, *David Leonard*, *Samuel* **Chadwick**, and *John Edwin* **Ramsbottom**, the chemical changes induced in gases submitted to the action of ultra-violet light, T., 942; P., 136.

Chattaway, *Frederick Daniel*, the oxidation of hydrazines by free oxygen, T., 1323; P., 183.

Chrystall, *Edwin Rodney*. See *John Norman* **Collie**.

Clarke, *Reginald William Lane*, and *Arthur* **Lapworth**, an extension of the benzoin synthesis, T., 694; P., 90.

Clarke, *Reginald William Lane*, *Arthur* **Lapworth**, and *Elkan* **Wechsler**, condensations of ketones containing the group ·CH_2·CO·CH: with esters in presence of sodium ethoxide, P., 294.

Claudet, *Frederic Just*, obituary notice of, T., 660.

Cleaverley, (*Miss*) *Louisa*. See *Albert Ernest* **Dunstan**.

Coates, *Joseph Edward*. See *Kennedy Joseph Previté* **Orton**.

Cohen, *Julius Berend*, and *William Ernest* **Cross**, the mechanism of bromination of acylamino-compounds; preliminary notice, P., 148.

Cohen, *Julius Berend*, and *Henry James* **Hodsman**, the influence of substitution in the nucleus on the rate of oxidation of the side-chain. III. The oxidation of the nitro- and chloronitro-derivatives of toluene, T., 970; P., 152.

Colefax, *Arthur*, the action of potassium sulphite on potassium tetrathionate in aqueous solution, P., 207.

Collie, *John Norman*, derivatives of the multiple keten group, T., 1806; P., 230; discussion, P., 231.

Collie, *John Norman*, and *Edwin Rodney* **Chrystall**, the production of orcinol derivatives from the sodium salt of ethyl acetoacetate by the action of heat, T., 1802; P., 231.

Collie, *John Norman*, and *Thomas Percy* **Hilditch**, an isomeric change of dehydracetic acid, T., 787; P., 92.

Collier, *William Henry*. See *Henry Russel* **Ellis**.

Compton, *Arthur*. See *Alfred* **Senier**.

Courtauld, *Stephen Lewis*. See *Robert John* **Caldwell**.

Crichton, *David Cowan*, hydrates of some quaternary bases, T., 1793; P., 236.

Crocker, *James Codrington*, the velocity of hydrolysis of aliphatic amides, T., 593; P., 63.

Crocker, *James Codrington*, and *Frank Harold* **Lowe**, the velocity of hydrolysis of the aliphatic amides by alkali, T., 952; P., 135.

Cross, *Charles Frederick*, *Edward John* **Bevan**, and *John Frederick* **Briggs**, interaction of alkali starch and carbon disulphide; xanthogenic esters of starch, T., 612; P., 90.

Cross, *William Ernest*. See *Julius Berend* **Cohen**.

Crossley, *Arthur William*, and (*Miss*) *Nora* **Renouf**, action of reducing agents on 5-chloro-3-keto-1:1-dimethyl-Δ^4-tetrahydrobenzene, T., 63.

D.

Davies, *Arthur Hugh*. See *Arthur George* **Green**.

Davies, *John Hughes*. See *Edgar Philip* **Perman**.

Davis, *Oliver Charles Minty*, the adsorption of iodine by carbon, T., 1666; P., 208.

Dawson, *Harry Medforth*, and *Colin Gyrth* **Jackson**, volume changes which accompany transformations in the system $Na_2S_2O_3{:}5H_2O$, T., 552; P., 75.

Denham, *Henry George*, the electrometric determination of the hydrolysis of salts, P., 260.

Divers, *Edward*, the constitution of silver nitrite; a correction, P., 11.

mercurous hyponitrite, P., 264.

decomposition of mercurous and silver hyponitrites by heat, P., 265.

cupric nitrite, P., 269.

Dixon, *Augustus Edward*, and *John* **Hawthorne**, the action of acid chlorides on thioureas, T., 122.

Dixon, *Augustus Edward*, and *John* **Taylor**, acyl-ψ-derivatives of iminothiocarbamic acid and their isomerides, T., 912; P., 119.

acylogens and thiocarbamides, P., 294.

Dunstan, *Albert Ernest*, note on the formation of abnormal platinichlorides; a correction, P., 290.

Dunstan, *Albert Ernest*, and (*Miss*) *Louisa* **Cleaverley**, benzoflavol (2:8-dihydroxy-5-phenyl-3:7-dimethylacridine), T., 1619; P., 206.

Dunstan, *Albert Ernest*, and *Thomas Percy* **Hilditch**, the action of bromine on 5-phenylacridine and its halogen derivatives, T., 1659; P., 206.

Dunstan, *Albert Ernest*, and *Ferdinand Bernard Theodore* **Thole**, note on the molecular complexity of liquids, P., 19.

Dunstan, *Albert Ernest*, *Ferdinand Bernard Theodore* **Thole**, and *John Samuel* **Hunt**, the relation between viscosity and chemical constitution. Part I. The viscosity of pyridine solutions, T., 1728; P., 207.

Dunstan, *Albert Ernest*, and *Robert William* **Wilson**, the viscosity of liquid mixtures, T., 83.

Dunstan, *Wyndham Rowland*, the rusting of iron, P., 63.
note on the constituents of the seeds of the Para rubber tree (*Hevea brasiliensis*), P., 168.

E.

Ellis, *Henry Russel*, and *William Henry* **Collier**, the interaction in solution of ferrous sulphate and copper sulphate, P., 264.
Esposito, *Mario*, chemistry of the rare earths. Part II., P., 64.
Evans, *William Charles*. See *Kennedy Joseph Previté* **Orton**.

F.

Fairlie, *Frank Walter*. See *Thomas Stewart* **Patterson**.
Fenton, *Henry John Horstman*, the reduction of carbon dioxide to formaldehyde in aqueous solution, T., 687; P., 83.
Fierz, *Hans Eduard*. See *Martin Onslow* **Forster**.
Findlay, *Alexander*, and (*Miss*) *Evelyn Marion* **Hickmans**, freezing point curves of the menthyl mandelates, T., 905; P., 132; discussion, P., 133.
Fischer, *Emil*, the Faraday Lecture on synthetical chemistry in its relation to biology, T., 1749; P., 220.
synthesis of polypeptides, P., 82; discussion, P., 82.
Fleischmann, *Frederick Noel Ashcroft*, the condensation products of triacetic lactone with acetoacetic ester and β-aminocrotonic ester, T., 250; P., 16.
Flurscheim, *Bernhard*, and *Theodor* **Simon**, the reduction of aromatic nitro-compounds to azoxy-derivatives in acid solution, P., 163.
Forster, *Martin Onslow*, and *Hans Eduard* **Fierz**, aromatic azoimides. Part I. Para-hydroxyphenylazoimide, T., 855; P., 112; discussion, P., 113.
studies in the camphane series. Part XXIII. Oximes of camphorylsemicarbazide and camphorylazoimide, T., 867; P., 114.
aromatic azoimides. Part II. Ortho- and meta-hydroxyphenylazoimides, T., 1350; P., 205.
aromatic azoimides. Part III. The naphthylazoimides and their nitro-derivatives, T., 1942; P., 258.
the triazo-group. Part I. Triazoacetic acid and triazoacetone (acetonylazoimide), P., 258; discussion, P., 259.
Forster, *Martin Onslow*, and *Thomas* **Jackson**, studies in the camphane series. Part XXIV. Camphoryldithiocarbamic acid and camphorylthiocarbimide, T., 1877; P., 242; discussion, P., 243.
Fox, *John Jacob*, separation of cadmium from zinc as sulphide in the presence of trichloroacetic acid, T., 964; P., 147.
solubility of lead sulphate in concentrated solutions of ammonium acetate; preliminary note, P., 199.
Friedl, *Arthur*, *Charles* **Weizmann**, and *Max* **Wyler**, the fluoresceins and eosins from 4-hydroxyphthalic, 4-methoxyphthalic, and hemipinic acids, T., 1584; P., 214.
Friedl, *Arthur*. See also *William Henry* **Bentley**.

G.

Gañguli, *Atul Chandra*. See *Prafulla Chandra* **Rây**.
Gardner, *Henry Dent, jun.* See *William Henry* **Bentley**.
Gardner, *Thomas Edward*, and *William Henry* **Perkin**, *jun.*, the action of tribromopropane on the sodium derivative of ethyl acetoacetate, T., 848; P., 115.
Gazdar, (*Miss*) *Maud*. See *Edward Charles Cyril* **Baly**.
Gebhard, *Norman Leslie*, a simple apparatus, with stirrer, for treating a liquid at its boiling point with two or more gases, P., 34.
Gibson, *Charles Stanley*. See *William Jackson* **Pope**.
Gimingham, *Conrad Theodore*. See *Alfred Daniel* **Hall**.
Godby, *Michael Harry*, the isomerism of the double sulphites of sodium and potassium, P., 241.
Gray, *Robert Whytlaw*, the density of hydrogen chloride, P., 119.
Green, *Arthur George*, the relation of colour and fluorescence to constitution, P., 12.
Green, *Arthur George*, *Arthur Hugh* **Davies**, and *Ronald Smith* **Horsfall**, the colouring matters of the stilbene group. Part IV. The action of caustic alkalis on *p*-nitrotoluene and its derivatives, T., 2076; P., 289.
Green, *Arthur George*, and *Percy Edgar* **King**, the constitution of phenol- and quinol-phthalein salts; a contribution to the quinonoid theory of colour, P., 228; discussion, P. 229.

Gregory, *Arnold William*, a calorimetric method for the determination of small percentages of iron in copper alloys, P., 306.

Gregory, *Arnold William*, and *James* **McCallum**, two volumetric methods for the determination of chromium, T., 1846; P., 237.

Groves, *Charles Edward*, cobaltamine compounds, preliminary note, P., 301.

H.

Haas, *Paul*, isonitroso- and nitro-dimethyldihydroresorcin, T., 1433; P., 191.

Hall, *Alfred Daniel*, and *Conrad Theodore* **Gimingham**, the interaction of ammonium salts and the constituents of the soil, T., 677; P., 61.

Hartley, *Walter Noel*, and *Edgar Percy* **Hedley**, the absorption spectra of phthalic, isophthalic, and terephthalic acids, phthalic anhydride, and phthalimide, T., 314; P., 31.

the absorption spectra of benzoic acid, the benzoates, and benzamide, T., 319; P., 31.

Hawthorne, *John*. See *Augustus Edward* **Dixon**.

Hay, *James Gordon*. See *Raphael* **Meldola**.

Hedley, *Edgar Percy*. See *Walter Noel* **Hartley**.

Henderson, *Andrew*. See *Thomas Stewart* **Patterson**.

Henderson, *George Gerald*, contributions to the chemistry of the terpenes. Part II. The oxidation of limonene with chromyl chloride, T., 1871; P., 247.

Henstock, *Herbert*, and *Charles Henry Graham* **Sprankling**, $\alpha\alpha\gamma$-trimethyl- and $\alpha\alpha\gamma\gamma$-tetramethyl-tricarballylic acids and $\alpha\gamma$-dimethylbutane-$\alpha\beta\delta$-tricarboxylic acid, T., 354; P., 32.

Henstock, *Herbert*, and (*Miss*) *Bertha Elizabeth* **Woolley**, the action of phosphorus pentachloride on hydroxytrimethyl succinic ester; 1:2-dimethylcyclopropane-1:2-dicarboxylic acid (1:2-dimethyltrimethylene-1:2-dicarboxylic acid), T., 1954; P., 235.

Hewitt, *John Theodore*, a new mercuric oxychloride, P., 10; discussion, P., 10.

Hewitt, *John Theodore*, and *Herbert Victor* **Mitchell**, colour and constitution of azo-compounds. Part I., T., 1251; P., 182.

Hewitt, *John Theodore*, and *Norman* **Walker**, dibromoaminoazobenzene, T., 1138; P., 161.

Hewitt, *John Theodore*, and *Thomas Field* **Winmill**, association of phenols in the liquid condition, T., 441; P., 10; discussion, P., 10.

arsenic diiodide, T., 962; P., 150.

Hickmans, (*Miss*) *Evelyn Marion*. See *Alexander* **Findlay**.

Hilditch, *Thomas Percy*, the relation between unsaturation and optical activity. Part I. The menthyl and bornyl esters of β-phenylpropionic, cinnamic, and phenylpropiolic acids, P., 287.

Hilditch, *Thomas Percy*, and *Samuel* **Smiles**, the influence of mercuric iodide on the formation of sulphonium iodides, T., 1394; P., 206.

Hilditch, *Thomas Percy*. See also *John Norman* **Collie**, *Albert Ernest* **Dunstan**, and *Samuel* **Smiles**.

Hill, *Ernest George*, and *Annoda Prasad* **Sirkar**, a new colouring matter from *Nyctanthes Arbor-tristis*, T., 1501; P., 213.

Hill, *John Robertshaw*. See *Humphrey Owen* **Jones**.

Hird, *James Morton*. See *Gilbert Thomas* **Morgan**.

Hodsman, *Henry James*. See *Julius Berend* **Cohen**.

Holmes, *John*, and *Philip John* **Sageman**, molecular aggregation in solution as exemplified in aqueous mixtures of sulphuric acid with inorganic sulphates, T., 1606; P., 210.

Homer, (*Miss*) *Annie*, the action of aluminium chloride on naphthalene, T., 1103; P., 88.

Horsfall, *Ronald Smith*. See *Arthur George* **Green**.

Hübner, *Julius*, experimental investigation into the process of dyeing, T., 1057; P., 144; discussion, P., 145.

the characterisation of mercerised cotton; preliminary note, P., 304.

Hunt, *John Samuel*. See *Albert Ernest* **Dunstan**.

I.

Ingham, *Harry*. See *Ernest Francis Joseph* **Atkinson**.

Inglis, *John Kenneth Harold*, and *Lottie Emily* **Knight**, the purification of acetic ester, P., 198.

Irvine, *James Colquhoun*, and (*Miss*) *Agnes Marion* **Moodie**, the reduction products of *o*- and *p*-dimethoxybenzoin, T., 536; P., 62.

derivatives of tetramethyl glucose, P., 303.

Irvine, *James Colquhoun*, and *John* **Weir**, the application of Baeyer's reduction to benzoin and its derivatives, T., 1384; P., 205.

J.

Jackson, *Colin Gyrth*. See *Harry Medforth* **Dawson**.

Jackson, *Thomas*. See *Martin Onslow* **Forster**.

James, *Thomas Campbell*, and *John Joseph* **Sudborough**, the addition of iodine to acetylenic acids, T., 1037; P., 136.

Jones, *Francis*, action of selenium and tellurium on arsine and stibine, P., 164.

Jones, *Humphrey Owen*, and *John Robertshaw* **Hill**, the replacement of alkyl radicles by methyl in substituted ammonium compounds, T., 2083; P., 290.

Jones, *Humphrey Owen*, and *Hubert Arthur* **Wootton**, the chemical composition of petroleum from Borneo, T., 1146; P., 184.

Jones, *Humphrey Owen*. See also *Frank* **Buckney**.

Jowett, *Hooper Albert Dickinson*, and *Frank Lee* **Pyman**, relation between chemical constitution and physiological action in the tropeines, T., 92.

K.

Kahan, (*Miss*) *Zelda*, the effect of heat on the alkyl iodides, P., 307.

Kay, *Francis William*, and *William Henry* **Perkin**, *jun.*, experiments on the synthesis of the terpenes. Part I. (continued). Direct synthesis of terpin from ethyl cyclohexanone-4-carboxylate, T., 372.

Kaye, *John*. See *Thomas Stewart* **Patterson**.

Keane, *Charles Alexander*, and *William Walter Scott* **Nicholls**, the condensation of salicylamide with aryl aldehydes, T., 264; P., 36.

Keane, *Charles Alexander*. See also *Harry* **Burrows**.

Kenyon, *Joseph*. See *Robert Howson* **Pickard**.

King, *Percy Edgar*. See *Arthur George* **Green**.

Kipping, *Frederic Stanley*, organic derivatives of silicon. Part II. The synthesis of benzylethylpropylsilicol, its sulphonation, and the resolution of the *dl*-sulphonic derivative into its optically active components, T., 209; P., 9; discussion, P., 9.

Kipping, *Frederic Stanley*, organic derivatives of silicon. Part III. *dl*-Benzylmethylethylpropylsilicane and experiments on the resolution of its sulphonic derivative, T., 717; P., 83.

Knight, *Lottie Emily*. See *John Kenneth Harold* **Inglis**.

L.

Lander, *George Druce*, mixed semi-ortho-oxalic compounds, T., 967; P., 148.

Lang, *William Robert*, and *Thomas Boles* **Allen**, an improved form of apparatus for the rapid estimation of sulphates and salts of barium, T., 1370; P., 187.

Lapworth, *Arthur*, oxime formation and decomposition in presence of mineral acids, T., 1133; P., 168.

Lapworth, *Arthur*, and *Elkan* **Wechsler**, the interaction of cyanodihydrocarvone, amyl nitrite, and sodium ethoxide. Part I., T., 977; P., 137.

the interaction of cyanodihydrocarvone, amyl nitrite, and sodium ethoxide. Part II. The constitution of the products, T., 1919; P., 252.

Lapworth, *Arthur*. See also *Ernest* **Barrett** and *Reginald William Lane* **Clarke**.

Lattey, *Robert Tabor*, the vapour pressures of triethylamine, of 2:4:6-trimethylpyridine, and of their mixtures with water, T., 1959; P., 243.

liquid triethylamine, T., 1971; P., 243.

Law, *Herbert Drake*, electrolytic reduction. Part III., T., 748; P., 73; discussion, P., 74.

Law, *Herbert Drake*, and *Frederick Mollwo* **Perkin**, preparation of chromyl dichloride, T., 191; P., 11.

oxidation of hydrocarbons of the benzene series, T., 258; P., 11.

action of metallic calcium on ketones, P., 308.

Leach, *Frederick Peacock*, pinene nitrolamine, T., 1.

a pseudosemicarbazide from pinene, T., 10.

Le Bas, *Gervaise*, a relation between the volumes of the atoms of certain organic compounds at the melting point and their valencies; interpretation by means of the Barlow-Pope theory, T., 112.

Le Bas, *Gervaise*, the relation between valency and heats of combustion; preliminary note, P., 134.

Lees, *Frederic Herbert*, researches on morphine. Part III., T., 1408; P., 200.

Lees, *Norman*, and *Jocelyn Field* **Thorpe**, some derivatives of 2-phenyl-1:3-naphthylenediamine. Part I., T., 1282; P., 189.

Le Sueur, *Henry Rondel*, the action of heat on α-hydroxycarboxylic acids. Part III. *aa'*-Dihydroxysebacic acid and its diacetyl derivative, T., 1365; P., 196.

dihydroxyadipic acids; preliminary note, P., 196.

Littlebury, *William Oswald*. See *Robert Howson* **Pickard**.

Lowe, *Frank Harold*. See *James Codrington* **Crocker**.

Lowry, *Thomas Martin*, and *Egbert Hockey* **Magson**, studies of dynamic isomerism. Part VI. The influence of impurities on the mutarotation of nitrocamphor, P., 193; discussion, P., 194.

studies of dynamic isomerism. Part VII. Note on the action of carbonyl chloride as an agent for arresting isomeric change, P., 260.

Lumsden, *John Scott*, the liquid volume of a dissolved substance, T., 24.

M.

McBain, *James William*, adsorption formulæ, T., 1683; P., 209.

McCallum, *James*. See *Arnold William* **Gregory**.

McConnan, *James*, disalicylamide, T., 196; P., 18.

McConnan, *James*, and *Morris Edgar* **Marples**, benzoyl derivatives of *N*-methylsalicylamide, T., 193; P., 18.

McKenzie, *Alexander*, and *Hermann August* **Müller**, racemisation by alkali as applied to the resolution of *r*-mandelic acid into its optically active isomerides, T., 1814; P., 234.

McKenzie, *Alexander*, and *Herbert Bryan* **Thompson**, measurements of the velocities of saponification of the *l*-menthyl and *l*-bornyl esters of the stereoisomeric mandelic acids, T., 789; P., 113.

McKenzie, *Alexander*, and *Henry* **Wren**, studies in asymmetric synthesis. VI. The asymmetric synthesis of the optically active tartaric acids, T., 1215; P., 188.

McMillan, *Andrew*. See *Thomas Stewart* **Patterson**.

Magson, *Egbert Hockey*. See *Thomas Martin* **Lowry**.

Marples, *Morris Edgar*. See *James* **McConnan**.

Marsden, (*Miss*) *Effie Gwendoline*. See *Edward Charles Cyril* **Baly**.

Marsh, *James Ernest*, and *Robert de Jersey Fleming* **Struthers**, di-iodocamphor, P., 119.

some mercury derivatives of camphor, P., 246.

Marshall, *Hugh*, and *Alexander Thomas* **Cameron**, succinic acid and its potassium salt, T., 1519; P., 214.

Masson, [*David*] *Orme*, the action of hydrogen peroxide on potassium cyanide, T., 1449; P., 117.

Meldola, *Raphael*, presidential address, T., 626; P., 101.

the position and prospects of chemical research in Great Britain, T., 626; P., 101.

Meldola, *Raphael*, and *James Gordon* **Hay**, the diazotisation of dinitroanisidines and related compounds, T., 1474; P., 211.

Meldrum, *Andrew Norman*, and *William Ernest Stephen* **Turner**, the molecular weights of amides in various solvents; preliminary note, P., 165.

Micklethwait, (*Miss*) *Frances Mary Gore*. See *Gilbert Thomas* **Morgan**.

Mitchell, *Herbert Victor*. See *John Theodore* **Hewitt**.

Moir, *James*, some derivatives of diphenol (4:4'-dihydroxydiphenyl), T., 1305.

estimation of halogen in organic substances, P., 233.

the so-called "tetrabromodiphenoquinone" and the constitution of coerulignone, P., 308.

Moodie, (*Miss*) *Agnes Marion*. See *James Colquhoun* **Irvine**.

Moody, *Gerald Tattersall*, the mechanism of the rusting of iron, P., 84; discussion, P., 84.

Moore, *Tom Sidney*, a method for the determination of the equilibrium in aqueous solutions of amines, pseudo-acids and -bases, and lactones, T., 1373; P., 154.

the "true" ionisation constants and the hydration constants of piperidine, ammonia, and triethylamine, T., 1379; P., 154.

Morgan, *Emrys*. See *Kennedy Joseph Previté* **Orton**.

Morgan, *Gilbert Thomas*, and *Edward* **Cahen**, new cerium salts, T., 475; P., 74; discussion, P., 74.

Morgan, *Gilbert Thomas*, and *James Morton* **Hird**, the diazo-derivatives of benzenesulphonylbenzidine, T., 1505; P., 209.

Morgan, *Gilbert Thomas*, and (*Miss*) *Frances Mary Gore* **Micklethwait**, influence of substitution on the formation of diazoamines and amino-azo-compounds. Part VI. The partially methylated 4:6-diamino-*m*-xylenes, T., 360; P., 28; discussion, P., 28.

the interactions of aromatic amines and *p*-diazoimides, T., 1512; P., 209.

Morgan, *Gilbert Thomas*, and *William Ord* **Wootton**, a series of coloured diazo-salts derived from benzoyl-1:4-naphthylenediamine, T., 1311; P., 180; discussion, P., 181.

Morrell, *Robert Selby*, and *Albert Ernest* **Bellars**, some compounds of guanidine with sugars. Part I., T., 1010; P., 87.

Mouilpied, *Alfred Theophilus de*, and *Alexander* **Rule**, tetraketopiperazine, T., 176; P., 13.

Müller, *Hermann August*. See *Alexander* **McKenzie**.

Müller, *Hugo*, the occurrence of quercitol (quercite) in the leaves of *Chamaerops humilis*, T., 1766; P., 218.

cocositol (cocosite), a constituent of the leaves of *Cocos nucifera* and *Cocos plumosa*, T., 1767; P., 219.

inositol (inosite), T., 1780; P., 219.

Muir, *Matthew Moncrieff Pattison*, permanganic acid, T., 1485; P., 195.

N.

Napper, *Sidney Scrivener*. See *Robert* **Robertson**.

Neogi, *Pañchañan*. See *Prafulla Chandra* **Rây**.

Nicholls, *William Walter Scott*. See *Charles Alexander* **Keane**.

O.

Orton, *Kennedy Joseph Previté*, *Joseph Edward* **Coates**, [and, in part, (*Miss*) *Frances* **Burdett**], the influence of light on diazo-reactions, T., 35.

Orton, *Kennedy Joseph Previté*, *William Charles* **Evans**, and *Emrys* **Morgan**, action of hydroxylamine on *o*-benzoquinonediazides (*o*-diazophenols); 3:5-dibromo-*o*-azoiminobenzoquinone (4:6-dibromo-2-hydroxyphenylazoimide); preliminary note, P., 167.

Orton, *Kennedy Joseph Previté*, and *Walter William* **Reed**, isomeric change in benzene derivatives; replacement of halogen by hydroxyl in chlorobromodiazobenzenes, T., 1554; P., 212.

Orton, *Kennedy Joseph Previté*. See also *Walter William* **Reed** and (*Miss*) *Alice Emily* **Smith**.

P.

Patterson, *Thomas Stewart*, *Andrew* **Henderson**, and *Frank Walter* **Fairlie**, the influence of solvents on the rotation of optically active compounds. Part X. Effect of the configuration and degree of saturation of the solvent, T., 1838; P., 236.

Patterson, *Thomas Stewart*, and *John* **Kaye**, studies in optical superposition. Part III., T., 705; P., 89.

Patterson, *Thomas Stewart*, and *Andrew* **McMillan**, the influence of solvents on the rotation of optically active compounds. Part IX. A new general method for studying intramolecular change, T., 504; P., 60.

Patterson, *Thomas Stewart*, and *David* **Thomson**, the influence of solvents on the rotation of optically active compounds. Part XI. Ethyl tartrate in aliphatic halogen derivatives, P., 263.

Paul, *David McLaren*. See *Thomas* **Purdie**.

Peachey, *Stanley John*. See *William Jackson* **Pope**.

Perkin, *Arthur George*, constituents of natural indigo. Part II., T., 435; P., 62.

methyl ethers of some hydroxyanthraquinones, T., 2066; P., 288.

the occurrence of isatin in some samples of Java indigo, P., 30.

Perkin, *Arthur George*, and *William Popplewell* **Bloxam**, some constituents of natural indigo. Part I., T., 279; P., 30.

indican. Part I., T., 1715; P., 116, 218.

Perkin, *Frederick Mollwo*, and *Lionel* **Pratt**, note on the action of metallic calcium on alcohols, P., 304.

Perkin, *Frederick Mollwo*. See also *Herbert Drake* **Law**.

Perkin, (*Sir*) *William Henry*, the magnetic rotation of hexatriene, $CH_2{:}CH{\cdot}CH{:}CH{\cdot}CH{:}CH_2$, and its relationship to benzene and other aromatic compounds; also its refractive power, T., 806; P., 110; discussion, P., 111.

Perkin (*Sir*) *William Henry*, gift of bust of, to Society, P., 53.

Perkin, *William Henry, jun.*, some experiments on the oxidising action of hydrogen peroxide; preliminary note, P., 166.

Perkin, *William Henry, jun.*, and *Robert* **Robinson**, brazilin and hæmatoxylin. Part VII. Synthesis of derivatives of hydrindene closely allied to brazilin and hæmatoxylin, T., 1073.

some derivatives of γ-pyranol allied to certain derivatives of brazilein and hæmatein; preliminary communication, P., 149.

synthesis of brazilinic acid and the lactones of dihydrobrazilinic and dihydrohæmotoxylinic acids, P., 291.

Perkin, *William Henry, jun.*, and *John Lionel* **Simonsen**, the action of tribromopropane on the sodium derivative of ethyl malonate. Part I., T., 816.

the action of tribromopropane on the sodium derivative of ethyl malonate. Part II. Formation of $\Delta^{\alpha\zeta}$-heptadiinene-δ-carboxylic acid (ψ-*m*-toluic acid), $(CH{:}C{\cdot}CH_2)_2C(CO_2H)_2$, T., 840.

experiments on the synthesis of the terpenes. Part XI. Synthesis of 4-isopropylidenecyclohexanone and its derivatives, T., 1736; P., 197.

Perkin, *William Henry, jun.*, and *George* **Tattersall**, experiments on the synthesis of the terpenes. Part X. Synthesis of carvestrene and its derivatives, T., 480; P., 66.

Perkin, *William Henry, jun.* See also *Thomas Edward* **Gardner** and *Francis William* **Kay**.

Perman, *Edgar Philip*, and *John Hughes* **Davies**, molecular weight of β-naphthol in solution in solid naphthalene, T., 1114; P., 162.

Philip, *James Charles*, influence of non-electrolytes and electrolytes on the solubility of sparingly soluble gases in water; the question of hydrates in solution, T., 711; P., 85; discussion, P., 86.

Pickard, *Robert Howson*, and *Joseph* **Kenyon**, contributions to the chemistry of oxygen compounds. II. The compounds of cineol, diphenylsulphoxide, nitroso-derivatives, and the carbamides with acids and salts, T., 896; P., 138.

the resolution of *sec.*-octyl alcohol [methylhexylcarbinol; octane-2-ol], T., 2058; P., 286.

Pickard, *Robert Howson*, and *Joseph* **Kenyon**, the reaction between organomagnesium halides and nitro-compounds, P., 153.

Pickard, *Robert Howson*, and *William Oswald* **Littlebury**, studies on optically active carbimides. Part V. The aryl esters and the amides of *l*-menthylcarbamic acid, T., 300; P., 30.

the alcohols of the hydroaromatic and terpene series. Part I. Resolution of the alcohols into their optically active components and the preparation of the borneols, T., 1973; P., 262.

Pickering, *Spencer* [*Percival*] *Umfreville*, note on the arsenates of lead and calcium, T., 307; P., 35.

the interaction of metallic sulphates and caustic alkalis, T., 1981; P., 261.

the chemistry of Bordeaux mixture, T., 1989; P., 261.

emulsions, T., 2001; P., 256; discussion, P., 256.

Pope, *William Jackson*, and *Thomas Constantine* **Beck**, resolution of tetrahydro-*p*-toluquinaldine into its optically active components, T., 458; P., 15.

Pope, *William Jackson*, and *Charles Stanley* **Gibson**, the alkyl compounds of gold, T., 2061; P., 245, 295.

Pope, *William Jackson*, and *Stanley John* **Peachey**, a new class of organometallic compounds; preliminary notice; trimethylplatinimethyl hydroxide and its salts, P., 86; discussion, P., 87.

Pope, *William Jackson*. See also *William* **Barlow**.

Power, *Frederick Belding*, and *Arthur Henry* **Salway**, the constituents of the essential oil of nutmeg, T., 2037; P., 285; discussion, P., 285.

Power, *Frederick Belding*, and *Frank* **Tutin**, the constitution of homoeriodictyol.—A crystalline substance from Eriodictyon leaves, T., 887; P., 133, 243.

Power, *Frederick Belding*. See also *Marmaduke* **Barrowcliff**.

Pratt, *Lionel*. See *Frederick Mollwo* **Perkin**.

Price, *Thomas Slater*, depression of the freezing point of aqueous solutions of hydrogen peroxide by potassium persulphate and other compounds, T., 531; P., 75.

Price, *Thomas Slater*, and *Douglas Frank* **Twiss**, the electrolytic preparation of disulphides. Part I. Dibenzyl disulphide and diethyl disulphide, T., 2021; P., 263.

Prideaux, *Edmund Brydges Rudhall*, the atomic volumes of phosphorus, T., 1711; P., 207.

Purdie, *Thomas*, and *David McLaren* **Paul,** the alkylation of *d*-fructose, T., 289; P., 33.

Pyman, *Frank Lee*, calmatambin, a new glucoside, T., 1228; P., 183.

Pyman, *Frank Lee.* See also *Hooper Albert Dickinson* **Jowett.**

R.

Ramsay, (*Sir*) *William*, the chemical action of the radium emanation. Part I. Action on distilled water, T., 931; P., 132; discussion, P., 132.

Ramsay, (*Sir*) *William.* See also *Alexander Thomas* **Cameron.**

Ramsbottom, *John Edwin.* See *David Leonard* **Chapman.**

Raper, *Henry Stanley*, the condensation of acetaldehyde and its relation to the biochemical synthesis of fatty acids, T., 1831; P., 235.

Rây, *Prafulla Chandra*, mercurous hyponitrite, T., 1404; P., 89.

cupric nitrite, T., 1405; P., 117.

the double nitrites of mercury and the alkali metals, T., 2031; P., 165.

silver-mercuroso-mercuric oxynitrates and the isomorphous replacement of univalent mercury by silver, T., 2033; P., 165.

Rây, *Prafulla Chandra*, and *Atul Chandra* **Gañguli,** the decomposition of mercurous and silver hyponitrites by heat, T., 1399; P., 89.

the decomposition of hyponitrous acid in presence of mineral acids, T., 1866; P., 184.

Rây, *Prafulla Chandra*, and *Pañchañan* **Neogi,** preparation of aliphatic nitrocompounds by the interaction of the alkyl iodides and mercurous nitrite, P., 246.

Reed, *Walter William*, and *Kennedy Joseph Previté* **Orton,** the wandering of bromine in the chlorination of bromoanilines, T., 1543; P., 210.

Reed, *Walter William.* See also *Kennedy Joseph Previté* **Orton.**

Renouf, (*Miss*) *Nora.* See *Arthur William* **Crossley.**

Report of the Council, T., 615; P., 95.

Report of the International Committee on atomic weights, 1907, P., 2.

Report as to the nomenclature of the proteins, P., 55.

Richardson, *Arthur*, the reaction between calcium carbonate and chlorine water, P., 118.

Robertson, *Robert*, and *Sidney Scrivener* **Napper,** the estimation of small quantities of nitrogen peroxide, T., 761; P., 91.

the evolution of nitrogen peroxide in the decomposition of guncotton, T., 764; P., 91.

Robinson, *Robert.* See *William Henry* **Perkin,** *jun.*

Robinson, (*Miss*) *Rona.* See *William Henry* **Bentley.**

Ruhemann, *Siegfried*, the action of ethyl oxalate on thioacetanilide and its homologues, T., 797; P., 115.

methyl dicarboxyaconitate, T., 1359; P., 195.

Rule, *Alexander.* See *Alfred Theophilus de* **Mouilpied.**

S.

Sageman, *Philip John.* See *John* **Holmes.**

Salway, *Arthur Henry.* See *Frederick Belding* **Power.**

Sand, *Henry Julius Salomon*, the rapid electroanalytical deposition and separation of metals. Part I. The metals of the silver and copper groups and zinc, T., 373; P., 26; discussion, P., 26.

Sanders, *James McConnell*, a simple gas generator for analytical operations, P., 232.

Senier, *Alfred*, and *Percy Corlett* **Austin,** the condensation of aldehydes with mixtures of α-naphthol and α-naphthylamine; synthesis of 7-aryl-$\begin{matrix}\alpha\text{—N—}\alpha\\ \beta\text{—CH—}\beta\end{matrix}$-dinaphthacridines, T., 1233; P., 185.

the synthesis of phenonaphthacridines; trimethylphenonaphthacridines, T., 1240; P., 185.

attempted synthesis of $\begin{matrix}\beta\text{—N—}\beta\\ \vert\\ \beta\text{—CH—}\beta\end{matrix}$-dinaphthacridine; condensation of methylene chloride and 1-substituted-2-naphthylamines, P., 300.

Senier, *Alfred*, and *Arthur* **Compton,** the synthesis of acridines and phenonaphthacridines; tetra- and hexa-methylacridines; dimethylphenonaphthacridines; dixylylmethylenediamines, T., 1927; P. 247.

Senter, *George*, displacement of halogens by hydroxyl. I. The hydrolytic decomposition of hydrogen and sodium monochloroacetates by water and by alkali, and the influence of neutral salts on the reaction velocities, T., 460; P., 60; discussion, P., 61.

Sidgwick, *Nevil Vincent*, and *Henry Thomas* **Tizard,** on the colour of cupric salts in aqueous solution, P., 305.

Simon, *Theodor*. See *Bernhard* **Flurscheim.**

Simonsen, *John Lionel*, synthesis of terebic, terpenylic, and homoterpenylic acids, T., 184.

Simonsen, *John Lionel*. See also *William Henry* **Perkin,** *jun.*

Sirkar, *Annoda Prasad*. See *Ernest George* **Hill.**

Slade, *Roland Edgar*, the reducibility of magnesia by carbon; preliminary note, P., 152.

Smedley, (*Miss*) *Ida*, synthesis of hexatriene derivatives; preliminary note, P., 162.

the refractive power of diphenylhexatriene and allied hydrocarbons, P., 295.

Smiles, *Samuel*, the nitrates of dimethyl- and methylethyl-thetine menthyl esters, P., 291.

Smiles, *Samuel*, and *Alexander William* **Bain,** phenol *p*-sulphoxide, T., 1118; P., 161.

Smiles, *Samuel*, and *Thomas Percy* **Hilditch,** camphor-β-sulphinic acid and camphorylsulphonium bases, T., 519; P., 35.

aromatic selenonium bases, P., 12.

p-cresol sulphoxide and sulphide, P., 161.

derivatives of *S*-phenylphenazothionium. Part I., P., 306.

Smiles, *Samuel*. See also *Thomas Percy* **Hilditch.**

Smith, (*Miss*) *Alice Emily*, and *Kennedy Joseph Previté* **Orton,** transformations of highly substituted nitroaminobenzenes. II. *s*-Tribromo-1-nitroaminobenzene, T., 146; P., 14.

Smith, *Arthur Richard*, and *Jocelyn Field* **Thorpe,** ethyl α-cyano-γ-phenylacetoacetate, T., 1899; P., 249.

Spencer, *James Frederick*, and *Eleanor Marguerite* **Stokes,** the direct interaction of aryl halides and magnesium, P., 302; discussion, P., 303.

Sprankling, *Charles Henry Graham*. See *Herbert* **Henstock.**

Sprengel, *Hermann Johann Philipp*, obituary notice of, T., 661.

Steele, *Bertram Dillon*, the velocity and mechanism of the reaction between iodine and hypophosphorous acid, T., 1641; P., 213.

Stewart, *Alfred Walter*, the relation between absorption spectra and optical rotatory power. Part I. The effect of unsaturation and stereoisomerism, T., 199; P., 8; discussion, P., 8.

the relation between absorption spectra and optical rotatory power. Part II., T., 1537; P., 197.

Stewart, *Alfred Walter*. See also *Norman Thomas Mortimer* **Wilsmore.**

Stokes, *Eleanor Marguerite*. See *James Frederick* **Spencer.**

Struthers, *Robert de Jersey Fleming*. See *James Ernest* **Marsh.**

Sudborough, *John Joseph*, and *Ebenezer Rees* **Thomas,** esterification constants of substituted acrylic acids. Part II., T., 1033; P., 146.

Sudborough, *John Joseph*, and *John* **Thomas,** the addition of bromine to unsaturated compounds. Part I., P., 147.

Sudborough, *John Joseph*, and *Gwilym* **Williams,** the addition of bromine to the α- and β-chloro- and bromo-cinnamic acids and their methyl esters, P., 146.

Sudborough, *John Joseph*. See also *Thomas Campbell* **James.**

T.

Tattersall, *George*. See *William Henry* **Perkin,** *jun.*

Taylor, *John*. See *Augustus Edward* **Dixon.**

Temperley, *Claude Vazeille*. See *William Henry* **Bentley.**

Thole, *Ferdinand Bernard Theodore*. See *Albert Ernest* **Dunstan.**

Thomas, *Ebenezer Rees*. See *John Joseph* **Sudborough.**

Thomas, *Frederick*. See *William Henry* **Bentley.**

Thomas, *John*. See *John Joseph* **Sudborough.**

Thompson, *Herbert Bryan*. See *Alexander* **McKenzie.**

Thomson, *David*. See *Thomas Stewart* **Patterson.**

Thorpe, *Jocelyn Field*, a reaction of certain colouring matters of the oxazine eries, T., 324; P., 32.

Thorpe, *Jocelyn Field*, the formation and reactions of imino-compounds. Part IV. The formation of 1:4-naphthylenediamine from ethyl γ-imino-α-cyano-γ-phenylbutyrate, T., 1004; P., 151.

Thorpe, *Jocelyn Field*. See also *Ernest Francis Joseph* **Atkinson**, *Norman* **Lees**, and *Arthur Richard* **Smith**.

Tinkler, *Charles Kenneth*, studies of the perhalogen salts. Part I., T., 996; P., 137.

Titherley, *Arthur Walsh*, phenylbenzometoxazone and related derivatives, T., 1419; P., 203.

Tizard, *Henry Thomas*. See *Nevil Vincent* **Sidgwick**.

Tuck, *William Bradshaw*, the constitution of hydroxyazo-compounds, T., 449; P., 58; discussion, P., 59.

Tuck, *William Bradshaw*. See also *Edward Charles Cyril* **Baly** and *William Henry* **Bentley**.

Turner, *William Ernest Stephen*. See *Andrew Norman* **Meldrum**.

Tutin, *Frank*, the constitution of umbellulone. Part II. The reduction of umbellulonic acid, T., 271; P., 28.

the reduction of hydroxylaminodihydroumbelluloneoxime, T., 275; P., 29.

the interaction of methylene chloride and the sodium derivative of ethyl malonate, T., 1141; P., 158, 245.

the melting point of *d*-phenylglucosazone, P., 250.

Tutin, *Frank*. See also *Marmaduke* **Barrowcliff** and *Frederick Belding* **Power**.

Twiss, *Douglas Frank*. See *Thomas Slater* **Price**.

V.

Veley, *Victor Herbert*, the affinity constants of aminocarboxylic and aminosulphonic acids as determined by the aid of methyl-orange, T., 153.

the affinity constants of aminosulphonic acids as determined by the aid of methyl-orange, T., 1246; P., 179.

the affinity constants of bases as determined by the aid of methyl-orange; preliminary note, P., 284.

W.

Walker, *James*, and *Heather Henderson* **Beveridge**, *p*-toluidine monohydrate, T., 1797; P., 236.

Walker, *Norman*. See *John Theodore* **Hewitt**.

Wechsler, *Elkan*. See *Reginald William Lane* **Clarke** and *Arthur* **Lapworth**.

Weir, *John*. See *James Colquhoun* **Irvine**.

Weizmann, *Charles*. See *William Henry* **Bentley** and *Arthur* **Friedl**.

Werner, *Emil Alphonse*. See *William* **Caldwell**.

Whiteley, (*Miss*) *Martha Annie*, studies in the barbituric acid series. I. 1:3-Diphenylbarbituric acid and some coloured derivatives, T., 1330; P., 180, 203.

Williams, *Gwilym*. See *John Joseph* **Sudborough**.

Wilsmore, *Norman Thomas Mortimer*, keten, T., 1938; P., 229; discussion, P., 230.

Wilsmore, *Norman Thomas Mortimer*, and *Alfred Walter* **Stewart**, a note on certain pyrogenic reactions, P., 309.

Wilson, *Robert William*. See *Albert Ernest* **Dunstan**.

Winmill, *Thomas Field*. See *John Theodore* **Hewitt**.

Woolley, (*Miss*) *Bertha Elizabeth*. See *Herbert* **Henstock**.

Wootton, *Hubert Arthur*. See *Humphrey Owen* **Jones**.

Wootton, *William Ord*, aromatic amides and imides of camphoric acid, T., 1890; P., 250.

Wootton, *William Ord*. See also *Gilbert Thomas* **Morgan**.

Wren, *Henry*. See *Alexander* **McKenzie**.

Wyler, *Max*. See *Arthur* **Friedl**.

Y.

Young, *William John*, the organic phosphorus compound formed by yeast-juice from soluble phosphates; preliminary notice, P., 65.

INDEX OF SUBJECTS.

TRANSACTIONS AND PROCEEDINGS. 1907.

(Marked T. and P. respectively.)

A.

Absorption spectra. See under Photochemistry.

Acetaldehyde, condensation of, and its relation to the biochemical synthesis of fatty acids (RAPER), T., 1831 ; P., 235.

Acetanilide, 2:4-*di*chloro-, preparation of (REED and ORTON), T., 1553.

2:6-*di*chloro-4-bromo- (REED and ORTON), T., 1550.

2:4:6-*tri*chloro-3-bromo- (REED and ORTON), T., 1552.

chloro-*p*-iodo-, and its *di*chloride (CALDWELL and WERNER), T., 246 ; P., 17.

p-iodo-, *di*chloride, action of heat on (CALDWELL and WERNER), T., 240 ; P., 17.

thio-, and its homologues, action of ethyl oxalate on (RUHEMANN), T., 797 ; P., 115.

Acetic acid, ethyl ester, purification of (INGLIS and KNIGHT), P., 198.

Acetic acid, chloro-, and its sodium salt, hydrolytic decomposition of, by water and by alkali, and the influence of neutral salts on the reaction velocities (SENTER), T., 460 ; P., 60.

*di*chloro-, cerous salt (MORGAN and CAHEN), T., 477.

Acetoacetic acid, ethyl ester, condensation of, with triacetic lactone (FLEISCHMANN), T., 250 ; P., 16.

sodium derivative, production of orcinol derivatives by the action of heat on (COLLIE and CHRYSTALL), T., 1802 ; P., 231.

action of tribromopropane on (GARDNER and PERKIN), T., 848 ; P., 115.

Acetonylazoimide. See Triazoacetone.

Acetonylmalonic acid and its semicarbazone (PERKIN and SIMONSEN), T., 822.

Acetophenone, *ω-mono-* and *-di-*chloro-*p*-iodo- (CALDWELL and WERNER), T., 244 ; P., 17.

p-iodo-, *di*chloride, action of heat on (CALDWELL and WERNER), T., 240 ; P., 17.

Aceto-*p*-toluidide, 3-chloro-5-bromo- (ORTON and REED), T., 1570.

Acetoxime, influence of acids and alkalis on the velocity of formation of (BARRETT and LAPWORTH), P., 307.

Acetyl-. See also Acet-, and under the parent Substance.

***β*-Acetyladipic acid,** preparation of, and its ethyl ester, silver salt, and semicarbazone (SIMONSEN), T., 188.

***β*-Acetylbutane-*αβδ*-tricarboxylic acid,** ethyl ester, preparation of (SIMONSEN), T., 188.

Acetylchloroamino-2:4-*di*chlorobenzene, preparation of (REED and ORTON), T., 1554.

Acetylchloroamino-2:6-*di*chloro-4-bromobenzene (REED and ORTON), T., 1550 ; P., 210.

Acetylenedicarboxylic acid, addition of iodine to (JAMES and SUDBOROUGH), T., 1038 ; P., 136.

Acetylenic acids, addition of iodine to (JAMES and SUDBOROUGH), T., 1037 ; P., 136.

α-Acetylglutaric acid, ethyl ester, preparation of (PERKIN and SIMONSEN), T., 1740 ; P., 197.

γ-Acetylpentane-*αγε*-tricarboxylic acid, ethyl ester (PERKIN and SIMONSEN), T., 1740 ; P., 198.

γ-Acetylpimelic acid and its semicarbazone and ethyl ester (PERKIN and SIMONSEN), T., 1741 ; P., 198.

Acid, $C_6H_8O_5N_2$, from the action of sodium ethoxide on ethyl malonamate (DE MOUILPIED and RULE), T., 177; P., 13.

$C_8H_{14}O_4$, and its barium salt, from the oxidation of the aldehyde, $C_8H_{14}O_3$ (RAPER), T., 1835.

$C_{10}H_{14}O_2$, from limonene (HENDERSON), T., 1874; P., 247.

$C_{12}H_{18}O_3$, from the oil of nutmeg (POWER and SALWAY), T., 2056; P., 285.

$C_{20}H_{26}O_{10}$, from the interaction of methylene chloride and the sodium derivative of ethyl malonate (TUTIN), T., 1145; P., 158.

$C_{32}H_{38}O_{20}$, and its potassium and sodium salts, from the hydrolysis of the insoluble substance from the interaction of methylene chloride and the sodium derivative of ethyl malonate (TUTIN), T., 1145; P., 158.

Acid chlorides, action of, on thioureas (DIXON and HAWTHORNE), T., 122; (DIXON and TAYLOR), T., 912; P., 119, 294.

Acids, unsaturated, the velocity of reaction of bromine with some, in aqueous solution (BARRETT and LAPWORTH), P., 18.

See also Acetylenic acids, Amino-acids, Aminocarboxylic acids, Aminosulphonic acids, α-Hydroxycarboxylic acids, and Pseudo-acids.

Acridines, synthesis of (SENIER and AUSTIN), T., 1233, 1240; P., 185, 300; (SENIER and COMPTON), T., 1927; P., 247.

Acrylic acids, substituted, esterification constants of (SUDBOROUGH and THOMAS), T., 1033; P., 146.

Acylamino-compounds, the mechanism of bromination of (COHEN and CROSS), P., 148.

Address, congratulatory, to the Geological Society of London, P., 226.

to the Société chimique de France, P., 141.

Adipic acid, *di*hydroxy-derivatives (LE SUEUR), P., 196.

Adsorption formulæ (MCBAIN), T., 1683; P., 209.

AFFINITY, CHEMICAL:—

Affinity constants of aminocarboxylic and aminosulphonic acids as determined by the aid of methyl-orange (VELEY), T., 153.

of aminosulphonic acids as determined by the aid of methyl-orange (VELEY), T., 1246; P., 179.

of bases as determined by the aid of methyl-orange (VELEY), P., 284.

AFFINITY, CHEMICAL:—

Association of phenols in the liquid condition (HEWITT and WINMILL), T., 441; P., 10.

Dynamic isomerism, studies in (LOWRY and MAGSON), P., 193, 260.

Equilibrium, a method for the determination of the, in aqueous solutions of amines, pseudo-acids, pseudo-bases, and lactones (MOORE), T., 1373; P., 154.

Hydrolysis of chloroacetic acid and its sodium salt by water and by alkali, and the influence of neutral salts on the reaction velocities (SENTER), T., 460; P., 60.

of salts, electrometric determination of the (DENHAM), P., 260.

Velocity of hydrolysis of the aliphatic amides (CROCKER), T., 593; P., 63.

by alkali (CROCKER and LOWE), T., 952; P., 135.

of the *l*-bornyl and *l*-menthyl esters of the stereoisomeric mandelic acids (MCKENZIE and THOMPSON), T., 789; P., 113.

Velocity of oxidation of the side-chain, influence of substitution in the nucleus on the (COHEN and HODSMAN), T., 970; P., 152.

Velocity and mechanism of the oxidation of hypophosphorous acid by iodine (STEELE), T., 1641; P., 213.

Velocity of reaction of bromine with some unsaturated acids in aqueous solution (BARRETT and LAPWORTH), P., 18.

Velocity of reduction of the oxides of lead, cadmium, and bismuth by carbon monoxide (BRISLEE), P., 286.

Alcohol, $C_{10}H_{18}O$, from oil of nutmeg (POWER and SALWAY), T., 2049; P., 285.

Alcohols, action of metallic calcium on (PERKIN and PRATT), P., 304.

of the hydroaromatic and terpene series, and their resolution into optically active components (PICKARD and LITTLEBURY), T., 1973; P., 262.

Aldehyde, $C_8H_{14}O_3$, from the condensation of acetaldehyde (RAPER), T., 1834.

$C_{10}H_{14}O$, and its semicarbazone, from limonene (HENDERSON), T., 1873; P., 247.

Aldehydes, condensation of, with diethylmalonamide (BURROWS and KEANE), T., 269; P., 36.

condensation of, with α-naphthol and α-naphthylamine (SENIER and AUSTIN), T., 1233; P., 185.

Aldehydes, aromatic, electrolytic reduction of (LAW), T., 748; P., 73.
condensation of, with salicylamide (KEANE and NICHOLLS), T., 264; P., 36.
Alizarin, monomethyl ether of, from the root of *Morinda longiflora* (BARROWCLIFF and TUTIN), T., 1913; P., 249.
methyl ethers (PERKIN), T., 2068; P., 288.
Alkali iodates and *peri*odates (BARKER), P., 305.
nitrites, double salts with mercuric nitrite (RÂY), T., 2031; P., 165.
Alkalis, caustic, interaction of, with metallic sulphates (PICKERING), T., 1981; P., 261.
Alkaloids of ergot (BARGER and CARR), T., 337; P., 27.
Alkyl iodides, effect of heat on (KAHAN), P., 307.
interaction of, with mercurous nitrite (RÂY and NEOGI), P., 246.
radicles, replacement of, by methyl in substituted ammonium compounds (JONES and HILL), T., 2083; P., 290.
Alkylkairolinium salts, optical activity of (BUCKNEY and JONES), T., 1822; P., 234.
Alkylquinolinium salts, optical activity of (BUCKNEY and JONES), T., 1822; P., 234.
Allylacetic acid (PERKIN and SIMONSEN), T., 829.
esterification constant of (SUDBOROUGH and THOMAS), T., 1035; P., 146.
Allylacetoacetic acid, γ-bromo-, ethyl ester (GARDNER and PERKIN), T., 849; P., 115.
Allylacetone (GARDNER and PERKIN), T., 851.
Allylacetone, γ-bromo-, and its oxime and semicarbazone (GARDNER and PERKIN), T., 850; P., 115.
density and magnetic rotation of (PERKIN), T., 851.
Allylmalonic acid and γ-bromo-, ethyl ester, and its reactions (PERKIN and SIMONSEN), T., 821, 840.
Aluminium basic sulphate, formation of (PICKERING), T., 1987; P., 261.
Amides, molecular weights of, in various solvents (MELDRUM and TURNER), P., 165.
fatty, velocity of hydrolysis of (CROCKER), T., 593; P., 63.
velocity of hydrolysis of, by alkali (CROCKER and LOWE), T., 952; P., 135.
Amine, $C_9H_{15}N$, and its platinichloride, from the ketone, $C_9H_{12}O$, from limonene (HENDERSON), T., 1876; P., 247.
Amines, a method for the determination of the equilibrium in aqueous solutions of (MOORE), T., 1373; P., 154.
aromatic, interaction of, with *p*-diazoimides (MORGAN and MICKLETHWAIT), T., 1512; P., 209.
See also Bases and *m*-Diamines.
Amino-acid, $C_{11}H_{16}O_3N_2$, and its methyl ester, from the oxidation of the lactam, $C_{11}H_{14}O_2N_2$ (LAPWORTH and WECHSLER), T., 982, 1919; P., 138, 252.
$C_{12}H_{18}O_3N_2$, from the oxidation of the lactam, $C_{12}H_{16}O_2N_2$ (LAPWORTH and WECHSLER), T., 991; P., 138.
Aminocarboxylic acids, affinity constants of, as determined by the aid of methyl-orange (VELEY), T., 153.
Aminosulphonic acids, affinity constants of, as determined by the aid of methyl-orange (VELEY), T., 153, 1246; P., 179.
Amminodiethylauric bromide (POPE and GIBSON), T., 2065; P., 295.
Ammonia, the "true" ionisation constants, the hydration constants, and the heats of neutralisation and of solution of (MOORE), T., 1379; P., 154.
Ammonium compounds, cyclic, optical activity of (BUCKNEY and JONES), T., 1821; P., 234.
substituted, replacement of alkyl radicles by methyl in (JONES and HILL), T., 2083; P., 290.
Ammonium salts, interaction of, with the constituents of soil (HALL and GIMINGHAM), T., 677; P., 61.
Ammonium *peri*odate, specific gravity and solubility of (BARKER), P., 305.
calcium ferrocyanide (BROWN), T., 1827; P., 233.
Amygdalin, hydrolysis of, by acids (CALDWELL and COURTAULD), T., 666; P., 71.
hydrolysis of, by emulsin (AULD), P., 72.
hepta-acetyl derivative (CALDWELL and COURTAULD), T., 675; P., 72.
*iso***Amygdalin**, hepta-acetyl derivative (CALDWELL and COURTAULD), T., 675; P., 27.
Analysis, electrolytic, of metals (SAND), T., 373; P., 26.
α-Anhydrotrimethylbrazilone, constitution of (PERKIN and ROBINSON), P., 293.
Aniline, acetyl derivative. See Acetanilide.

Aniline, bromo-derivatives, the wandering of bromine in the chlorination of (REED and ORTON), T., 1543; P., 210.
2:6-*di*bromo-4-nitro- (SMITH and ORTON), T., 149; P., 14.
reduction of (HEWITT and WALKER), T., 1141.
2:6-*di*chloro-4-bromo-, and its acetyl derivative (REED and ORTON), T., 1547; P., 210.
2:4:6-*tri*chloro-3-bromo-, and its acetyl derivatives (REED and ORTON), T., 1552; P., 210.
chloro-*p*-iodo-, and its hydrochloride, picrate, and thiocarbamide (CALDWELL and WERNER), T., 246; P., 17.
Aniline-*p*-sulphonic acid, cerous salt (MORGAN and CAHEN), T., 477.
1-Anilino-6-hydroxynaphthacenequinone, and its diacetyl derivative (BENTLEY, FRIEDL, THOMAS, and WEIZMANN), T., 419.
Anisaldehyde, electrolytic reduction of (LAW), T., 759.
Anisidines, *di*nitro-, diazotisation of (MELDOLA and HAY), T., 1474; P., 211.
o- and *p*-, 3:5-*di*nitro-, preparation and diazotisation of (MELDOLA and HAY), T., 1474; P., 211.
Anisil (IRVINE and MOODIE), T., 544.
Anisoin, reduction of, and its methyl ether (IRVINE and MOODIE), T., 541; P., 62.
Anisyl-. See Methoxyphenyl-.
Anniversary dinner, P., 102.
Annual General Meeting, T., 615; P., 95.
Anthragallol methyl ethers (PERKIN), T., 2067; P., 288.
Anthraquinone, hydroxy-derivatives, methyl ethers of (PERKIN), T., 2066; P., 288.
m-hydroxy-, methyl ether (PERKIN), T., 2070; P., 288.
1:2-*di*hydroxy-. See Alizarin.
1:3-*di*hydroxy-. See Purpuroxanthin.
2:3-*di*hydroxy-. See Hystazarin.
1:2:3-*tri*hydroxy-. See Anthragallol.
Anthraquinones (BENTLEY, GARDNER, WEIZMANN, ANDREW, and TEMPERLEY), T., 1626; P., 215.
Antimony *tri*hydride (*stibine*), action of selenium and tellurium on (JONES), P., 164.
Arsenic *tri*hydride (*arsine*), action of selenium and tellurium on (JONES), P., 164.
*di*iodide, preparation, formula, and reactions of (HEWITT and WINMILL), T., 962; P., 150.
Arsine. See Arsenic *tri*hydride.
Aryl haloids, interaction of, with magnesium (SPENCER and STOKES), P., 302.
Association. See under Affinity, chemical.
Atomic weight of tellurium (BAKER and BENNETT), T., 1849; P., 240.
Atomic weights, report of the International Committee on, P., 2.
table of, P., 7.
Atoms of certain organic compounds at the melting point, relation between their volumes and valencies (LE BAS), T., 112.
Azobenzene, *di*bromoamino-, and its diacetyl and dibenzoyl derivatives (HEWITT and WALKER), T., 1138; P., 161.
Azo-compounds, colour and constitution of (HEWITT and MITCHELL), T., 1251; P., 182.
amino-, formation of (MORGAN and MICKLETHWAIT), T., 1512; P., 209.
influence of substitution on the formation of (MORGAN and MICKLETHWAIT), T., 360; P., 28.
hydroxy-, constitution of (TUCK), T., 449; P., 58.
Azoimides, aromatic (FORSTER and FIERZ), T., 855, 1350, 1942; P., 112, 205, 258.
o-**Azoiminobenzoquinone**, 3:5-*di*bromo-. See Phenylazoimide, 4:6-*di*bromo-2-hydroxy-.
Azoxy-compounds, reduction of aromatic nitro-compounds to, in acid solution (FLURSCHEIM and SIMON), P., 163.

B.

Balance sheet of the Chemical Society and of the Research Fund. See Annual General Meeting, T., 621.
Barbituric acid series, studies in the (WHITELEY), T., 1330; P., 180, 203.
Barium salts, an improved form of apparatus for the rapid estimation of (LANG and ALLEN), T., 1370; P., 187.
Bases, affinity constants of, as determined by the aid of methyl-orange (VELEY), P., 284.
quaternary, hydrates of some (CRICHTON), T., 1793; P., 236.
See also Amines, Diamines, and Pseudo-bases.
Benzaldehyde, electrolytic reduction of (LAW), T., 754.

Benzamide, absorption spectra of (HARTLEY and HEDLEY), T., 319; P., 31.

Benzene derivatives, isomeric change in (ORTON and REED), T., 1554; P., 212.

Benzene, *s-tri*bromo-1-nitroamino-, decomposition of (SMITH and ORTON), T., 146; P., 14.

2:6-*di*chloro-4-bromo-1-nitroamino-, and its barium salt (REED and ORTON), T., 1551.

p-chloroiodo-, dichloride, action of heat on (CALDWELL and WERNER), T., 528; P., 64.

*s-tri*halogen-1-nitroamino-derivatives, transformations of (SMITH and ORTON), T., 146; P., 14.

iodo-, dichloride, action of heat on (CALDWELL and WERNER), T., 528; P., 64.

m- and *p*-iodonitro-, dichlorides, action of heat on (CALDWELL and WERNER), T., 528; P., 64.

nitroso-, compound of, with cadmium iodide (PICKARD and KENYON), T., 901.

4-Benzeneazo-1-acetylamino-3-amino-2-phenylnaphthalene (LEES and THORPE), T., 1290.

4-Benzeneazo-3-acetylamino-1-amino-2-phenylnaphthalene and its *p*-nitro-derivative and their hydrochlorides, and their hydrolysis (LEES and THORPE), T., 1295.

5-Benzeneazo-1:3-diphenyl-5-benzyl- and **-5-diphenylmethyl-barbituric acids** and *p*-nitro- (WHITELEY), T., 1345; P., 180.

Benzeneazo-β-naphthol, hydroxy-. See Phenol-2-azo-β-naphthol.

Benzene-1-azo-β-naphthol, *tetra*bromo-, 4-chloro-2:6-*di*bromo-, 2-chloro-4:6-*di*bromo-, 2:4-*di*chloro-6-bromo-, and 2:6-*di*chloro-4-bromo- (ORTON and REED), T., 1562.

Benzene-4-azo-1-naphthol-2-carboxylic acid, *o*-, *m*-, and *p*-nitro- (HEWITT and MITCHELL), T., 1260; P., 183.

Benzeneazophenol, 2′:6′-*di*bromo-4-nitro- (HEWITT and MITCHELL), T., 1262.

4-Benzeneazophenyl-α-camphoramic acid (WOOTTON), T., 1897; P., 250.

4-Benzeneazo-2-phenyl-1:3-naphthylenediamine and its *p*-nitro-derivative and their hydrochlorides (LEES and THORPE), T., 1290.

4-Benzeneazo-2-phenyl-1:3-naphthylenedimethyldiamine and *p*-nitro-, and their hydrochlorides (LEES and THORPE), T., 1301.

Benzeneazosalicylaldehyde, *p*-nitro-, and its acetyl derivative and phenylhydrazone (HEWITT and MITCHELL), T., 1262; P., 183.

Benzenediazo-*as*-dimethyl-4:6-*di*amino-*m*-xylene, *p*-nitro- (MORGAN and MICKLETHWAIT), T., 369.

Benzenediazonium salts. See Diazobenzene salts.

Benzenediazotrimethyl-4:6-*di*amino-*m*-xylene, *p*-nitro- (MORGAN and MICKLETHWAIT), T., 369.

Benzenesulphonic acid, cerous salt (MORGAN and CAHEN), T., 477.

4′-Benzenesulphonylamino-4-nitrodiphenyl and its *N*-methyl derivative (MORGAN and HIRD), T., 1507.

Benzenesulphonylbenzidine, azo- and diazo-derivatives of (MORGAN and HIRD), T., 1505; P., 209.

***as*-Benzenesulphonylmethylbenzidine** and its diazotisation (MORGAN and HIRD), T., 1508; P., 209.

***N*-Benzenesulphonyl-α-naphthylethylamine** (MORGAN and MICKLETHWAIT), T., 1516.

Benzenesulphonyl-*p*-phenylenediazoimide, interaction of, with benzenoid and naphthalenoid amines (MORGAN and MICKLETHWAIT), T., 1512; P., 209.

Benzoflavol (2:8-di*hydroxy*-5-*phenyl*-3:7-*dimethylacridine*), preparation of, and its additive salts, and diacetyl and dibenzoyl derivatives, and anhydrobase (DUNSTAN and CLEAVERLEY), T., 1619; P., 206.

Benzoic acid, absorption spectra of (HARTLEY and HEDLEY), T., 319; P., 31.

potassium and silver salts, absorption spectra of (HARTLEY and HEDLEY), T., 319; P., 31.

2-nitro-5-amino-, and its *N*-acetyl derivative (HEWITT and MITCHELL), T., 1258; P., 183.

Benzoic anhydride, reactions of, with thioureas (DIXON and TAYLOR), T., 927.

Benzoin and its derivatives, application of Baeyer's reduction to (IRVINE and WEIR), T., 1384; P., 205.

methylation of, by Fischer's method (IRVINE and WEIR), T., 1391; P., 205.

Benzoin synthesis, an extension of the (CLARKE and LAPWORTH), T., 694; P., 90.

Benzonitrile, condensation of, with the sodium compound of phenylacetonitrile (ATKINSON, INGHAM, and THORPE), T., 591.

o-**Benzoquinonediazides**, action of hydroxylamine on (ORTON, EVANS, and MORGAN), P., 167.

Benzoyl-. See also Benz-, and under the parent Substance.

Benzoylacetamide (ATKINSON, INGHAM, and THORPE), T., 591.

α-Benzoyl-γ-anilino-βγ-diphenylpropane, γ-cyano- (CLARKE and LAPWORTH), T., 704; P., 90.

Benzoylcyanamide, mercuric salt (AULD), T., 1048; P., 152.

β-Benzoyldihydrocarvone, formation of, and its cyanohydrin, dioxime, semicarbazone, and isomeride (CLARKE and LAPWORTH), T., 701; P., 90.

Benzoylphenylacetamide (ATKINSON, INGHAM, and THORPE), T., 593.

Benzyl chlorocarbonate, reaction of, with phenylthiourea (DIXON and HAWTHORNE), T., 144.

cyanide. See Phenylacetonitrile.

Benzylethylpropylsilicol and its sulphonation (KIPPING), T., 726.

synthesis of, and its sulphonation and the resolution of the *dl*-sulphonic derivative into its optically active components (KIPPING), T., 209; P., 9.

Benzylethylpropylsilicyl chloride and its reactions (KIPPING), T., 722.

Benzylethylsilicon *di*chloride (KIPPING), T., 720.

2-Benzylhydrindene, 1:2′*di*hydroxy- (PERKIN and ROBINSON), T., 1089.

Benzylideneacetophenone, condensation of, with benzylideneaniline hydrocyanide (CLARKE and LAPWORTH), T., 704; P., 90.

Benzylideneaniline hydrocyanide, condensation of, with benzylideneacetophenone and with carvone (CLARKE and LAPWORTH), T., 699; P., 90.

Benzylidenebis-*o*-methoxybenzamide (KEANE and NICHOLLS), T., 268; P., 36.

2-Benzylidene-1-hydrindone, 2′-hydroxy-, and its potassium and acyl derivatives and **sulphonic acid** (PERKIN and ROBINSON), T., 1087.

2′:4′-*di*hydroxy-, and its hydrochloride (PERKIN and ROBINSON), T., 1092.

Benzylidenesalicylamides, *anti*- and *syn*-, preparation and benzoylation of (TITHERLEY), T., 1426; P., 204.

dl-**Benzylmethylethylpropylsilicane** and experiments on the resolution of its sulphonic derivative (KIPPING), T., 717; P., 83.

Benzylmethylethylpropylsilicanesulphonic acid, metallic, alkaloidal, and menthylamine salts (KIPPING), T., 735; P., 83.

Biology, synthetical chemistry in its relation to (FISCHER), T., 1749; P., 220.

Bis- $\begin{matrix}\beta\text{—N—}\beta\\ |\\ \alpha\text{—CH}\alpha\end{matrix}$ **-dinaphthacridine** dihydride (SENIER and AUSTIN), P., 300.

Bismuth oxide, velocity of the reduction of, by carbon monoxide, and the formation of the suboxide (BRISLEE), P., 286.

m-**Bistriazobenzene** (FORSTER and FIERZ), T., 1953.

Bistrimethylphenonaphthacridine *hexa*bromide (SENIER and AUSTIN), T., 1242; P., 185.

Bordeaux mixture, the chemistry of (PICKERING), T., 1988; P., 261.

Borneols, preparation of the (PICKARD and LITTLEBURY), T., 1973; P., 262.

Brazilin and hæmatoxylin (PERKIN and ROBINSON), T., 1073.

Brazilinic acid, synthesis of (PERKIN and ROBINSON), P., 291.

Bromine, the velocity of reaction of, with some unsaturated acids in aqueous solution (BARRETT and LAPWORTH), P., 18.

Butanedicarboxylic acid. See Adipic acid.

Butenoic acid. See Crotonic acid.

Δγ-Butinene-α-carboxylic acid and its ethyl ester and salts (PERKIN and SIMONSEN), T., 827; (GARDNER and PERKIN), T., 848; P., 115.

ethyl ester, density, magnetic rotation, and refractive power of (PERKIN), T., 836.

Δγ-Butinene-αα-dicarboxylic acid and its ethyl ester and salts (PERKIN and SIMONSEN), T., 822.

ethyl ester, density, magnetic rotation, and refractive power of (PERKIN), T., 835.

Butylenedicarboxylic acid. See Allylmalonic acid.

C.

Cadmium oxide, velocity of the reduction of, by carbon monoxide, and the formation of the suboxide (BRISLEE), P., 286.

basic sulphate, formation of (PICKERING), T., 1986; P., 261.

Cadmium, separation of, from zinc, as sulphide in presence of trichloroacetic acid (FOX), T., 964; P., 147.

Cæsium iodate and *peri*odate, specific gravity and solubility of (BARKER), P., 305.

Calcium, metallic, action of, on alcohols (PERKIN and PRATT), P., 304.

action of, on ketones (LAW and PERKIN), P., 308.

Calcium arsenate, note on (PICKERING), T., 307; P., 35.
carbonate, reaction of, with chlorine water (RICHARDSON), P., 118.
ammonium and calcium potassium ferrocyanides (BROWN), T., 1826; P., 233.
Calmatambin and its octa-acetyl derivative and **Calmatambetin** (PYMAN), T., 1228; P., 183.
Camphor, mercury derivatives of (MARSH and STRUTHERS), P., 246.
Camphor, *di*iodo- (MARSH and STRUTHERS), P., 119.
nitro-, influence of impurities on the mutarotation of (LOWRY and MAGSON), P., 193.
Camphoric acid, aromatic amides and imides of (WOOTTON), T., 1890; P., 250.
Camphor-β-sulphinic acid and its salts and its condensation with phenol ethers (SMILES and HILDITCH), T., 519; P., 35.
Camphor-β-sulphonic acid, cerous salt (MORGAN and CAHEN), T., 477.
Camphorylazoimide, oxime of (FORSTER and FIERZ), T., 867; P., 114.
Camphoryldi-anisyl- and **-phenetyl-sulphonium** and its salts (SMILES and HILDITCH), T., 526.
d-**Camphoryl-α-disulphone** (SMILES and HILDITCH), T., 525.
Camphorylphenylhydrazide, *N*-nitro- and *N*-nitroso-, and their bromo-derivatives (WOOTTON), T., 1892; P., 250.
Camphorylphenylthiosemicarbazides (FORSTER and JACKSON), T., 1888; P., 242.
Camphorylsemicarbazide, oxime of, and its condensation with aldehydes, and its isomeride (FORSTER and FIERZ), T., 867; P., 114.
Camphorylsulphonium bases, formation of (SMILES and HILDITCH), T., 519; P., 35.
Camphorylthiocarbamic acid, methyl ester (FORSTER and JACKSON), T., 1887.
Camphoryl*di*thiocarbamic acid and its methyl ester and benzoyl derivative, and the action of amyl nitrite on (FORSTER and JACKSON), T., 1877; P., 242.
Camphorylthiocarbamide and its piperidyl derivative (FORSTER and JACKSON), T., 1886; P., 242.
Camphorylthiocarbimide (FORSTER and JACKSON), T., 1877; P., 242.
Carbamic acid, thio-. See Thiocarbamic acid.
Carbamic chlorides, disubstituted, reaction of, with thiourea (DIXON and HAWTHORNE), T., 142; (DIXON and TAYLOR), T., 926; P., 120.
Carbamides, additive compounds of, with acids and salts (PICKARD and KENYON), T., 902; P., 138.
Carbamidomalonylurea. See ψ-Uric acid.
Carbimides, optically active (PICKARD and LITTLEBURY), T., 300; P., 30.
Carbon, the reducibility of magnesia by (SLADE), P., 152.
adsorption of iodine by (DAVIS), T., 1666; P., 208.
*di*oxide, reduction of, to formaldehyde in aqueous solution (FENTON), T., 687; P., 83.
Carbonium salts, structure of (BAKER), T., 1490; P., 192.
Carbonyl chloride, action of, as an agent for arresting isomeric change (LOWRY and MAGSON), P., 260.
Carbostyril, mercury derivative (AULD), T., 1048; P., 152.
Carboxyalkyl group, preferential saponification of the, in regard to the amino-group (MOUILPIED and RULE), T., 177; P., 14.
Carboxyanilinomethylenemalonanil, methyl ester (RUHEMANN), T., 1365; P., 196.
m-**Carboxybenzeneazo-*o*-nitrophenol**, *p*-nitro- (HEWITT and MITCHELL), T., 1262; P., 183.
m-**Carboxybenzene-4-azo-α-naphthol**, *p*-nitro- (HEWITT and MITCHELL), T., 1259; P., 183.
m-**Carboxybenzeneazophenol**, *p*-nitro- (HEWITT and MITCHELL), T., 1261; P., 183.
1-α-Carboxy-*n*-decyl-Δ^4-*cyclo*pentene and **1-α-Carboxy-*n*-decyl-1:4-*bicyclo*pentane**. See Hydnocarpic acid.
1-α-Carboxy-*n*-dodecyl-Δ^4-*cyclo*pentene and **1-α-Carboxy-*n*-dodecyl-1:4-*bicyclo*pentane**. See Chaulmoogric acid.
2-Carboxy-4:5-dimethoxyphenylacetic acid (PERKIN and ROBINSON), T., 1082.
2-Carboxy-4:5-methylenedioxyphenylacetic acid (PERKIN and ROBINSON) T., 1086.
2-Carboxyphenylacetic acid (PERKIN and ROBINSON), T., 1082.
o-**Carboxyphenylglyceryltropeine**, lactone of, and its additive salts (JOWETT and PYMAN), T., 94.
Carvestrene and its derivatives, synthesis of (PERKIN and TATTERSALL), T., 480; P., 66.

Carvone, condensation of, with benzylideneaniline hydrocyanide (CLARKE and LAPWORTH), T., 699; P., 90.
Carycino-cobaltamine carbonate (GROVES), P., 301.
Cerium salts, new (MORGAN and CAHEN), T., 475; P., 74.
Cerous *per*chlorate, nitrite, and *di*thionate (MORGAN and CAHEN), T., 478.
sulphate, spectroscopic examination of (FOWLER), T., 479.
Chamaerops humilis, occurrence of quercitol in the leaves of (MÜLLER), T., 1766; P., 218.
Chaulmoogric acid, constitution and oxidation of (BARROWCLIFF and POWER), T., 557; P., 70.
and its ethyl ester, magnetic rotations of (PERKIN), T., 563.
Chemical constitution, relation between absorption spectra and (BAKER and BALY), T., 1122; P., 157; (BALY, TUCK, MARSDEN, and GAZDAR), T., 1572; P., 194.
and colour of azo-compounds (HEWITT and MITCHELL), T., 1251; P., 182.
relation of, to colour and fluorescence (GREEN), P., 12.
relation between crystalline form and, of inorganic substances (BARLOW and POPE), T., 1150; P., 142.
relation of, to physiological action in the tropeines (JOWETT and PYMAN), T., 92.
and viscosity, relation between (DUNSTAN, THOLE, and HUNT), T., 1728; P., 207.
equilibrium. See under Affinity, chemical.
research, position and prospects of, in Great Britain (MELDOLA), T., 626; P., 101.
Chemistry, synthetical, in its relation to biology (FISCHER), T., 1749; P., 220.
Chloraldiethylmalonamide (BURROWS and KEANE), T., 271; P., 37.
Chlorine water, reaction of, with calcium carbonate (RICHARDSON), P., 118.
Chromium, two volumetric methods for the estimation of (GREGORY and MCCALLUM), T., 1846; P., 237.
Chromyl *di*chloride, preparation of (LAW and PERKIN), T., 191; P., 11.
Cineol, compounds of, with acids, salts, naphthols, and alkyl magnesium haloids (PICKARD and KENYON), T., 900; P., 138.
m-**Cineol** (cis-*tetrahydrocarvestrenediol anhydride*), synthesis of (PERKIN and TATTERSALL), T., 503; P., 66.
Cinnamic acid, esterification constant of (SUDBOROUGH and THOMAS), T., 1034; P., 146.
velocity of reaction of bromine with (BARRETT and LAPWORTH), P., 18.
Cinnamic acid, bornyl and menthyl esters, properties of (HILDITCH), P., 287.
Cinnamic acid, bromo- and α- and β-chloro-, and their methyl esters, the addition of bromine to (SUDBOROUGH and WILLIAMS), P., 146.
α- and β-bromo-, velocity of reaction of bromine with (BARRETT and LAPWORTH), P., 19.
αβ-*di*iodo- (JAMES and SUDBOROUGH), T., 1040.
Cobalt basic sulphate, formation of (PICKERING), T., 1986; P., 261.
Cobaltamine compounds (GROVES), P., 301.
Cocositol (*cocosite*) from the leaves of *Cocos nucifera* and *Cocos plumosa* and its hexa-acetate, benzoate, nitrate, and sulphonic acids, and its reactions (MÜLLER), T., 1767; P., 219.
and its hexa-acetate, crystallography of (BARKER), T., 1772.
Codeide, bromo- and chloro-, formation of (LEES), T., 1411; P., 200.
*iso***Codeine** and β-*iso***Codeine**, formation of (LEES), T., 1415; P., 201.
Coerulignone, constitution of (MOIR), P., 308.
β-**Collidine**. See 2:4:6-Trimethylpyridine.
Colour and constitution of azo-compounds (HEWITT and MITCHELL), T., 1251; P., 182.
and fluorescence, relation of, to constitution (GREEN), P., 12.
contribution to the quinonoid theory of (GREEN and KING), P., 228.
Colouring matter, new, from *Nyctanthes Arbor-tristis* (HILL and SIRKAR), T., 1501; P., 213.
Colouring matters of the oxazine series, a reaction of (THORPE), T., 324; P., 32.
of the stilbene group (GREEN, DAVIES, and HORSFALL), T., 2076; P., 289.
Copper, chemical action of radium emanation on solutions containing (CAMERON and RAMSAY), T., 1593; P., 217.
Copper alloys, colorimetric method for the estimation of small percentages of iron in (GREGORY), P., 306.
Copper sulphate, interaction, in solution, of, and ferrous sulphate (ELLIS and COLLIER), P., 264.
basic sulphates, formation of (PICKERING), T., 1982; P., 261.

Copper:—
Cupric salts, colour of, in aqueous solution (SIDGWICK and TIZARD), P., 305.
nitrite (DIVERS), P., 269.
preparation and oxidation of (RÂY), T., 1405; P., 117.
Copper and silver groups, electro-analytical deposition and separation of metals of the (SAND), T., 373; P., 26.
Cotton, mercerised, characterisation of (HÜBNER), P., 304.
*iso***Coumarincarboxyltropeine** and its additive salts (JOWETT and PYMAN), T., 95.
p-**Cresol** sulphoxide and its dibenzoyl derivative, and sulphide (SMILES and HILDITCH), P., 161.
o-**Cresolphthalein**, hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1638.
Cresols, *o*-, *m*-, and *p*-, and their methyl ethers, condensations of, with phthalic acid and its derivatives (BENTLEY, GARDNER, and WEIZMANN), T., 1630; P., 215.
Crotonic acid, β-amino-, ethyl ester, condensation of, with triacetic lactone (FLEISCHMANN), T., 250; P., 16.
αβ-*di*iodo- (JAMES and SUDBOROUGH), T., 1041.
Crystalline form, relation between chemical constitution and, of inorganic substances (BARLOW and POPE), T., 1150; P., 142.
Crystals, more exact determination of the densities of (EARL of BERKELEY), T., 56.
ψ-**Cumidine**, 6-bromo-, preparation of, and its acetyl derivative (ORTON, COATES, and BURDETT), T., 54.
Cuminaldehyde, electrolytic reduction of (LAW), T., 760.
Cupric salts. See under Copper.

D.

n-**Decanedicarboxylic acid** and its methyl ester (BARROWCLIFF and POWER), T., 577; P., 71.
Dehydracetic acid, isomeric change of (COLLIE and HILDITCH), T., 787; P., 92.
Density of crystals, more exact determination of the (EARL OF BERKELEY), T., 56.
Deoxyanisoin and its oxime (IRVINE and MOODIE), T., 542; P., 62.
Deoxybenzoin, α-cyano- (ATKINSON, INGHAM, and THORPE), T., 592.
Dextrose, bromo- and chloro-, tetramethyl ether of (IRVINE and MOODIE), P., 303.
Dextrose guanidine and its properties (MORRELL and BELLARS), T., 1010; P., 87.
Diacetanilide, 2:4:6-*tri*chloro-3-bromo- (REED and ORTON), T., 1552.
Diacetylacetone, disodium derivative, action of ethylene dibromide and propylene dibromide on (BAIN), T., 544; P., 77.
Diacetyl-*i*-tartaric acid, *l*-menthyl ester, preparation and rotation of (PATTERSON and KAYE), T., 707; P., 89.
Diallylacetoacetic acid, γγ-*di*bromo-, ethyl ester (GARDNER and PERKIN), T., 854; P., 116.
Diallylmalonic acid, γγ-*di*bromo-, ethyl ester, and its reactions (PERKIN and SIMONSEN), T., 842.
m-**Diamines**, aromatic, summary of the interactions of, with diazo-compounds (MORGAN and MICKLETHWAIT), T., 370.
Diazoamines, influence of substitution on the formation of (MORGAN and MICKLETHWAIT), T., 360; P., 28.
Diazobenzene (*benzenediazonium*), *p*-amino-, salts, *N*-benzoyl derivatives of (MORGAN and WOOTTON), T., 1315.
chlorobromo-derivatives, replacement of halogen by hydroxyl in (ORTON and REED), T., 1554; P., 212.
4-chloro-2:6-*di*bromo-, 2-chloro-4:6-*di*bromo-, 2:4-*di*chloro-6-bromo-, and 2:6-*di*chloro-4-bromo-, hydrogen carbonates and hydrogen sulphates of, replacement of halogen by hydroxyl in (ORTON and REED), T., 1562; P., 212.
Diazo-compounds, constitution of (CAIN), T., 1049; P., 158.
summary of the interactions of, with aromatic *m*-diamines (MORGAN and MICKLETHWAIT), T., 370.
p-**Diazoimides**, interaction of, with aromatic amines (MORGAN and MICKLETHWAIT), T., 1512; P., 209.
α-**Diazonaphthalene** (*naphthalene*-1-*diazonium*), 4-amino-, salts, *N*-benzoyl derivatives of (MORGAN and WOOTTON), T., 1317; P., 181.
Diazo-reactions, influence of light on (ORTON, COATES, and BURDETT), T., 35.
p-**Diazotoluene**, 3-chloro-5-bromo-, hydrogen carbonate and hydrogen sulphate, replacement of halogen by hydroxyl in (ORTON and REED), T., 1570; P., 212.
Dibenzyl *di*sulphide, electrolytic preparation of (PRICE and TWISS), T., 2021; P., 263.

Dibenzyl, 4:4′-*di*nitro- (GREEN, DAVIES, and HORSFALL), T., 2079; P., 289.

Dibenzyl-2:2′-dicarboxylic acid (*s-diphenylethane-2:2′-dicarboxylic acid*), 4:4′-*di*nitro- (GREEN, DAVIES, and HORSFALL), T., 2082.

Dibenzylethylsulphonium mercuric iodide (HILDITCH and SMILES), T., 1399; P., 206.

Dibenzylmethylsulphonium mercuric iodide (HILDITCH and SMILES), T., 1398; P., 206.

Dicamphorylthiocarbamide (FORSTER and JACKSON), T., 1887; P., 242.

Dicarboxyaconitic acid, methyl ester and its reaction with aniline and phenylhydrazine (RUHEMANN), T., 1359; P., 195.

2:6-Dicarboxybenzoyl-1:5-*di*hydroxynaphthalene (BENTLEY, FRIEDL, and WEIZMANN), T., 1592; P., 216.

Dicarboxyglutaconic acid, and its sodium salt, from the interaction of methylene chloride and the sodium derivative of ethyl malonate (TUTIN), T., 1143; P., 158, 245.

o-**Dicresol**, 5:5-*di*bromo-, and its perbromide (MOIR), T., 1310.

Di-ψ-cumylmethylenediamine and its platinichloride (SENIER and COMPTON), T., 1935; P., 248.

Diethyl *di*sulphide, electrolytic preparation of (PRICE and TWISS), T., 2021; P., 263.

3-Diethylaminophenonaphthoxazone, formation of, from Nile-blue *A* and from Nile-blue 2*B*, and its hydrochloride (THORPE), T., 331; P., 33.

Diethylauric bromide (POPE and GIBSON), T., 2063; P., 245.

Diethylmalonamide, condensation of, with aldehydes (BURROWS and KEANE), T., 269; P., 36.

Diethylnaphthalene, formation of (HOMER), T., 1107; P., 88.

Diethylthioethylsulphonium dimercuric iodide (HILDITCH and SMILES), T., 1397; P., 206.

Dihydrobrazilinic acid, lactone of, synthesis of (PERKIN and ROBINSON), P., 291.

Dihydrocarvestrenol, synthesis of (PERKIN and TATTERSALL), T., 498.
magnetic rotation, refractive power, and dispersion of (PERKIN), T., 498.

Dihydrocarvone, cyano-, interaction of, with amyl nitrite and sodium ethoxide (LAPWORTH and WECHSLER), T., 977, 1919; P., 137, 252.

Dihydrochaulmoogric acid, preparation of, and its ethyl ester (BARROWCLIFF and POWER), T., 575.

Dihydrochaulmoogric acid, bromo-, ethyl ester, and its reduction (BARROWCLIFF and POWER), T., 574.
α- and β-*di*hydroxy- (BARROWCLIFF and POWER), T., 565; P., 70.

Dihydrohæmatoxylinic acid; lactone of, synthesis of (PERKIN and ROBINSON), P., 291.

$\Delta^{1:4}$-Dihydroterephthalic acid. See $\Delta^{1:4}$-*cyclo*Hexadiene-1:4-dicarboxylic acid.

Dihydroumbelluloneoxime, hydroxylamino-, reduction of (TUTIN), T., 275; P., 29.

4:6-Diketo-2-cinnamyl-5:5-diethylhexahydropyrimidine and its diacetyl derivative (BURROWS and KEANE), T., 270; P., 37.

Diketone, $C_8H_{14}O_2$, and its dioxime, from oil of nutmeg (POWER and SALWAY), T., 2049; P., 285.

α-Diketones, relation between the chemical constitution and absorption spectra of osazones and phenylhydrazones of (BALY, TUCK, MARSDEN, and GAZDAR), T., 1572; P., 194.

4:6-Diketo-2-phenyl-5:5-diethylhexahydropyrimidine and its 1:3-diacetyl derivative (BURROWS and KEANE), T., 269; P., 37.

3:3′-Diketo-5:5:5′:5′-tetramethyl-$\Delta^{1:1'}$-di*cyclo*hexene and its disemicarbazone (CROSSLEY and RENOUF), T., 70.

o-**Dimethoxybenzil** (IRVINE and MOODIE), T., 541.

Dimethoxybenzoins, *o*- and *p*-, reduction products of (IRVINE and MOODIE), T., 536; P., 62.

5:6-Dimethoxy-2-benzylhydrindene, 1:2′-*di*hydroxy- (PERKIN and ROBINSON), T., 1096.

2′:4′-Dimethoxy-2-benzylidene-1-hydrindone (PERKIN and ROBINSON), T., 1094.

5:6-Dimethoxy-2-benzylidene-1-hydrindone, 2-hydroxy-, and its potassium and acetyl derivatives and hydrochloride (PERKIN and ROBINSON), T., 1095.
2′:4′-*di*hydroxy-, and its diacetyl derivative (PERKIN and ROBINSON), T., 1097.

o-**Dimethoxydibenzyl** (IRVINE and MOODIE), T., 540.

2:2′-Dimethoxydibenzyl (*2:2′-dimethoxy-s-diphenylethane*), 4:4′-*di*nitro- (GREEN, DAVIES, and HORSFALL), T., 2081.

Dimethoxyeosin (FRIEDL, WEIZMANN, and WYLER), T., 1587.

Dimethoxyfluorescein and its acetyl derivative (FRIEDL, WEIZMANN, and WYLER), T., 1587; P., 214.
*tetra*bromo-. See Dimethoxyeosin.

5:6-Dimethoxy-1:2-hydrindochroman (PERKIN and ROBINSON), T., 1096.

5:6-Dimethoxy-1-hydrindone and *iso*nitroso- (PERKIN and ROBINSON), T., 1080.

2-anisylidene, 2-benzylidene, 2-piperonylidene, and 2-veratrylidene derivatives of (PERKIN and ROBINSON), T., 1102.

o-**Dimethoxyhydrobenzoin,** preparation and reduction of, and its diacetyl and diphenylurethane derivatives (IRVINE and MOODIE), T., 538; P., 62.

5:6-Dimethoxy-2:3-indeno-1:4-benzopyranol hydrochloride, 7-hydroxy- (PERKIN and ROBINSON), P., 150.

1:3-Dimethoxy-2-methylanthraquinone (BARROWCLIFF and TUTIN), T., 1913; P., 249.

4:6(7)-Dimethoxy-1-methylanthraquinone (BENTLEY, GARDNER, WEIZMANN, and TEMPERLEY), T., 1634.

4(5):2′-Dimethoxy-5′-methyl-2-benzoylbenzoic acid (BENTLEY, GARDNER, WEIZMANN, and TEMPERLEY), T., 1634.

1:5-Dimethoxynaphthalene and its *mono*- and *di*-nitro-derivatives (BENTLEY, ROBINSON, and WEIZMANN), T., 107.

Dimethoxynaphthoylbenzoic acid, hydroxy- (BENTLEY, FRIEDL, and WEIZMANN), T., 1591; P., 215.

1′:5′-Dimethoxy-2-β-naphthoylbenzoic acid (BENTLEY, FRIEDL, THOMAS, and WEIZMANN), T., 425.

4(or 5):1′-Dimethoxy-2-β-naphthoylbenzoic acid (BENTLEY, FRIEDL, THOMAS, and WEIZMANN), T., 421.

3:4-Dimethoxyphenylpropionic acid (PERKIN and ROBINSON), T., 1079.

3:4-Dimethoxyphthalic acid. See Hemipinic acid.

4:5-Dimethoxyphthalic acid. See *m*-Hemipinic acid.

Dimethoxystilbene and its dibromide (LAW), T., 759.

3-Dimethylaminophenonaphthoxazone, formation of, from New Methylene-blue GG, from New-blue B, and from Meldola's blue, and its hydrochloride (THORPE), T., 333; P., 33.

as-**Dimethyl-4:6-*di*amino-*m*-xylene** and the action of diazonium salts on, and its benzenesulphonyl, benzoyl, and azo-β-naphthol derivatives (MORGAN and MICKLETHWAIT), T., 365; P., 28.

Dimethylaniline, *p*-nitroso-, compounds of, with acids and salts (PICKARD and KENYON), T., 902.

1:3-Dimethylanthraquinone, 4-hydroxy- and 4:6(7)-*di*hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1637.

Dimethylbenzaldehydes, 2:4- and 3:5-, electrolytic reduction of (LAW), T., 751; P., 73.

3′:5′-Dimethyl-2-benzoylbenzoic acid, 2′-hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1637.

4(5):2′-*di*hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1639.

αγ-Dimethylbutane-αβδ-tricarboxylic acid, preparation of, and its silver salt and anhydro-acid (HENSTOCK and SPRANKLING), T., 354; P., 32.

2:2′-Dimethyldibenzyl (*s-di-o-tolylethane*), 4:4′-*di*nitro- (GREEN, DAVIES, and HORSFALL), T., 2080.

Dimethyldihydrobenzene, iminohydroxy-, action of nitrous acid on (HAAS), T., 1444; P., 192.

1:1-Dimethyldihydroresorcin, 4-amino-, and its hydrochloride, platinichloride, and acetyl derivative, and the action of nitrous acid on (HAAS), T., 1443; P., 192.

4-nitro-, and its salts, and reduction (HAAS), T., 1441; P., 192.

4-*iso*nitroso-, and its oximes and salts, and the action of oxidising and reducing agents on (HAAS), T., 1437; P., 191.

Dimethylethylenepyrone and its hydrochloride and platinichloride (BAIN), T., 549; P., 77.

2:7-Dimethylfluoran, 4′(5′)-hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1639.

3:6-Dimethylfluoran and 4′(5′)-hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1636.

1:1-Dimethyl-3-*cyclo*hexanone (3-*keto*-1:1-*dimethylhexahydrobenzene*) and its oxidation and its oxime and semicarbazone (CROSSLEY and RENOUF), T., 81.

1:1-Dimethyl-5-*cyclo*hexanone, 4-oximino-3-imino-, and its potassium salt and oxime, and its reduction (HAAS), T., 1445; P., 192.

1:1-Dimethyl-Δ^4-*cyclo*hexenone-3 (3-*keto*-1:1-*dimethyl*-Δ^4-*tetrahydrobenzene*) and its oxidation and its oxime and semicarbazone (CROSSLEY and RENOUF), T., 78.

5-chloro-, action of reducing agents on (CROSSLEY and RENOUF), T., 63.

Dimethylpheno- $\overset{N\text{—}\alpha}{\underset{\text{CH}\beta}{}}$ **-** and **-** $\overset{N\text{—}\beta}{\underset{\text{CH}\alpha}{}}$ **-naphthacridines,** 8:11- and 9:11-, and their platinichlorides (SENIER and COMPTON), T., 1935; P., 248.

1:2-Dimethyl*cyclo*propane-1:2-dicarboxylic acid (1:2-*dimethyltrimethylene*-1:2-*dicarboxylic acid*), chemical and physical properties of (HENSTOCK and WOOLLEY), T., 1954; P., 235.
ethyl ester, optical properties of (PERKIN), T., 1957.
Dimethylstilbene *di*bromide (LAW), T., 757.
2:5-Dimethyltetrahydroquinoline. See Tetrahydro-*p*-toluquinaldine.
Dimethylthetine menthyl ester, nitrate of (SMILES), P., 291.
p-**Dimethyltolane** (IRVINE and MOODIE), T., 540; P., 62.
Dimethylumbelliferone and its acetyl derivative and methyl ether (COLLIE and CHRYSTALL), T., 1804; P., 232; (COLLIE), T., 1811.
3:7-Dimethyluric acid, mercuric salt (AULD), T., 1046; P., 152.
Dimethylvioluric acid, mercury salt (AULD), T., 1048; P., 152.
Dimethyl-*m*-4-xylidine, nitro-, picrate of (MORGAN and MICKLETHWAIT), T., 365.
-Dinaphthacridine and its additive salts and 7-bromo- (SENIER and AUSTIN), P., 300.
-Dinaphthacridine, attempted synthesis of (SENIER and AUSTIN), P., 300.
Dinaphthacridines, 7-aryl derivatives, synthesis of (SENIER and AUSTIN), T., 1233; P., 185.
ββ-Dinaphthyl, preparation of (HOMER), T., 1103; P., 88.
Dipentene, spectroscopic constants of (BRÜHL), T., 120.
Diphenetole, sulphonation of (MOIR), T., 1308.
Diphenol and its dibenzoate and **di-, tri-**, and **tetra-sulphonic acids** and their salts and its nitration (MOIR), T., 1305.
Diphenol, 3′-bromo-3-nitro-, 5:5′-*di*bromo*di*nitro-, and *di*- and *tetra*-nitro- (MOIR), T., 1310.
"**Diphenoquinone**, *tetra*bromo-," action of reducing agents on (MOIR), P., 308.
1:3-Diphenylalloxan-diphenyl-, -phenyl-, -*p*-nitrophenyl-, -phenylbenzyl-, and **-phenylmethyl-hydrazones** (WHITELEY), T., 1344; P., 180.
1:3-Diphenylbarbituric acid and its acetyl derivative and 5-amino-, and 5-isonitroso- and its metallic and amine salts, and its reactions (WHITELEY), T., 1338.
1:3-Diphenylbarbituric acid, 5:5-*di*bromo-, and its condensation with phenylhydrazine or its β-substituted derivatives (WHITELEY), T., 1347; P., 180.
1:3-Diphenyl-5-benzyl-, -5-benzylidene-, -5-cinnamylidene-, -5-diphenylmethylene-, and **-5-diphenylmethyl-barbituric acids** (WHITELEY), T., 1342; P., 203.
αβ-Diphenylethane, β-imino-α-cyano-, and the action of sulphuric acid on (ATKINSON, INGHAM, and THORPE), T., 592.
s-**Diphenylethane-2:2′-dicarboxylic acid.** See Dibenzyl-2:2′-dicarboxylic acid.
Diphenylethylsilicyl chloride (KIPPING), T., 218.
Diphenylhexatriene, synthesis of (SMEDLEY), P., 162.
and allied hydrocarbons, refractive power of (SMEDLEY), P., 295.
Diphenyloxaluric acid, ethyl and methyl esters, ethyl and methyl isoethers of (LANDER), T., 970; P., 149.
Diphenylsalicylthetine, *di*-*p*-hydroxy-, and its platinichloride (SMILES and BAIN), T., 1121; P., 161.
Diphenylsulphoxide, compounds of, with acids and salts (PICKARD and KENYON), T., 901; P., 138.
s-**Diphenylthiocarbamide** (*thiocarbanilide*), action of acyl chlorides on (DIXON and HAWTHORNE), T., 137.
1:3-Diphenyluramil. See 1:3-Diphenylbarbituric acid, 5-amino-.
1:3-Diphenyluric acid, synthesis of (WHITELEY), T., 1338.
1:3-Diphenyl-ψ-uric acid, synthesis of (WHITELEY), T., 1341.
1:3-Diphenylvioluric acid. See 1:3-Diphenylbarbituric acid, 5-*iso*nitroso-.
Di*iso*propylstilbene and its dibromide (LAW), T., 760.
Disalicylamide and its dibenzoyl derivative (MCCONNAN), T., 196; P., 18.
Disalicylic acid, *di*bromo- (MOIR), T., 1311.
Dissolved substance, liquid volume of a (LUMSDEN), T., 24.
Disulphides, electrolytic preparation of (PRICE and TWISS), T., 2021; P., 263.
s-**Di-*o*-tolylethane.** See 2:2′-Dimethyldibenzyl.
Di-*o*-tolylthiocarbamide, action of acetyl chloride on (DIXON and HAWTHORNE), T., 138.
Dixylylmethylenediamines, *m*-4- and *p*-5-, synthesis of (SENIER and COMPTON), T., 1929; P., 247.

n-**Dodecanedicarboxylic acid** and its methyl ester (BARROWCLIFF and POWER), T., 568; P., 70.

Dyeing, experimental investigation into the process of (HÜBNER), T., 1057; P., 144.

Dynamic isomerism. See under Affinity, chemical.

E.

Earths, rare, chemistry of the (ESPOSITO), P., 64.

Electrolytic preparation of disulphides (PRICE and TWISS), T., 2021; P., 263.

reduction of aromatic aldehydes (LAW), T., 748; P., 73.

Emodin methyl ether from *Ventilago maderaspatana* (PERKIN), T., 2074; P., 288.

Emulsin, hydrolysis of amygdalin by (AULD), P., 72.

Emulsions (PICKERING), T., 2001; P., 256.

Eosin, hydroxy- (FRIEDL, WEIZMANN, and WYLER), T., 1586.

Equilibrium, chemical. See under Affinity, chemical.

Ergot, alkaloids of (BARGER and CARR), T., 337; P. 27.

Ergotinine and its composition and properties (BARGER and CARR), T., 341; P. 27.

Ergotoxine and its salts (BARGER and CARR), T., 347; P., 27.

Eriodictyol and the action of acetic anhydride on (POWER and TUTIN), T., 895; P., 134.

Esterification constants of substituted acrylic acids (SUDBOROUGH and THOMAS), T., 1033; P., 146.

5-Ethoxy-1:1-dimethylhexahydrobenzene, 3-hydroxy-, and its acetyl and benzoyl derivatives (CROSSLEY and RENOUF), T., 74.

β-Ethoxy-γ-phenylcrotonic acid, α-cyano-, ethyl ester and anilide (SMITH and THORPE), T., 1905; P., 249.

Ethyl β-bromoallyl ether (PERKIN and SIMONSEN), T., 833.

chlorocarbonate, reaction of, with phenyl- and tolyl-thioureas (DIXON and TAYLOR), T., 914; P., 119.

β-Ethylacrylic acid, esterification constant of (SUDBOROUGH and THOMAS), T., 1035; P., 146.

Ethylauric *di*bromide (POPE and GIBSON), T., 2064; P., 295.

Ethylbutylmalonic acid, ethyl ester (RAPER), T., 1837.

Ethylene *di*bromide, action of, on the disodium derivative of diacetylacetone (BAIN), T., 544; P., 77.

α-Ethylhexoic acid, synthesis of (RAPER), T., 1837.

Ethylidenepropionic acid, esterification constant of (SUDBOROUGH and THOMAS), T., 1036; P., 146.

Ethylsilicon *tri*chloride, preparation of (KIPPING), T., 214.

F.

Faraday lecture (FISCHER), T., 1749; P., 220.

medal, presentation of, to Prof. Emil Fischer, P., 223.

Ferrocyanides, double, of ammonium, calcium, and potassium (BROWN), T., 1826; P., 233.

Ferrous sulphate. See under Iron.

Fluorescein, *tetra*bromohydroxy-. See Eosin, hydroxy-.

hydroxy-, and its triacetate (FRIEDL, WEIZMANN, and WYLER), T., 1585; P., 214.

Fluorescence and colour, relation of, to constitution (GREEN), P., 12.

Formaldehyde, formation of, by the reduction of carbon dioxide in aqueous solution (FENTON), T., 687; P., 83.

tests for (FENTON), T., 693.

Freezing point, depression of the, of aqueous solutions of hydrogen peroxide by potassium persulphate and other compounds (PRICE), T., 531; P., 75.

d-**Fructose**. See Lævulose.

Fumaric acid, *d*- and *l*-bornyl and *l*-menthyl esters, preparation and oxidation of (MCKENZIE and WREN), T., 1218; P., 188.

G.

Gases, chemical changes induced in, by the action of ultra-violet light (CHAPMAN, CHADWICK, and RAMSBOTTOM), T., 942; P., 136.

influence of non-electrolytes and electrolytes on the solubility of sparingly soluble, in water (PHILIP), T., 711; P., 85.

apparatus, with stirrer, for treating a liquid at its boiling point with two or more (GEBHARD), P., 34.

Gas generator, simple, for analytical operations (SANDERS), P., 232.

Glucose. See Dextrose.

Glutaconic acid (TUTIN), T., 1144; P., 158, 246.

Gold, alkyl compounds of (POPE and GIBSON), T., 2061; P., 245, 295.
Guanidine, some compounds of, with sugars (MORRELL and BELLARS), T., 1010; P., 87.
Guncotton, evolution of nitrogen peroxide in the decomposition of (ROBERTSON and NAPPER), T., 764; P., 91.

H.

Hæmatoxylin and brazilin (PERKIN and ROBINSON), T., 1073.
Halogen, replacement of, by hydroxyl in chlorobromodiazobenzenes (ORTON and REED), T., 1554; P., 212.
salts. See Perhalogen salts.
Halogens, displacement of, by hydroxyl (SENTER), T., 460; P., 60.
estimation of, in organic substances (MOIR), P., 233.
Heats of combustion. See under Thermochemistry.
Hedeoma pulegioides. See Pennyroyal, American.
Hemipinic acid, the fluoresceins and eosins from (FRIEDL, WEIZMANN, and WYLER), T., 1584; P., 214.
m-**Hemipinic acid** (PERKIN and ROBINSON), T., 1083.
Hentriacontane from the leaves of *Morinda longiflora* (BARROWCLIFF and TUTIN), T., 1916; P., 249.
$\alpha\zeta$-**Heptadiene-$\delta\delta$-dicarboxylic acid**. See Diallylacetic acid.
$\Delta^{\alpha\zeta}$-**Heptadi-inene-δ-carboxylic acid** (*ψ-m-toluic acid*), formation of, and its ethyl ester and silver salt, and its reactions (PERKIN and SIMONSEN), T., 840; (GARDNER and PERKIN), T., 854; P., 116.
ultra-violet absorption spectra of (BALY), T., 846.
$\Delta^{\alpha\zeta}$-**Heptadi-inene-δ-carboxylic acid**, ethyl ester, density, magnetic rotation, and refractive power of (PERKIN), T., 844.
Heptanedicarboxylic acid. See Ethylbutylmalonic acid.
Heptanetricarboxylic acid. See $\alpha\alpha\gamma\gamma$-Tetramethyltricarballylic acid.
Hevea brasiliensis, constituents of the seeds of (DUNSTAN), P., 168.
$\Delta^{1:4}$-*cyclo*-**Hexadiene-1:4-dicarboxylic acid** (PERKIN and TATTERSALL), T., 494.
Hexahydro-*m*-toluic acid, *cis*-γ-hydroxy-. See *cis*-1-Methyl*cyclo*hexanol-3-carboxylic acid.
1:3:4:6:7:9-Hexamethylacridine (SENIER and COMPTON), T., 1934; P., 248.
cyclo-**Hexanecarboxylic acid**, 3:4-*di*-bromo- (PERKIN and TATTERSALL), T., 490.
cyclo-**Hexanecarboxylic acids**, *cis*- and *trans*-3-bromo- (PERKIN and TATTERSALL), T., 488.
Hexanetricarboxylic acids. See $\alpha\gamma$-Dimethylbutane-$\alpha\beta\delta$-tricarboxylic acid and $\alpha\alpha\gamma$-Trimethyltricarballylic acid.
cis-cyclo-**Hexanol-3-carboxylic acid** and its ethyl ester and lactone (PERKIN and TATTERSALL), T., 486.
trans-cyclo-**Hexanol-3-carboxylic acid** (PERKIN and TATTERSALL), T., 489.
cyclo-**Hexanone-3-carboxylic acid** and its ethyl ester, silver salt, oxime, and semicarbazone (PERKIN and TATTERSALL), T., 491.
Hexatriene, magnetic rotation of, and its relation to benzene and other aromatic compounds, and its refractive power (PERKIN), T., 806; P., 110.
derivatives, synthesis of (SMEDLEY), P., 162.
Δ^{ϵ}-**Hexene**, β-hydroxy- (*methylcrotonylcarbinol*) (GARDNER and PERKIN), T., 851; P., 116.
Δ^{3}-*cyclo*-**Hexenecarboxylic acid** (PERKIN and TATTERSALL), T., 490.
Homatropine alkyl salts (JOWETT and PYMAN), T., 97.
Homoeriodictyol, constitution of, and its tetra-acetyl derivative (POWER and TUTIN), T., 887; P., 133, 243.
Homophthalic acid. See 2-Carboxyphenylacetic acid.
Homoterpenylic acid, synthesis of, and its ethyl ester (SIMONSEN), T., 184.
Hydnocarpic acid, constitution and oxidation of (BARROWCLIFF and POWER), T., 557; P., 70.
Hydrastic acid (PERKIN and ROBINSON), T., 1086.
Hydrates in solution, question of (PHILIP), T., 711; P., 85.
of some quaternary bases (CRICHTON), T., 1793; P., 236.
Hydrazines, oxidation of, by free oxygen (CHATTAWAY), T., 1323; P., 183.
2:3-Hydrindochroman (PERKIN and ROBINSON), T., 1090.
1:2-Hydrindo-4′-methoxychroman (PERKIN and ROBINSON), T., 1092.
Hydroanisoin and its methyl ether (IRVINE and MOODIE), T., 543.
Hydrobenzoin and its mono- and dimethyl ethers, application of Baeyer's reduction to (IRVINE and WEIR), T., 1390.

Hydrocarbon, $C_{26}H_{22}$, from the action of aluminium chloride on naphthalene (HOMER), T., 1111; P., 88.
$C_{40}H_{26}$, from the action of aluminium chloride on naphthalene (HOMER), T., 1112; P., 88.
Hydrocarbons, relation between the valency and heats of combustion of (LE BAS), P., 134.
of the benzene series, oxidation of (LAW and PERKIN), T., 258; P., 11.
Hydroergotinine. See Ergotoxine.
Hydrogen chloride, density of (GRAY), P., 119.
*per*oxide, depression of the freezing point of aqueous solutions of, by potassium persulphate and other compounds (PRICE), T., 531; P., 75.
experiments on the oxidising action of (PERKIN), P., 166.
action of, on potassium cyanide (MASSON), T., 1449; P., 117.
Hydrotoluoin and ***iso*Hydrotoluoin** (LAW), T., 750.
α-Hydroxycarboxylic acids, action of heat on (LE SUEUR), T., 1365; P., 196.
Hydroxyl, displacement of halogens by (SENTER), T., 460; P., 60.
replacement of halogen by, in chlorobromodiazobenzenes (ORTON and REED), T., 1554; P., 212.
Hydroxylamino-. See under the parent Substance.
Hydroxyloin and ***iso*Hydroxyloin** (LAW), T., 752.
Hyponitrous acid. See under Nitrogen.
Hypophosphorous acid. See under Phosphorus.
Hystazarin methyl ethers (PERKIN), T., 2070; P., 288.

I.

Imino-compounds, formation and reactions of (ATKINSON, INGHAM, and THORPE), T., 578; P., 76; (THORPE), T., 1004; P., 151; (ATKINSON and THORPE), T., 1687; P., 216.
2:3-Indeno-1:4-benzopyranol hydrochloride, 7-hydroxy-, and its salts (PERKIN and ROBINSON), P., 149.
Indican and its reactions (PERKIN and BLOXAM), T., 1715; P., 116, 218.
Indigo, Java, occurrence of isatin in some samples of (PERKIN), P., 30.
natural, some constituents of (PERKIN and BLOXAM), T., 279; P., 30; (PERKIN), T., 435; P., 62.
Indigo-brown, constituents of (PERKIN and BLOXAM), T., 280; P., 30.
Indigofera sumatrana, amount of indican obtainable from (PERKIN and BLOXAM), T., 1727; P., 116, 218.
Indoxyl-brown (PERKIN and BLOXAM), T., 1725; P., 218.
Inorganic substances, relation between the crystalline form and chemical constitution of (BARLOW and POPE), T., 1150; P., 142.
Inositol (*inosite*) acetates, bromo-derivatives and their reactions (MÜLLER), T., 1781; P., 219.
bromo-derivatives of, and dibromohydrin, crystallography of (BARKER), T., 1781.
dibromohydrin (MÜLLER), T., 1788; P., 219.
Intramolecular change, new method for studying (PATTERSON and MCMILLAN), T., 504; P., 60.
Iodine, adsorption of, by carbon (DAVIS), T., 1666; P., 208.
addition of, to acetylenic acids (JAMES and SUDBOROUGH), T., 1037, P., 136.
the velocity and mechanism of the reaction between, and hypophosphorous acid (STEELE), T., 1641; P., 213.
multivalent, derivatives of (CALDWELL and WERNER), T., 240, 528; P., 17, 64.
Iron, rusting of (DUNSTAN), P., 63.
mechanism of the rusting of (MOODY), P., 84.
Iron basic sulphate, formation of (PICKERING), T., 1985; P., 261.
Ferrous sulphate, interaction, in solution, of, and copper sulphate (ELLIS and COLLIER), P., 264.
Iron, colorimetric method for the estimation of small percentages of, in copper alloys (GREGORY), P., 306.
Isatin, occurrence of, in some samples of Java indigo (PERKIN), P., 30.
Isomeric change, carbonyl chloride as an agent for arresting (LOWRY and MAGSON), P., 260.
Isomerism, dynamic. See under Affinity, chemical.

K.

Kaempferitrin from natural indigo (PERKIN), T., 438.
Kaempferol and its acetyl derivative from natural indigo (PERKIN), T., 436; P., 62.

Keten and its reactions (WILSMORE), T., 1938; P., 229.

Keten group, multiple, derivatives of (COLLIE), T., 1806; P., 230.

Ketodihydrochaulmoogric acid, hydroxy-, and its methyl ester and its semicarbazone (BARROWCLIFF and POWER), T., 567; P., 70.

3-Keto-1:1-dimethylhexahydrobenzene. See 1:1-Dimethyl-3-*cyclo*hexanone.

3-Keto-1:1-dimethyl-Δ^4-tetrahydrobenzene. See 1:1-Dimethyl-Δ^4-*cyclo*hexenone-3-.

γ-Ketohexahydrobenzoic acid. See *cyclo*Hexanone-3-carboxylic acid.

γ-Keto-β-methyl-*n*-pentadecane-*aa'*-dicarboxylic acid and its methyl ester and oxime (BARROWCLIFF and POWER), T., 575; P., 70.

Ketone, $C_9H_{12}O$, and its semicarbazone, from limonene (HENDERSON), T., 1875; P., 247.

Ketones containing the group $\cdot CH_2 \cdot CO \cdot CH:$, condensations of, with esters in presence of sodium ethoxide (CLARKE, LAPWORTH, and WECHSLER), P., 294.

action of metallic calcium on (LAW and PERKIN), P., 308.

See also Diketones.

γ-Keto-*n*-pentadecane-*aa'*-dicarboxylic acid and its oxidation (BARROWCLIFF and POWER), T., 573; P., 70.

γ-Keto-γ-phenylbutyric acid, α-cyano-(*phenacylcyanoacetic acid*), ethyl ester, preparation of (THORPE), T., 1005.

L.

Lactam, $C_{11}H_{14}O_2N_2$, from the interaction of cyanodihydrocarvone, amyl nitrite and sodium ethoxide, and its isomeride and *N*-methyl derivative (LAPWORTH and WECHSLER), T., 981, 1919; P., 137, 252.

constitution of (LAPWORTH and WECHSLER), T., 1920; P., 252.

$C_{12}H_{16}O_2N_2$, from the lactam $C_{11}H_{14}O_2N_2$ (LAPWORTH and WECHSLER), T., 990; P., 138.

Lactones, a method for the determination of the equilibrium in aqueous solutions of (MOORE), T., 1373; P., 154.

Lactonic acid, $C_{11}H_{17}O_5N$, from the hydrolysis of the lactam, $C_{11}H_{14}O_3N_2$ (LAPWORTH and WECHSLER), T., 989; P., 138.

constitution of, and its bromo-derivative, and oxidation of (LAPWORTH and WECHSLER), T., 1921; P., 252.

Lactonic base, $C_{12}H_{18}O_3N_2$, from the amino-acid, $C_{12}H_{18}O_3N_2$ (LAPWORTH and WECHSLER), T., 992; P., 138.

Lactonic bases, $C_{11}H_{16}O_3N_2$, from the lactam, $C_{11}H_{14}O_2N_2$ (LAPWORTH and WECHSLER), T., 985; P., 138.

constitution of, and the action of acids on (LAPWORTH and WECHSLER), T., 1921; P., 252.

Lævulose (d-*fructose*), alkylation of (PURDIE and PAUL), T., 289; P., 33.

Lævulose guanidine and its properties (MORRELL and BELLARS), T., 1011; P., 87.

Lead, chemical action of radium emanation on solutions containing (CAMERON and RAMSAY), T., 1593; P., 217.

Lead arsenates, note on (PICKERING), T., 307; P., 35.

oxide, velocity of the reduction of, by carbon monoxide, and formation of the suboxide (BRISLEE), P., 286.

sulphate, solubility of, in concentrated solutions of ammonium acetate (FOX), P., 199.

Light. See under Photochemistry.

Limonene, oxidation of, with chromyl dichloride (HENDERSON), T., 1871; P., 247.

Limonenes, *d*- and *l*-, spectroscopic constants of (BRÜHL), T., 120.

Liquid mixtures, viscosity of (DUNSTAN and WILSON), T., 83.

Liquids, molecular complexity of (DUNSTAN and THOLE), P., 19.

apparatus, with stirrer, for treating, at their boiling points with two or more gases (GEBHARD), P., 34.

Lithium mercuric nitrites (RÂY), T., 2033; P., 165.

M.

Magnesium, action of, on aryl haloids (SPENCER and STOKES), P., 302.

oxide (*magnesia*), the reducibility of, by carbon (SLADE), P., 152.

Magnesium organic haloids, reaction of, with nitro-compounds (PICKARD and KENYON), P., 153.

Malonic acid, ethyl ester, sodium derivative, interaction of, with methylene chloride (TUTIN), T., 1141; P., 158, 245.

action of, on tribromopropane (PERKIN and SIMONSEN), T., 816, 840.

Mandelic acid, racemisation of, by alkali, and resolution of the racemic acid, into its optically active isomerides (MCKENZIE and MÜLLER), T., 1814; P., 234.

Mandelic acids, stereoisomeric, measurements of the velocities of saponification of the *l*-bornyl and *l*-menthyl esters of (McKENZIE and THOMPSON), T., 789; P., 113.
menthyl esters, freezing point curves of (FINDLAY and HICKMANS), T., 905; P., 132.
Mandelonitrile glucoside, Fischer's, preparation of (CALDWELL and COURTAULD), T., 670; P., 71.
tetra-acetyl derivative of (CALDWELL and COURTAULD), T., 675; P., 71.
Mandelonitrile glucosides (CALDWELL and COURTAULD), T., 671; P., 71.
Mannose guanidine and its properties (MORRELL and BELLARS), T., 1012; P., 87.
Medal from the Société chimique de France in commemoration of its Jubilee celebration, present of, to the Society, P., 255.
$\Delta^{1:8(9)}$-*m*-**Menthadiene**. See Carvestrene.
m-**Menthane-1:8-diol**. See Tetrahydrocarvestrenediol.
Δ^{1}-*m*-**Menthenol(8)**. See Dihydrocarvestrenol.
*d-iso***Menthone** in the oil of American pennyroyal (BARROWCLIFF), T., 875; P., 114.
Menthylamine, 1-amino-. See Tetrahydroumbellulylamine, amino-.
l-**Menthylcarbamic acid**, aryl esters and amides of (PICKARD and LITTLEBURY), T., 300; P., 30.
Mercurous and **Mercuric salts**. See under Mercury.
Mercury, univalent, isomorphous replacement of, by silver (RÂY), T., 2033; P., 165.
Mercury nitrite, double salts with the alkali metal nitrites (RÂY), T., 2031; P., 165.
Mercurous nitrite, interaction of, with alkyl iodides (RÂY and NEOGI), P., 246.
hyponitrite (DIVERS), P., 264.
preparation of, and dissociation of an acid solution of (RÂY), T., 1404; P., 89.
decomposition of, by heat (DIVERS), P., 265.
decomposition of, by heat, and constitution of (RÂY and GAÑGULI), T., 1399; P., 89.
Mercuroso-mercuric-silver oxynitrates and the isomorphous replacement of univalent mercury by silver (RÂY), T., 2033; P., 165.
Mercury:—
Mercuric iodide, influence of, on the formation of sulphonium iodides (HILDITCH and SMILES), T., 1394; P., 206.
oxychloride, new (HEWITT), P., 10.
Mercury derivatives of pseudo-acids containing the group ·CO·NH· (AULD), T., 1045; P., 151.
Mesityl oxide (*methyl* iso*butenyl ketone*; iso*propylideneacetone*), formation of (LAW and PERKIN), P., 308.
Metallic sulphates, interaction of, with caustic alkalis (PICKERING), T., 1981; P., 261.
Metals, rapid electro-analytical deposition and separation of (SAND), T., 373; P., 26.
Methoethylheptanonolide and its optical isomerides, formation of (LAPWORTH and WECHSLER), T., 1924; P., 252.
4′-Methoxy-2-benzylhydrindene, 1:2′-*di*hydroxy- (PERKIN and ROBINSON), T., 1092.
4′-Methoxy-2-benzylidene-1-hydrindone, 2′-hydroxy-, and its acetyl derivative (PERKIN and ROBINSON), T., 1091.
6-Methoxy-2-benzylidene-1-hydrindone (PERKIN and ROBINSON), T., 1094.
4-Methoxy-1:3-dimethylanthraquinone (BENTLEY, GARDNER, WEIZMANN, and TEMPERLEY), T., 1635.
2′-Methoxy-3′:5′-dimethyl-2-benzoylbenzoic acid (BENTLEY, GARDNER, WEIZMANN, and TEMPERLEY), T., 1634.
Methoxyeosin (FRIEDL, WEIZMANN, and WYLER), T., 1586.
Methoxyfluorescein and its diacetate (FRIEDL, WEIZMANN, and WYLER), T., 1586; P., 214.
*tetra*bromo-. See Methoxyeosin.
Methoxymethylanthraquinone, hydroxy-, and its acetyl derivative from the root of *Morinda longiflora* (BARROWCLIFF and TUTIN), T., 1912; P., 248.
2-Methoxy-1-methylanthraquinone, and its amino- and its acetyl derivative, bromo-, and nitro-derivatives (BENTLEY, GARDNER, and WEIZMANN), T., 1631.
4-Methoxy-1-methylanthraquinone and 6(7)-hydroxy- (BENTLEY, GARDNER, WEIZMANN, and ANDREW), T., 1633.
Methoxy-3-methyl-β-benzoylacrylic acid (BENTLEY, GARDNER, and WEIZMANN), T., 1640.
2′-Methoxy-5′-methyl-2-benzoylbenzoic acid (BENTLEY, GARDNER, WEIZMANN, and ANDREW), T., 1633.
4′-Methoxy-5′-methyl-2-benzoylbenzoic acid and bromo-(BENTLEY, GARDNER, and WEIZMANN), T., 1630.

Methoxymethyl-β-benzoylpropionic acid (BENTLEY, GARDNER, and WEIZMANN), T., 1640.

Methoxynaphthacenequinone, *tri*hydroxy- (BENTLEY, FRIEDL, and WEIZMANN), T., 1592; P., 215.

5-Methoxynaphthacenequinone, 1-hydroxy- (BENTLEY, FRIEDL, THOMAS, and WEIZMANN), T., 425.

8(or 9)-Methoxynaphthacenequinone, 1-hydroxy- (BENTLEY, FRIEDL, THOMAS, and WEIZMANN), T., 423.

3(or 6)-Methoxy-2-β-naphthoylbenzoic acid, 1′-hydroxy- (BENTLEY, FRIEDL, THOMAS, and WEIZMANN), T., 420.

2-*p*-Methoxyphenyl-1:3-benzoxazone and its acetyl derivative (KEANE and NICHOLLS), T., 268; P., 36.

7-*p*-Methoxyphenyl-α—N—α-β—CH—β-dinaphthacridine and its additive salts (SENIER and AUSTIN), T., 1237; P., 186.

Methoxyphenyl-*m*-meconine, hydroxy- (PERKIN and ROBINSON), P., 292.

3-Methoxyphthalanilic acid (BENTLEY, ROBINSON, and WEIZMANN), T., 110.

4-Methoxyphthalanilic acid (BENTLEY and WEIZMANN), T., 104.

3-Methoxyphthalic acid and its anhydride, anil, and imide (BENTLEY, ROBINSON, and WEIZMANN), T., 110.

4-Methoxyphthalic acid and its methyl ester, anhydride, anil, and imide (BENTLEY and WEIZMANN), T., 102.

the fluoresceins and eosins from (FRIEDL, WEIZMANN, and WYLER), T., 1584; P., 214.

3-Methoxyphthalonic acid and its anhydrophenylhydrazone (BENTLEY, ROBINSON, and WEIZMANN), T., 109.

Methyl, replacement of alkyl radicles by, in substituted ammonium compounds (JONES and HILL), T., 2083; P., 290.

Methyl-4:6-*di*amino-*m*-xylene and the action of diazonium salts on (MORGAN and MICKLETHWAIT), T., 363; P., 28.

2-Methylanthranol, *di*hydroxy- (BARROWCLIFF and TUTIN), T., 1913; P., 249.

1-Methylanthraquinone, 2-hydroxy- and nitro-2-hydroxy-, and their methyl ethers (BENTLEY, GARDNER, and WEIZMANN), T., 1631.

4-hydroxy- and its methyl ether (BENTLEY, GARDNER, WEIZMANN, and ANDREW), T., 1633.

4:6(7)-*di*hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1639.

2-Methylanthraquinone, 1- and 4-hydroxy-, and their potassium salts (BENTLEY, GARDNER, and WEIZMANN), T., 1635.

4:7(8)-*di*hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1638.

*tri*hydroxy-. See Emodin.

4′-Methyl-2-benzoylbenzoic acid, 4(5):2′-*di*hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1638.

5′-Methyl-2-benzoylbenzoic acid, 4(5):2′-*di*hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1639.

Methyl-2-benzoylbenzoic acids, 3′-, 4′-, and 5′-, 2′-hydroxy- (BENTLEY, GARDNER, and WEIZMANN), T., 1635.

Methyl-γ-bromoallylacetoacetic acid, ethyl ester (GARDNER and PERKIN), T., 853; P., 116.

Methyl-γ-bromoallylmalonic acid, ethyl ester (PERKIN and SIMONSEN), T., 830.

Methyl *iso*butenyl ketone. See Mesityl oxide.

Methyl Δγ-butinene ketone and its oxime and semicarbazone (GARDNER and PERKIN), T., 851; P., 116.

density, magnetic rotation, and refractive power of (PERKIN), T., 852.

Methylcrotonylcarbinol. See Δ$^{\epsilon}$-Hexene, β-hydroxy-.

Methylene chloride, interaction of, with the sodium derivative of ethyl malonate (TUTIN), T., 1141; P., 158, 245.

condensation of, with 1-bromo- and 1-chloro-2-naphthylamines (SENIER and AUSTIN), P., 300.

5:6-Methylenedioxy-2-benzylidene-1-hydrindone, 2′-hydroxy-, and its acetyl derivative (PERKIN and ROBINSON), T., 1097.

5:6-Methylenedioxy-1-hydrindone and its oxime and isonitroso- and 2-benzylidene derivatives (PERKIN and ROBINSON), T., 1084.

Methylethylthetine menthyl ester, nitrate of (SMILES), P., 291.

Methylfructoside and its methylation (PURDIE and PAUL), T., 290; P., 33.

γ-Methyl-Δγ-heptene-ε-one (LAW and PERKIN), P., 308.

1-Methyl*cyclo*hexane-3-carboxylic acid, *cis*-1-bromo-, preparation of (PERKIN and TATTERSALL), T., 495.

***cis*-1-Methyl*cyclo*hexanol-3-carboxylic acid**, lactone of, and its conversion into *cis*-1-bromo-1-methylcyclohexane-3-carboxylic acid (PERKIN and TATTERSALL), T., 495.

1-Methyl-Δ^1-*cyclo*hexene-3-carboxylic acid and its ethyl ester (PERKIN and TATTERSALL), T., 496.

Methylhexylcarbinol. See *sec.*-Octyl alcohol.

Methylhomoeriodictyol (POWER and TUTIN), T., 895.

Methylmorindanol (BARROWCLIFF and TUTIN), T., 1918; P., 249.

2-Methyl-6:8-naphthylenediamine and its additive salts and diacetyl derivative and **7-carboxylic acid** and its ethyl ester (ATKINSON and THORPE), T., 1708; P., 216.

Methyl-5:7-naphthylenediamines, 1- and 2-, and their additive salts and diacetyl derivatives and **6-carboxylic acids** and their ethyl esters (ATKINSON and THORPE), T., 1700; P., 216.

1-Methyl-4-*iso*propyl*cyclo*hexane, 1:3-*di*amino-. See Tetrahydroumbellulylamine, amino-.

2-Methylpyrone-6-acetic acid (COLLIE and HILDITCH), T., 789; P., 92.

***N*-Methylsalicylamide**, preparation of, and its benzoyl derivatives (MCCONNAN and MARPLES), T., 194; P., 18.

Methyluracyl, mercuric salt (AULD), T., 1047; P., 152.

Methyluric acids, 3- and 7-, mercuric salts (AULD), T., 1046; P., 152.

Molecular aggregation in solution as exemplified in aqueous mixtures of sulphuric acid with inorganic sulphates (HOLMES and SAGEMAN), T., 1606; P., 210.

complexity of liquids (DUNSTAN and THOLE), P., 19.

weight. See Weight.

Morinda longiflora, chemical examination of the leaves and root of (BARROWCLIFF and TUTIN), T., 1907; P., 248.

Morindanol from the leaves of *Morinda longiflora* (BARROWCLIFF and TUTIN), T., 1917; P., 249.

Morphide, chloro-, methylation and hydrolysis of (LEES), T., 1411; P., 200.

Morphine, researches on (LEES), T., 1408; P., 200.

***β*-*iso*Morphine**, formation and methylation of (LEES), T., 1413; P., 200.

Mutarotation. See under Photochemistry.

N.

Naphthacenequinone derivatives (BENTLEY, FRIEDL, THOMAS, and WEIZMANN), T., 411; (BENTLEY, FRIEDL, and WEIZMANN), T., 1588; P., 215.

Naphthacenequinone derivatives, absorption spectra of (BALY and TUCK), T., 426.

Naphthacenequinone, 7(10)- and 8(9)-amino-1-hydroxy-, and 1:5-*di*- and 1:4:5-*tri*-hydroxy- (BENTLEY, FRIEDL, and WEIZMANN), T., 1591.

Naphthacene-4(?)-sulphonic acid, 1:5-*di*hydroxy- (BENTLEY, FRIEDL, THOMAS, and WEIZMANN), T., 425.

***β*-Naphthacinchoninic acid** (m.p. 248°) from an aldehyde from oil of nutmeg (POWER and SALWAY), T., 2053; P., 285.

Naphthalene, action of aluminium chloride on (HOMER), T., 1103; P., 88.

1:5-*di*hydroxy-, and its methyl ethers, and their oxidation (BENTLEY, ROBINSON, and WEIZMANN), T., 106.

Naphthalene-1-azo-*β*-naphthol, 4-amino-, *N*-benzoyl derivative of (MORGAN and WOOTTON), T., 1322.

Naphthalene-1:2′-azo-1′:4′-naphthylenediamine, 4:4′-*N*-dibenzoyl derivative of (MORGAN and WOOTTON), T., 1322.

4-*α*-Naphthaleneazo-2-phenyl-1:3-naphthylenediamine (LEES and THORPE), T., 1291.

Naphthalenediazonium salts. See Diazonaphthalene salts.

Naphthionic acid, cerous salt (MORGAN and CAHEN), T., 477.

***α*-Naphthol**, condensation of with aldehydes (SENIER and AUSTIN), T., 1233; P., 185.

***β*-Naphthol**, molecular weight of, in solution in solid naphthalene (PERMAN and DAVIES), T., 1114; P., 162.

***α*-Naphtholresorcinolphthalein anhydride** and its acetyl derivative and methyl ether (FRIEDL, WEIZMANN, and WYLER), T., 1587.

***β*-Naphthol-6-sulphonic acid**, cerous salt (MORGAN and CAHEN), T., 476.

Naphtholsulphonic acids, amino-, affinity constants of, as determined by the aid of methyl-orange (VELEY), T., 1246; P., 179.

2-*β*-Naphthoylbenzoic acid, 3(6)- and 4(5)-amino-, and -nitro-1′-hydroxy- (BENTLEY, FRIEDL, and WEIZMANN), T., 1590; P., 215.

4′-amino-1′-hydroxy-, 4′-amino-1′:4(or 5)-*di*hydroxy-, 6′(?)-bromo-1′:4(or 5)-*di*hydroxy-, and 4(or 5):1′- and 1′:5′-*di*hydroxy- (BENTLEY, FRIEDL, THOMAS, and WEIZMANN), T., 416.

***α*-Naphthylamine**, condensation of, with aldehydes (SENIER and AUSTIN), T., 1233; P., 185.

2-Naphthylamine, 1-bromo- and 1-chloro-, condensation of, with methylene dichloride (SENIER and AUSTIN), P., 300.

Naphthylazoimides, α- and β-, and their nitro-derivatives (FORSTER and FIERZ), T., 1942; P., 258.

1:3-Naphthylenediamine and its derivatives, formation of, from *o*-toluonitrile (ATKINSON, INGHAM, and THORPE), T., 578; P., 76.

formation of methyl derivatives of, from the three tolylacetonitriles (ATKINSON and THORPE), T., 1687; P., 216.

1:3-Naphthylenediamine-2-carboxylic acid, ethyl ester, formation of, from ethyl β-imino-α-cyano-β-*o*-tolylpropionate (ATKINSON, INGHAM, and THORPE), T., 587; P., 76.

1:4-Naphthylenediamine, benzoyl derivative, coloured diazo-salts from, and azo-derivatives of (MORGAN and WOOTTON), T., 1311; P., 180.

1:4-Naphthylenediamine and its **3-carboxylic acid** and its ethyl ester, formation of (THORPE), T., 1005; P., 151.

α-Naphthylnitrosoamine, 4-amino-, *N*-benzoyl derivative of (MORGAN and WOOTTON), T., 1322.

Neo*iso*codeine, formation of (LEES), T., 1414; P., 200.

Neo*iso*morphine, formation and methylation of, and its hydrochloride and methiodide (LEES), T., 1413; P., 200.

Nickel basic sulphates, formation of (PICKERING), T., 1985; P., 261.

Nitro-compounds, reaction between organo-magnesium haloids and (PICKARD and KENYON), P., 153.

aromatic, reduction of, to azoxy-compounds in acid solution (FLURSCHEIM and SIMON), P., 163.

fatty, preparation of, by the interaction of alkyl iodides and mercurous nitrite (RÂY and NEOGI), P., 246.

Nitrogen *tri*oxide (*nitrous anhydride*), gaseous (H. B. and M. BAKER), T., 1862; P., 239.

*per*oxide, evolution of, in the decomposition of guncotton (ROBERTSON and NAPPER), T., 764; P., 91.

estimation of small quantities of (ROBERTSON and NAPPER), T., 761; P., 91.

Hyponitrous acid, decomposition of, in presence of mineral acids (RÂY and GAÑGULI), T., 1866; P., 184.

Nitroso-derivatives, compounds of, with acids and salts (PICKARD and KENYON), T., 896; P., 138.

Nomenclature of the proteins, recommendations as to the, P., 55.

Nonoic acid. See α-*iso*Propyl-*n*-hexoic acid.

Nopinone, attempted synthesis of (PERKIN and SIMONSEN), T., 1736; P., 198.

Nutmeg oil, constituents of (POWER and SALWAY), T., 2037; P., 285.

Nyctanthin from *Nyctanthes Arbor-tristis*, and its acetyl derivative (HILL and SIRKAR), T., 1501; P., 213.

O.

Obituary notices:—

George Bowdler Buckton, T., 663.

Frederic Just Claudet, T., 660.

Hermann Johann Philipp Sprengel, T., 661.

Octadecapeptide, preparation of an (FISCHER), P., 82.

Octanedicarboxylic acids. See γ-*iso*-Propylpimelic acid and Sebacic acid.

Octane-2-ol. See *sec.*-Octyl alcohol.

Octinenedicarboxylic acid. See γ-*iso*-Propylidenepimelic acid.

Octoic acid. See α-Ethylhexoic acid.

***sec.*-Octyl alcohol** (*methylhexylcarbinol; octane-2-ol*), resolution of (PICKARD and KENYON), T., 2058; P., 286.

Optical activity, influence, and **superposition** and **Optically active compounds.** See under Photochemistry.

Orcinol derivatives, production of, by the action of heat on the sodium salt of ethyl acetoacetate (COLLIE and CHRYSTALL), T., 1802; P., 231.

Organic compounds, effect of a white-hot platinum wire on (WILSMORE and STEWART), P., 309.

estimation of halogen in (MOIR), P., 233.

Oxalic acid, ethyl ester, action of, on thioacetanilide and its homologues (RUHEMANN), T., 797; P., 115.

Oxazine series, a reaction of colouring matters of the (THORPE), T., 324; P., 32.

Oxime formation and decomposition in presence of mineral acids (LAPWORTH), T., 1133; P., 168.

influence of acids and alkalis on the velocity of (BARRETT and LAPWORTH), P., 307.

Oxygen compounds, chemistry of (PICKARD and KENYON), T., 896; P., 138.

P.

Palmityl chloride, reaction of, with thioureas (DIXON and TAYLOR) T., 923; P., 120.

Pennyroyal, American, oil of, constituents of (BARROWCLIFF), T., 875; P., 114.

n-**Pentadecane-**$\alpha\alpha'\gamma$**-tricarboxylic acid** and its esters (BARROWCLIFF and POWER), T., 569; P., 70.

Pentanedicarboxylic acid. See Trimethylsuccinic acid.

Pentenoic acids. See Allylacetic acid, β-Ethylacrylic acid, and Ethylidenepropionic acid.

Δ^{δ}**-Pentinene-**β**-carboxylic acid** and its ethyl ester and silver salt (PERKIN and SIMONSEN), T., 832; (GARDNER and PERKIN), T., 848; P., 116.

ethyl ester, density, magnetic rotation, and refractive power of (PERKIN), T., 836.

Δ^{δ}**-Pentinene-**$\beta\beta$**-dicarboxylic acid** and its ethyl ester and silver salt (PERKIN and SIMONSEN), T., 830.

ethyl ester, density, magnetic rotation, and refractive power of (PERKIN), T., 836.

Peptides. See Octadecapeptide.

Perhalogen salts, studies on the (TINKLER), T., 996; P., 137.

Permanganic acid (MUIR), T., 1485; P., 195.

Petroleum from Borneo, chemical composition of (JONES and WOOTTON), T., 1146; P., 184.

Phenacylcyanoacetic acid. See γ-Keto-γ-phenylbutyric acid, α-cyano-.

S-**Phenetyl-***N*-**methylphenazothionium** salts (SMILES and HILDITCH), P., 306.

S-**Phenetyl-3:3′-***di***nitrophenazothionium** salts (SMILES and HILDITCH), P., 306.

Phenol, 2:3-*di*nitro-4-amino-, and its diazotisation and 2:3:5-*tri*nitro-4-amino- (MELDOLA and HAY), T., 1481; P., 211.

Phenols, association of, in the liquid condition (HEWITT and WINMILL), T., 441; P., 10.

Phenol-2-azo-β**-naphthol**, *tri*bromo- and 3:5-*di*chloro- (ORTON and REED), T., 1566.

Phenolphthalein salts, constitution of (GREEN and KING), P., 228.

Phenol *p*-**sulphone** (SMILES and BAIN), T., 1120.

Phenol-*p*-**sulphonic acid**, cerous salt (MORGAN and CAHEN), T., 476.

Phenol *p*-**sulphoxide** and its diacetyl and dibenzoyl derivatives and reactions (SMILES and BAIN), T., 1118; P., 161.

Phenonaphthacridines, synthesis of (SENIER and AUSTIN), T., 1240; P., 185; (SENIER and COMPTON), T., 1927; P., 247.

Phenyl chlorocarbonate, reactions of, with thioureas (DIXON and TAYLOR), T., 920; P., 120.

γ**-Phenylacetoacetic acid**, α-cyano-, ethyl ester, and its salts and reactions, and anilide (SMITH and THORPE), T., 1899; P., 249.

Phenylacetonitrile, sodium compound of, condensation of, with benzonitrile (ATKINSON, INGHAM, and THORPE), T., 591.

Phenylacetyl chloride, reaction of, with thioureas (DIXON and TAYLOR), T., 924; P., 120.

5-Phenylacridine and its halogen derivatives, action of bromine on, and the methylation and salts of the products (DUNSTAN and HILDITCH), T., 1659; P., 206.

Phenylazoimide, *s-tri*bromo- (FORSTER and FIERZ), T., 1952.

4:6-*di*bromo-2-hydroxy- (ORTON, EVANS, and MORGAN), P., 167.

o- and *m*-hydroxy-, and their metallic and acyl derivatives (FORSTER and FIERZ), T., 1350; P., 205.

p-hydroxy-, and its benzoyl, *m*-nitrobenzoyl, and potassium derivatives, and methyl ether, and 3-nitro-4-hydroxy-, and its benzoyl and potassium derivatives (FORSTER and FIERZ), T., 859; P., 112.

2-Phenyl-1:4-benzopyranol hydrochloride, 7-hydroxy- (PERKIN and ROBINSON), P., 149.

Phenyl-1:3-benzoxazone, preparation and reactions of (TITHERLEY), T., 1425; P., 203.

2-Phenyl-1:3-benzoxazone and its 1-acetyl derivative (KEANE and NICHOLLS), T., 266; P., 36.

Phenylbenzylcarbamic chloride, reaction of, with phenylthiourea (DIXON and TAYLOR), T., 926; P., 120.

Phenylbenzylethylpropylsilicane, preparation of (KIPPING), T., 221.

1-Phenyl-3-benzylethylpyrazolone, 4-cyano- (SMITH and THORPE), T., 1907.

1-Phenyl-3-benzylpyrazolone, 4-cyano- (SMITH and THORPE), T., 1903.

Phenyl-2′:6′-*di***- and -2′:4′:6′-***tri***-bromo-4′-hydroxyphenylamines**, 2:4:6-*tri*bromo- (SMITH and ORTON), T., 151; P., 14.

γ**-Phenylbutyric acid**, γ-imino-α-cyano-, ethyl ester, formation and condensation of (THORPE), T., 1007; P., 151.

Phenyl-α**-camphoramic acid**, 4-amino-, 4-bromo-, 4-bromo-3-amino-, and its acetyl derivative, and 4-bromo-3-nitro- (WOOTTON), T., 1895; P., 250.

N-**Phenylcamphorimide**, 4-bromo-, 4-bromo-3-amino-, and 4-bromo-3-nitro- (WOOTTON), T., 1898; P., 250.

Phenyl*iso*crotonic acid, esterification constant of (SUDBOROUGH and THOMAS), T., 1034; P., 146.

5-Phenyl-3:7-dimethylacridine, 2:8-*di*hydroxy-. See Benzoflavol.

7-Phenyl-$^{\alpha}_{\beta}$—N—$^{\alpha}_{\beta}$-dinaphthacridine, *m*-nitro-, and its additive salts (SENIER and AUSTIN), T., 1238; P., 186.

p-**Phenylenediamine**, benzoyl derivative, diazo-derivatives of (MORGAN and WOOTTON), T., 1315.

2:6-*di*bromo-, preparation of (HEWITT and WALKER), T., 1141; P., 161.

γ-Phenyl-α-ethylacetoacetic acid, α-cyano-, ethyl ester, and its hydrolysis, and anilide (SMITH and THORPE), T., 1905; P., 249.

Phenylethylpropylsilicol and its chloride, preparation of (KIPPING), T., 218.

Phenylethyl-silicon *di*chloride and **-silicone**, preparation of (KIPPING), T., 215.

d-**Phenylglucosazone**, melting point of (TUTIN), P., 250.

Phenylhydrazine and *p*-bromo-, oxidation of, by free oxygen (CHATTAWAY), T., 1326; P., 183.

Phenylhydrazinodicarboxytricarballylic acid, methyl ester (RUHEMANN), T., 1363; P., 195.

β-Phenyliminobenzoyldihydrocarvone and its cyanohydrin (CLARKE and LAPWORTH), T., 699; P., 90.

Phenylimino-*di*- and -*tri*-bromobenzoquinones, 2:4:6-*tri*bromo- (SMITH and ORTON), T., 150; P., 14.

1-Phenyl-2-methylbenziminazole, 7-nitro-6-hydroxy- (MELDOLA and HAY), T., 1482.

Phenylmethylethylpropylsilicane, preparation of (KIPPING), T., 221.

2-Phenylnaphthalene, 1-amino-3-hydroxy-, and its hydrochloride, 3-amino-1-hydroxy-, and its *N*-acetyl derivative, and 1:3-*di*hydroxy- (LEES and THORPE), T., 1302.

2-Phenylnaphthalene-1-azo-β-naphthol, 3-amino-, and its *N*-acetyl derivative (LEES and THORPE), T., 1293.

2-Phenylnaphthalene-3-azo-β-naphthol, 1-amino- (LEES and THORPE), T., 1289.

2-Phenylnaphthalene-1:4′-azo-2′-phenyl-1′:3′-naphthylenediamine, 3-amino-, and its *N*-acetyl derivative and their hydrochlorides (LEES and THORPE), T., 1294.

Phenylnaphthols, amino-. See 2-Phenylnaphthalene, 1-amino-3-hydroxy-, and 3-amino-1-hydroxy-.

2-Phenyl-1:3-naphthylenediamine, preparation of, and its acetyl, benzylidene, and methyl derivatives and their diazotisation and its compounds with diazonium salts (LEES and THORPE), T., 1282; P., 189.

formation of, from β-imino-α-cyano-α-phenyl-β-*o*-tolylethane (ATKINSON, INGHAM, and THORPE), T., 589; P., 76.

2-Phenyl-1:3-naphthylenedimethyldiamine, α- and β- forms, and their dihydrochlorides and dinitrosoamines (LEES and THORPE), T., 1296.

2-Phenyl-1:3-naphthylenetetramethyldiamine and its dihydrochloride and 4-nitroso-derivative (LEES and THORPE), T., 1300.

2-Phenyl-1:3-naphthylenetrimethyldiamine and its hydrochlorides and nitrosoamine (LEES and THORPE), T., 1299.

S-**Phenylphenazothionium**, derivatives of (SMILES and HILDITCH), P., 306.

Phenylpropiolic acid and *o*- and *p*-nitro-, addition of iodine to (JAMES and SUDBOROUGH), T., 1041; P., 136.

bornyl and menthyl esters, properties of (HILDITCH), P., 287.

β-Phenylpropionic acid, bornyl and menthyl esters, properties of (HILDITCH), P., 287.

β-Phenylpropionic acid, αα*β*- and αβ*β*-*tri*bromo-, and their methyl esters, and β-chloro-α*β*-*di*bromo- (SUDBOROUGH and WILLIAMS), P., 146.

β-imino-α-cyano-, ethyl ester, and the action of sulphuric acid on (ATKINSON, INGHAM, and THORPE), T., 590.

1-Phenyl-5-pyrazolone-3-carboxylic acid (RUHEMANN), T., 1364; P., 196.

1-Phenyl-5-pyrazolone-3:4-dicarboxylic acid, 4-methyl ester, and its phenylhydrazide (RUHEMANN), T., 1363; P., 196.

Phenylthiourea, reaction of, with acetyl chloride and benzyl chlorocarbonate (DIXON and HAWTHORNE), T., 128.

α-Phenyl-β-*o*-tolylethane, β-imino-α-cyano-, and the formation of 1:3-diamino-2-phenylnaphthalene from (ATKINSON, INGHAM, and THORPE), T., 588; P., 76.

Phosphates. See under Phosphorus.

Phosphorus, atomic volumes of (PRIDEAUX), T., 1711; P., 207.

coefficient of expansion of (PRIDEAUX), T., 1712; P., 207.

Phosphorus *penta*chloride, coefficient of expansion of (PRIDEAUX), T., 1713; P., 207.
Phosphates, action of yeast juice on soluble (YOUNG), P., 65.
Hypophosphorous acid, the velocity and mechanism of the reaction between iodine and (STEELE), T., 1641; P., 213.
PHOTOCHEMISTRY:—
Light, ultra-violet, chemical changes induced in gases submitted to the action of (CHAPMAN, CHADWICK, and RAMSBOTTOM), T., 942; P., 136.
influence of, on diazo-reactions (ORTON, COATES, and BURDETT), T., 35.
Optical activity and unsaturation, relation between (HILDITCH), P., 287.
of cyclic ammonium compounds (BUCKNEY and JONES), T., 1821; P., 234.
influence of contiguity of unsaturated groups (BRÜHL), T., 115.
superposition, studies in (PATTERSON and KAYE), T., 705; P., 89.
Optically active compounds, influence of solvents on the rotation of (PATTERSON and MCMILLAN), T., 504; P., 60; (PATTERSON, HENDERSON, and FAIRLIE), T., 1838; P., 236; (PATTERSON and THOMSON), P., 263.
Refractive power of diphenylhexatriene and allied hydrocarbons (SMEDLEY), P., 295.
Rotation of the aryl esters and amides of *l*-menthylcarbamic acid (PICKARD and LITTLEBURY), T., 303; P., 30.
of optically active compounds, influence of solvents on (PATTERSON and MCMILLAN), T., 504; P., 60; (PATTERSON, HENDERSON, and FAIRLIE), T., 1838; P., 236; (PATTERSON and THOMSON), P., 263.
Rotatory power and absorption spectra, relation between (STEWART), T., 1537; P., 197.
relation between absorption spectra and, and the effect of unsaturation and stereoisomerism (STEWART), T., 199; P., 8.
Mutarotation of nitrocamphor, influence of impurities on the velocity of (LOWRY and MAGSON), P., 193.
PHOTOCHEMISTRY:—
Absorption spectra, relation between chemical constitution and (BAKER and BALY), T., 1122; P., 157; (BALY, TUCK, MARSDEN, and GAZDAR), T., 1572; P., 194.
relation between optical rotatory power and (STEWART), T., 1537; P., 197.
relation between optical rotatory power and, and the effect of unsaturation and stereoisomerism (STEWART), T., 199; P., 8.
of benzoic acid and its salts and amide (HARTLEY and HEDLEY), T., 319; P., 31.
of naphthacenequinone derivatives (BALY and TUCK), T., 426.
of phthalic, isophthalic, and terephthalic acids, phthalic anhydride, and phthalimide (HARTLEY and HEDLEY), T., 314; P., 31.
Phthalanilic acid, 3-hydroxy- (BENTLEY, ROBINSON, and WEIZMANN), T., 112.
4-hydroxy- (BENTLEY and WEIZMANN), T., 101.
Phthaleins, researches on (BENTLEY, GARDNER, WEIZMANN, ANDREW, and TEMPERLEY), T., 1626; P., 215.
structure of (GREEN), P., 12.
Phthalic acid and its derivatives, condensations of, with *o*-, *m*-, and *p*-cresol and *m*-4-xylenol and their methyl ethers (BENTLEY, GARDNER, and WEIZMANN), T., 1630; P., 215.
absorption spectra of (HARTLEY and HEDLEY), T., 314; P., 31.
Phthalic acid, 3-hydroxy-, and its anhydride and anil (BENTLEY, ROBINSON, and WEIZMANN), T., 111.
4-hydroxy-, and its methyl ester, anhydride, anil, and imide (BENTLEY and WEIZMANN), T., 98.
the fluoresceins and eosins from (FRIEDL, WEIZMANN, and WYLER), T., 1584; P., 214.
*iso***Phthalic acid**, absorption spectra of (HARTLEY and HEDLEY), T., 314; P., 31.
Phthalic anhydride, absorption spectra of (HARTLEY and HEDLEY), T., 314; P., 31.
Phthalimide, absorption spectra of (HARTLEY and HEDLEY), T., 314; P., 31.
Physiological action, relation of, to chemical constitution in the tropeines (JOWETT and PYMAN), T., 92.

Pinene nitrolamine and its reactions, and its additive salts, acetyl, dibenzoyl, and diphenylcarbamide derivatives, and its compounds with aldehydes (LEACH), T., 1.
preparation of, from the substance, $C_{12}H_{17}O_3N_3$ (LEACH), T., 15.
Pinyl-ψ-carbamide and its nitroso-derivative and **-ψ-semicarbazide** and its additive salts and compounds with aldehydes and ketones (LEACH), T., 16.
Piperidine, the "true" ionisation constants, the hydration constants, and the heat of neutralisation of (MOORE), T., 1379; P., 154.
Platinichlorides, abnormal, formation of (DUNSTAN and CLEAVERLEY), T., 1622; P., 206; (DUNSTAN), P., 290.
Platinum organic compounds (POPE and PEACHEY), P., 86.
Polypeptides, synthesis of (FISCHER), P., 82.
See also Octadecapeptide.
Portraits of Faraday and Daniell, presents of, to the Society from Professor Meldola, P., 255.
Potassium *per*iodate, specific gravity and solubility of (BARKER), P., 305.
mercuric nitrites (RÂY), T., 2032; P., 165.
sulphite, action of, on potassium tetrathionate in aqueous solution (COLEFAX), P., 207.
sodium double sulphites, isomerism of (GODBY), P., 241.
Potassium cyanide, action of hydrogen peroxide on (MASSON), T., 1449; P., 117.
calcium ferrocyanide (BROWN), T., 1826; P., 233.
Propane, *tri*bromo-, action of, on the sodium derivative of ethyl acetoacetate (GARDNER and PERKIN), T., 848; P., 115.
action of, on the sodium derivative of ethyl malonate (PERKIN and SIMONSEN), T., 816, 840.
γ-*iso*Propenolpimelic acid, ethyl hydrogen ester, lactone of (PERKIN and SIMONSEN), T., 1742; P., 198.
Propiolic acid and its ethyl ester (PERKIN and SIMONSEN), T., 833.
densities, magnetic rotations, and refractive powers of (PERKIN), T., 837.
Propylene *di*bromide, action of, on the disodium derivative of diacetylacetone (BAIN), T., 544; P., 77.
Propylenedicarboxylic acid. See Glutaconic acid.
Propylenetetracarboxylic acid. See Dicarboxyglutaconic acid.
α-*iso*Propyl-*n*-hexoic acid, *l*-δ-hydroxy-, formation and oxidation of, and its lactone (TUTIN), T., 272; P., 29.
***iso*Propylideneacetone.** See Mesityl oxide.
4-*iso*Propylidene*cyclo*hexane and its semicarbazone and β-bromo-, and their **2-carboxylic acids**, ethyl esters, synthesis of (PERKIN and SIMONSEN), T., 1736; P., 197.
γ-*iso*Propylidenepimelic acid and its ethyl ester and reactions (PERKIN and SIMONSEN), T., 1743; P., 198.
γ-*iso*-Propylpimelic acid, bromo-, ethyl and ethyl hydrogen esters (PERKIN and SIMONSEN), T., 1742; P., 198.
Proteins, recommendations as to the nomenclature of the, P., 55.
Prulaurasin and its tetra-acetyl derivative (CALDWELL and COURTAULD), T., 671; P., 71.
Pseudo-acids, a method for the determination of the equilibrium in aqueous solutions of (MOORE), T., 1373; P., 154.
containing the group ·CO·NH·, mercury derivatives of (AULD), T., 1045; P., 151.
Pseudo-bases, a method for the determination of the equilibrium in aqueous solutions of (MOORE), T., 1373; P., 154.
Purpuroxanthin, 2-methyl ether (PERKIN), T., 2072.
γ-Pyranol derivatives (PERKIN and ROBINSON), P., 149.
Pyridine and some of its derivatives, relation between absorption spectra and chemical constitution of (BAKER and BALY), T., 1122; P., 157.
solutions, viscosity of (DUNSTAN, THOLE, and HUNT), T., 1728; P., 207.
Pyrogenic reactions, certain (WILSMORE and STEWART), P., 309.

Q.

d-**Quercitol** (*quercite*), occurrence of, in the leaves of *Chamaerops humilis* (MÜLLER), T., 1766; P., 218.
Quinoline, 2-hydroxy-. See Carbostyril.
Quinolphthalein salts, constitution of (GREEN and KING), P., 228.
Quinoneanil, bromo-derivatives. See Phenyliminobromobenzoquinones.
o-**Quinonediazide**, 3-chloro-5-bromo- (ORTON and REED), T., 1569.

Quinonediazides, chlorobromo-, formation of (ORTON and REED), T., 1564; P., 212.

R.

Racemisation by alkali as applied to the resolution of *r*-mandelic acid into its optically active isomerides (MCKENZIE and MÜLLER), T., 1814; P., 234.

Radium emanation, some properties of (CAMERON and RAMSAY), T., 1266; P., 178.

chemical action of, on solutions containing copper, and lead, and on water (CAMERON and RAMSAY), T., 1593; P., 217.

action of, on distilled water (RAMSAY), T., 931; P., 132.

Refractive power. See under Photochemistry.

Research fund, gift of £1,000 to the, from the Worshipful Company of Goldsmiths, P., 53.

balance sheet. See under Balance sheet.

Rotation and **Rotatory power.** See under Photochemistry.

Rubber tree, Para. See *Hevea brasiliensis.*

Rubidium iodate and *per*iodate (BARKER), P., 305.

S.

Salicylamide, condensation of, with aryl aldehydes (KEANE and NICHOLLS), T., 264; P., 36.

Salicylidene-1-hydrindone. See 2-Benzylidene-1-hydrindone, 2′-hydroxy-.

O-**Salicylsalicylamide** (MCCONNAN), T., 196; P., 18.

Salts, electrometric determination of the hydrolysis of (DENHAM), P., 260.

Sebacic acid, *aa′-di*hydroxy-, and its diacetyl derivative, action of heat on (LE SUEUR), T., 1365; P., 196.

Selenium, action of, on arsine and stibine (JONES), P., 164.

Selenonium bases, aromatic (SMILES and HILDITCH), P., 12.

Semi-ortho-anilidotri-ethyl and **-methyl-oxalates** and their transformations (LANDER), T., 968; P., 149.

Semi-ortho-oxalic compounds, mixed (LANDER), T., 967; P., 148.

Silicon organic compounds (KIPPING), T., 209, 717; P., 9, 83.

Silver, isomorphous replacement of univalent mercury by (RÂY), T., 2033; P., 165.

Silver nitrite, constitution of; a correction (DIVERS), P., 11.

hyponitrite, decomposition of, by heat (DIVERS), P., 265.

decomposition of, by heat, and constitution of (RÂY and GAÑGULI), T., 1399; P., 89.

Silver-mercuroso-mercuric oxynitrates and the isomorphous replacement of univalent mercury by silver (RÂY), T., 2033; P., 165.

Silver and **copper groups**, electro-analytical deposition and separation of metals of the (SAND), T., 373; P., 26.

Sodium *per*iodate, specific gravity and solubility of (BARKER), P., 305.

mercuric nitrites (RÂY), T., 2032; P., 165.

potassium double sulphites, isomerism of (GODBY), P., 241.

thiosulphate, constitution of (PRICE and TWISS), T., 2024; P., 263.

pentahydrate, volume changes which accompany transformation in the system (DAWSON and JACKSON), T., 552; P., 75.

Soil, interaction of ammonium salts with the constituents of the (HALL and GIMINGHAM), T., 677; P., 61.

Solubility of sparingly soluble gases in water, influence of non-electrolytes and electrolytes on the (PHILIP), T., 711; P., 85.

Solvent, effect of configuration and degree of saturation of the, on the rotation of optically active compounds (PATTERSON, HENDERSON, and FAIRLIE), T., 1838; P., 236.

Solvents, influence of, on the rotation of optically active compounds (PATTERSON and MCMILLAN), T., 504; P., 60; (PATTERSON, HENDERSON, and FAIRLIE), T., 1838; P., 236; (PATTERSON and THOMSON), P., 263.

Spectra. See under Photochemistry.

Starch, xanthogenic esters of (CROSS, BEVAN, and BRIGGS), T., 612; P., 90.

alkali, interaction of, with carbon disulphide (CROSS, BEVAN, and BRIGGS), T., 612; P., 90.

Stibine. See Antimony *tri*hydride.

Stilbene, 4:4′-*di*nitro- (GREEN, DAVIES, and HORSFALL), T., 2079; P., 289.

4:4′-*di*nitro-2:2′-*di*cyano- (GREEN, DAVIES, and HORSFALL), T., 2083.

Stilbene group, colouring matters of the (GREEN, DAVIES, and HORSFALL), T., 2076; P., 289.

Suberic acid, dialdehyde of, and its dioxime, formation of (LE SUEUR), T., 1366; P., 196.

Substance, $C_8H_{10}O_2N_2$, from the action of nitrous acid on aminodimethyldihydroresorcin (HAAS), T., 1444; P., 192.

$C_8H_{11}ON_3$, and its platinichloride, from the reduction of 4-oximino-3-imino-1:1-dimethyl-5-cyclohexanone and of the oxime of isonitrosodimethyldihydroresorcin (HAAS), T., 1447, 1448.

$C_9H_{10}O_2$, from the action of ethylene dibromide on the disodium derivative of diacetylacetone (BAIN), T., 548; P., 77.

$C_{10}H_8O_4$, and its reactions, from the condensation of triacetic lactone with ethyl acetoacetate (FLEISCHMANN), T., 251; P., 16.

$C_{10}H_{12}O_2$, from the action of propylene dibromide on the disodium derivative of diacetylacetone (BAIN), T., 550.

$C_{11}H_{12}O_3$, from the action of dilute acids on calmatambetin (PYMAN), T., 1232; P., 184.

$C_{11}H_{15}ONS_2$, from the action of amyl nitrite on camphoryldithiocarbamic acid (FORSTER and JACKSON), T., 1885; P., 242.

$C_{12}H_{17}O_3N_3$, and its reactions, from pinene nitrosochloride and potassium cyanate (LEACH), T., 10.

$C_{16}H_{16}O_6$, and its bromo-derivative, from the action of heat on the sodium salt of ethyl acetoacetate (COLLIE and CHRYSTALL), T., 1803; P., 231; (COLLIE), T., 1811.

$C_{16}H_{26}O_5$, from the condensation of the aldehyde, $C_8H_{14}O_3$ (RAPER), T., 1834.

$C_{16}H_{12}O_3N_2$, from natural indigo (PERKIN and BLOXAM), T., 281; P., 30.

$C_{16}H_{14}O_4N_2$, from indigo-brown (PERKIN and BLOXAM), T., 284; P., 30.

$C_{16}H_{19}O_6N$, from the condensation of triacetic lactone and ethyl β-aminocrotonate, T., 256; P., 16.

$C_{17}H_{21}N_3S$, from camphorylphenylthiosemicarbazide (FORSTER and JACKSON), T., 1890; P., 242.

$C_{20}H_{15}O_{18}Br_5$, from the flowers of *Nyctanthes Arbor-tristis* (HILL and SIRKAR), T., 1505; P., 213.

$C_{22}H_{19}O_2N$, from benzoflavol (DUNSTAN and CLEAVERLEY), T., 1624; P., 206.

$C_{24}H_{22}O_5N_2$, from indigo-brown (PERKIN and BLOXAM), T., 284; P., 30.

$C_{27}H_{46}O$, from the root of *Morinda longiflora* (BARROWCLIFF and TUTIN), T., 1915; P., 249.

Substance, $C_{30}H_{28}O_4$, from the methylation of benzoin by Fischer's method (IRVINE and WEIR), T., 1392.

$C_{25}H_{26}O_5N_2$, from the benzoylation of *syn*-benzylidenesalicylamide (TITHERLEY), T., 1432.

Substitution, influence of, in the nucleus on the rate of oxidation of the side-chain (COHEN and HODSMAN), T., 970; P., 152.

influence of, on the formation of diazoamines and aminoazo-compounds (MORGAN and MICKLETHWAIT), T., 360; P., 28.

of alkyl radicles by methyl in substituted ammonium compounds (JONES and HILL), T., 2083; P., 290.

of halogens by hydroxyl (SENTER), T., 460; P., 60.

of halogen by hydroxyl in chlorobromodiazobenzenes (ORTON and REED), T., 1554; P., 212.

Succinic acid and its potassium salts and their crystallography (MARSHALL and CAMERON), T., 1519; P., 214.

Sucrose, estimation of, by Fehling's solution (LANG and ALLEN), T., 1372; P., 187.

Sugars, compounds of, with guanidine (MORRELL and BELLARS), T., 1010; P., 87.

Sulphanilic acid. See Aniline-*p*-sulphonic acid.

Sulphates. See under Sulphuric acid.

Sulphonium iodides, influence of mercuric iodide on the formation of (HILDITCH and SMILES), T., 1394; P., 206.

Sulphuric acid, molecular aggregation in aqueous mixtures of, with inorganic sulphates (HOLMES and SAGEMAN), T., 1606; P., 210.

Sulphates, an improved form of apparatus for the rapid estimation of (LANG and ALLEN), T., 1370; P., 187.

Thiosulphates, constitution of (PRICE and TWISS), T., 2024; P., 263.

Synthesis, asymmetric, studies in (MCKENZIE and WREN), T., 1215; P., 188.

T.

Tartaric acid, ethyl ester, rotation of, in aliphatic halogen derivatives (PATTERSON and THOMSON), P., 263.

influence of solvents on the rotation of (PATTERSON and MCMILLAN), T., 504; P., 60; (PATTERSON, HENDERSON, and FAIRLIE), T., 1838; P., 236.

Tartaric acids, optically active, asymmetric synthesis of (McKenzie and Wren), T., 1215; P., 188.
relation between the absorption spectra and optical rotatory power of the (Stewart), T., 1537; P., 197.
Tellurium, atomic weight of (Baker and Bennett), T., 1849; P., 240.
action of, on arsine and stibine (Jones), P., 164.
Terebic acid, synthesis of (Simonsen), T., 184.
Terephthalic acid, absorption spectra of (Hartley and Hedley), T., 314; P., 31.
Terpenes, contributions to the chemistry of the (Henderson), T., 1871; P., 247.
experiments on the synthesis of the (Kay and Perkin), T., 372; (Perkin and Tattersall), T., 480; P., 66; (Perkin and Simonsen), T., 1736; P., 197.
Terpenylic acid, synthesis of (Simonsen), T., 184.
Terpin, direct synthesis of, from ethyl cyclohexanone-4-carboxylate, and its hydrate (Kay and Perkin), T., 372.
Terpineol, density, magnetic rotation, refractive power, and dispersion of (Perkin), T., 499.
Tetraethylammonium hydroxide, tetra- and hexa-hydrates of (Crichton), T., 1794; P., 236.
Δ^3-Tetrahydrobenzoic acid. See Δ^3-*cyclo*Hexenecarboxylic acid.
Tetrahydrocarvestrenediol (m-*menthane*-1:8-*diol*), *cis*- and *trans*-, synthesis of (Perkin and Tattersall), T., 501; P., 66.
Tetrahydrocarvestrenediol anhydride. See *m*-Cineol.
Tetrahydro-*p*-toluquinaldine, resolution of, into its optically active components (Pope and Beck), T., 458; P., 15.
Tetrahydroumbellulylamine, amino-, and its sulphate, dibenzoate, dihydrochloride, and dibenzoyl derivative (Tutin), T., 276; P., 29.
Tetraketopiperazine, formation of, and its hydrazone and salts (de Mouilpied and Rule), T., 176; P., 13.
2′:4′:5:6-Tetramethoxy-2-benzyl-1-hydrindone (Perkin and Robinson), T., 1101.
2′:4′:5:6-Tetramethoxy-2-benzylidene-1-hydrindone (Perkin and Robinson), T., 1101.
Tetramethylacridines, 1:3:7:9- and 1:4:6:9-, and their additive salts (Senier and Compton), T., 1929; P., 247.
5:5:5′:5′-Tetramethyldi*cyclo*hexane, 1:1′- and 3:3′-*di*hydroxy-, and their diacetyl and dibenzoyl derivatives (Crossley and Renouf), T., 71.
5:5:5′:5′-Tetramethyl-$\Delta^{2,2'}$-di*cyclo*hexene, 1:1′-*di*hydroxy-, and its bromo-derivative (Crossley and Renouf), T., 76.
Tetramethyldinaphthanthracene, formation of (Homer), T., 1107; P., 88.
2:4:5:7-Tetramethylfluoran (Bentley, Gardner, and Weizmann), T., 1637.
Tetramethyl fructose, crystalline (Purdie and Paul), T., 295; P., 33.
Tetramethyl glucose, derivatives of (Irvine and Moodie), P., 303.
Tetramethyl methylfructoside and its hydrolysis (Purdie and Paul), T., 293; P., 33.
Tetramethylnaphthalene, preparation of (Homer), T., 1107; P., 88.
Tetramethylstilbene *di*bromide (Law), T., 752.
$\alpha\alpha\gamma\gamma$-Tetramethyltricarballylic acid, preparation of, and its salts and anhydro-acid (Henstock and Sprankling), T., 354; P., 32.
Tetranaphthyl, formation of (Homer), T., 1112; P., 88.
Tetraphenylpyrrole (Clarke and Lapworth), T., 704; P., 90.
Tetrapropylammonium hydroxide, heptahydrate of (Crichton), T., 1796; P., 236.
Tetrolic acid, addition of iodine to (James and Sudborough), T., 1039; P., 136.
Thermochemistry:—
Heats of combustion and valency, relation between (Le Bas), P., 134.
Thiocarbamic acid, imino-, acyl-ψ-derivatives of, and their isomerides (Dixon and Taylor), T., 912; P., 119.
Thiocarbanilide. See *s*-Diphenylthiocarbamide.
Thiosulphates. See under Sulphuric acid.
Thiourea, action of acyl chlorides on (Dixon and Hawthorne), T., 124; (Dixon and Taylor), T., 923; P., 120.
Thioureas, action of acyl chlorides on (Dixon and Hawthorne), T., 122; (Dixon and Taylor), T., 912; P., 119, 294.
o-**Tolidine**, 5:5′-*di*bromo- (Moir), T., 1310.
Tolualdehydes, electrolytic reduction of (Law), T., 750; P., 73.

Toluene, chloronitro- and nitro-derivatives, rate of oxidation of (COHEN and HODSMAN), T., 970; P., 152.
o-, *m*-, and *p*-iodo-, dichlorides, action of heat on (CALDWELL and WERNER), T., 240; P., 17.
p-nitro-, and its derivatives, action of caustic alkalis on (GREEN, DAVIES, and HORSFALL), T., 2076; P., 289.
p-nitro-*o*-cyano-, action of caustic alkalis and air on (GREEN, DAVIES, and HORSFALL), T., 2082.
***p*-Tolueneazo-β-naphthol**, 3-chloro-5-bromo- (ORTON and REED), T., 1571.
Toluenediazonium salts. See Diazotoluene salts.
Toluene-*p*-diazotrimethyl-4:6-*di*amino-*m*-xylene (MORGAN and MICKLETHWAIT), T., 370.
4-Toluene-*p*-sulphonyl-4-methyl-4:6-*di*amino-*m*-xylene and its hydrochloride and acetyl and azo-β-naphthol derivatives (MORGAN and MICKLETHWAIT), T., 364.
Toluene-*p*-sulphonyl-6-nitro-4-amino-*m*-xylene and its *N*-methyl derivative (MORGAN and MICKLETHWAIT), T., 363.
***o*-Toluic acid**, *p*-nitro-, action of caustic alkalis and hypochlorites on (GREEN, DAVIES, and HORSFALL), T., 2081.
***m*-Toluic acid**, ultra-violet absorption spectra of (BALY), T., 846.
ethyl ester, density, magnetic rotation, and refractive power of (PERKIN), T., 845.
ψ-*m*-Toluic acid. See Δ$^{\alpha\zeta}$-Heptadi-inene-δ-carboxylic acid.
***p*-Toluidine**, acetyl derivative. See Aceto-*p*-toluidide.
monohydrate (WALKER and BEVERIDGE), T., 1797; P., 236.
***p*-Toluidine**, 3-chloro-5-bromo-, and its acetyl derivative (ORTON and REED), T., 1570; P., 212.
Tolyl chlorocarbonates, reactions of, with thioureas (DIXON and TAYLOR), T., 921; P., 120.
***o*-Tolyl methyl ether**, *p*-nitro-, action of caustic alkalis and air on (GREEN, DAVIES, and HORSFALL), T., 2080.
Tolylacetonitriles, *o*-, *m*-, and *p*-, preparation of, and formation of methyl derivatives of 1:3-naphthylenediamine from (ATKINSON and THORPE), T., 1699; P., 216.
γ-Tolylbutyric acids, *o*-, *m*-, and *p*-, β-imino-α-cyano-, ethyl esters, and the action of cold concentrated sulphuric acid on (ATKINSON and THORPE), T., 1699; P., 216.
7-Tolyl- $\begin{matrix}\alpha\text{—N—}\alpha\\ \beta\text{—CH—}\beta\end{matrix}$ **-dinaphthacridines**, *o*-, *m*-, and *p*-, and their additive salts (SENIER and AUSTIN), T., 1235; P., 136.
Tolylhydrazines, *o*- and *p*-, oxidation of, by free oxygen (CHATTAWAY), T., 1330; P., 183.
β-*o*-Tolylpropionic acid, β-imino-α-cyano-, ethyl ester, and its conversion into ethyl 1:3-naphthylenediamine-2-carboxylate (ATKINSON, INGHAM, and THORPE), T., 585; P., 76.
Tolylthioureas, *o*- and *p*-, action of acyl chlorides on (DIXON and HAWTHORNE), T., 136; (DIXON and TAYLOR), T., 919; P., 120.
Triacetic lactone, condensation of, with ethyl acetoacetate and with ethyl β-aminocrotonate (FLEISCHMANN), T., 250; P., 16.
Trianisylselenonium salts and hydroxide (SMILES and HILDITCH), P., 12.
Triazoacetic acid and its salts, ethyl ester, and amide (FORSTER and FIERZ), P., 258.
Triazoacetone (*acetonylazoimide*) and its semicarbazone (FORSTER and FIERZ), P., 259.
Triazo-groups, the (FORSTER and FIERZ), P., 258.
***n*-Tridecane-αα′γ-tricarboxylic acid** and its methyl ester (BARROWCLIFF and POWER), T., 577; P., 71.
Triethylamine and its mixtures with water, vapour pressures of (LATTEY), T., 1959; P., 243.
the "true" ionisation constants, the hydration constants, and the heat of neutralisation of (MOORE), T., 1379; P., 154.
liquid (LATTEY), T., 1971; P., 243.
Triethylsulphonium and its mercuric iodides (HILDITCH and SMILES), T., 1397; P., 206.
Trimethoxybenzoylbenzoic acid, hydroxy- (PERKIN and ROBINSON), P., 292.
4′:5:6-Trimethoxy-2-benzylhydrindene, 1:2′-*di*hydroxy- (PERKIN and ROBINSON), T., 1100.
4′:5:6-Trimethoxy-2-benzylidene-1-hydrindone, 2′-hydroxy-, and its potassium, acetyl, and acetylbromomethoxy derivatives and hydrochloride (PERKIN and ROBINSON), T., 1098.
4′:5:6-Trimethoxy-1:2-hydrindochroman (PERKIN and ROBINSON), T., 1100.
Trimethyl-4:6-*di*amino-*m*-xylene and the action of diazonium salts on and its nitrosoamine and benzenesulphonyl derivative (MORGAN and MICKLETHWAIT), T., 366; P., 28.

1:2:4-Trimethylbenzene, 5-amino-. See ψ-Cumidine.
2:3:6-Trimethylbenzoic acid, formation of (LAPWORTH and WECHSLER), T., 994, 1919; P., 138.
Trimethylbrazilone and **ψ-Trimethylbrazilone**, constitution of (PERKIN and ROBINSON), P., 293.
Trimethylphenonaphthacridines, synthesis of, and their additive salts (SENIER and AUSTIN), T., 1240; P., 185.
Trimethylplatinimethyl hydroxide and salts (POPE and PEACHEY), P., 86.
2:4:6-Trimethylpyridine (*β-collidine*) and its mixtures with water, vapour pressures of (LATTEY), T., 1959; P., 243.
Trimethylsuccinic acid, hydroxy-, ethyl ester, action of phosphorus pentachloride on (HENSTOCK and WOOLLEY), T., 1954; P., 235.
Trimethylsulphine hydroxide, preparation of (CRICHTON), T., 1797; P., 236.
ααγ-Trimethyltricarballylic acid, preparation of, and its salts and the anhydro-acid (HENSTOCK and SPRANKLING), T., 354; P., 32.
Triphenetylselenonium salts and hydroxide (SMILES and HILDITCH), P., 12.
Triphenylarsine, formation of (HEWITT and WINMILL), T., 964; P., 150.
2:4:5-Triphenylpyrimidine, 6-amino- (ATKINSON, INGHAM, and THORPE), T., 592.
Tropeines, relation between chemical constitution and physiological action in the (JOWETT and PYMAN), T., 92.
Tropine methonitrate (JOWETT and PYMAN), T., 98.

U.

Umbellulone, constitution of (TUTIN), T., 271; P., 28.
Umbellulonic acid, reduction of (TUTIN), T., 271; P., 28.
***n*-Undecanedicarboxylic acid** (BARROWCLIFF and POWER), T., 568; P., 70.
Unsaturated compounds, addition of bromine to (SUDBOROUGH and THOMAS), P., 147.
Unsaturation and optical activity, relation between (HILDITCH), P., 287.
Urea, thio-. See Thiourea.
Uric acid, mercuric salt (AULD), T., 1046; P., 152.
ψ-Uric acid (*carbamidomalonylurea*), mercuric salt (AULD), T., 1046; P., 152.

V.

Valencies and volumes of atoms of certain organic compounds at the melting point, relation between (LE BAS), T., 112.
Valency, note on the theory of (BARLOW and POPE), P., 15.
relation between heats of combustion and (LE BAS), P., 134.
Valeric acid, **γγ-** and **γδ-*di*bromo-** and **γγ-*di*iodo-** (PERKIN and SIMONSEN), T., 828.
Veratralaldehyde, preparation of (PERKIN and ROBINSON), T., 1079.
Violuric acid, mercuric salt (AULD), T., 1047.
Viscosity and chemical constitution, relation between (DUNSTAN, THOLE, and HUNT), T., 1728; P., 207.
of liquid mixtures (DUNSTAN and WILSON), T., 83.
of pyridine solutions (DUNSTAN, THOLE, and HUNT), T., 1728; P., 207.
Volume, liquid, of a dissolved substance (LUMSDEN), T., 24.
Volumes of atoms of certain organic compounds at the melting point and their valencies, relation between (LE BAS), T., 112.
Volume changes which accompany transformations in the system $Na_2S_2O_3$: $5H_2O$ (DAWSON and JACKSON), T., 552; P., 75.

W.

Water, chemical action of radium emanation on (CAMERON and RAMSAY), T., 1593; P., 217.
Weights, molecular, of amides in various solvents (MELDRUM and TURNER), P., 165.

X.

Xanthoxalanil, thio- and *di*thio- and its isomeride (RUHEMANN), T., 800; P., 115.
Xanthoxalo-β-naphthylanil and **-*m*-xylidil**, *di*thio- (RUHEMANN), T., 803.
Xanthoxalo-*p*-toluidil, *mono-* and *di*-thio- (RUHEMANN), T., 802; P., 802.
***m*-Xylene**, 6-nitro-4-amino-, preparation and methylation of (MORGAN and MICKLETHWAIT), T., 363.
***o*-Xylene**, *p*-nitro-, action of caustic alkalis and air on (GREEN, DAVIES, and HORSFALL), T., 2080.

Xylenes, *o*-, *m*-, and *p*-, bromination of (ATKINSON and THORPE), T., 1695.

m-**4-Xylenol** and its methyl ether, condensations of, with phthalic acid and its derivatives (BENTLEY, GARDNER, and WEIZMANN), T., 1634; P., 215.

m-**Xylylene-*as*-dimethyl-4:6-diamine.** See *as*-Dimethyl-4:6-*di*amino-*m*-xylene.

m-**Xylylenemethyl-4:6-diamine.** See Methyl-4:6-*di*amino-*m*-xylene.

m-**Xylylenetrimethyl-4:6-diamine.** See Trimethyl-4:6-*di*amino-*m*-xylene.

Y.

Yeast juice, action of, on soluble phosphates (YOUNG), P., 65.

Z.

Zinc, electrolytic deposition and separation of, from metals of the silver and copper groups (SAND), T., 373; P., 26.

Zinc basic sulphate, formation of (PICKERING), T., 1986; P., 261.

Zinc, separation of cadmium as sulphide from, in presence of trichloroacetic acid (FOX), T., 964; P., 147.

FORMULA INDEX OF NEW COMPOUNDS.

TRANSACTIONS. 1907.

PAGE

C_2 Group.

C_2H_2O 1940
$C_2H_5Br_2Au$ 2065

C_3 Group.

$C_3H_7ON_2ClS$ 125

C_4 Group.

$C_4H_2O_4N_2$ 182
C_4H_9OBr 54
$C_4H_{10}BrAu$ 2064
$C_4O_4N_2Ag_2$ 183
$C_4O_4N_2Na_2$ 182, 183
$C_4HO_4N_2Ag$ 183
$C_4HO_4N_3Hg$ 1047
$C_4HO_4N_2Na$ 182, 183
$C_4H_{13}NBrAu$ 2065
$C_4O_4N_2HgK$ 1047
$C_4H_{18}O_4N_8Cl_6Pt$ 902

C_5 Group.

$C_5H_6O_2$ 827, 848, 849
$C_5H_5O_2Ag$, AgOH. 827, 828
$C_5H_8O_2Br_2$ 829
$C_5H_8O_2I_2$ 829
$C_5H_2O_3N_4Hg$ 1046

C_6 Group.

$C_6H_4N_6$ 1953
$C_6H_6O_4$ 823, 824
C_6H_8O 852
$C_6H_8O_2$ 832, 853
$C_6H_8O_5$ 822, 826
$C_6H_{12}O_5$ 1726
$C_6H_{12}O_6$ 1774
$C_6H_4O_3N_4$ 864
$C_6H_4O_4Ag_2$, AgOH 824
$C_6H_4O_4Ca$, $2H_2O$ 825
$C_6H_4Cl_2I$ 530
$C_6H_5ON_3$ .. 859, 1353, 1358

PAGE

$C_6H_6O_5Ag_2$ 826
$C_6H_7O_2Ag$, AgOH 832
C_6H_9ON 852
C_6H_9OBr 850
$C_6H_{10}O_4Br_2$ 1789
$C_6H_{11}O_3N_3$ 827
$C_6H_{11}O_6Na$, H_2O 1775
$C_6H_3O_5N_2Cl$ 1483
$C_6H_3O_5N_2I$ 1483, 1484
$C_6H_3NCl_3Br$ 1552
$C_6H_4ON_3Na$ 1355
$C_6H_4O_2N_2Br_2$ 149
$C_6H_4NCl_2Br$ 1548, 1550
C_6H_5NClI 246
$C_6H_6NCl_2I$ 246
$C_6H_8N_8CaFe$ 1828
$C_6H_{10}ONBr$ 850
$C_6H_{15}I_3SHg_2$ 1397
$C_6H_{15}I_5S_2Hg_2$ 1396
$C_6N_6K_2CaFe$ 1827
$C_6H_2ON_2ClBr$ 1570
$C_6H_3O_2N_2Cl_2Br$ 1551

C_7 Group.

$C_7H_8O_4$ 830, 832
C_7H_9N, H_2O 1798
$C_7H_{10}O_2$ 488, 490, 829
$C_7H_{10}O_3$ 492, 494
$C_7H_{10}O_4$ 80
$C_7H_{12}O_3$ 487, 488, 489
$C_7H_5O_2I$ 248, 249
$C_7H_6OBr_2$ 55
$C_7H_6O_4N_2$ 1259
$C_7H_6O_4Ag_2$, AgOH 831
C_7H_6ClI 248, 249
$C_7H_6Cl_3I$ 248
$C_7H_7Cl_2I$ 248
$C_7H_9O_3Ag$ 492

PAGE

$C_7H_9O_4N_3$ 902
$C_7H_{11}ON_3$ 852
$C_7H_{11}O_2Br$ 488, 489
$C_7H_{11}O_5N_3$ 826
$C_7H_5O_5N_2I$ 1478, 1480
$C_7H_6O_4NI$ 1484
C_7H_7NClBr 1570
$C_7H_9ON_2Cl$ 902
$C_7H_{12}ON_3Br$ 850

C_8 Group.

$C_8H_4O_4$ 112
$C_8H_6O_5$ 101
$C_8H_7Br_3$ .. 1696, 1697, 1698
$C_8H_8O_2$ 843, 854
$C_8H_8O_4$ 494
$C_8H_{12}O$ 78
$C_8H_{12}O_2$ 495, 496, 833
$C_8H_{12}O_5$ 189
$C_8H_{14}O$ 80, 81
$C_8H_{14}O_2$ 2049, 2050
$C_8H_{14}O_4$ 82, 101, 886, 1836
$C_8H_5O_3N$ 101
$C_8H_7O_2Ag$, AgOH 844
$C_8H_7O_2Ag$, 2AgOH 844
$C_8H_7O_6N_3$ 1481
$C_8H_9O_2N$ 195
$C_8H_{10}OSi$ 218
$C_8H_{10}O_2N_2$ 1441, 1444
$C_8H_{10}O_8Ag_2$ 189
$C_8H_{10}Cl_2Si$ 217
$C_8H_{11}ON_3$ 1447
$C_8H_{11}O_3N$ 1437
$C_8H_{11}O_4N$ 1440, 1441
$C_8H_{12}O_2N_2$ 1445
$C_8H_{12}O_3N_2$ 1438
$C_8H_{13}ON$ 79

PAGE

$C_8H_{13}O_2N_3$....1446
$C_8H_{13}O_2Br$....495
$C_8H_{13}O_3N_3$....492, 1439
$C_8H_{14}O_3N_2$....1438
$C_8H_{14}O_4N_2$....1442
$C_8H_{15}ON$....81
$C_8H_{16}O_2N_2$....2051
$C_8H_{21}ON, 4H_2O$....1794
$C_8H_{21}ON, 6H_2O$....1795
$C_8H_5OCl_2I$....245
$C_8H_5OCl_4I$....245
C_8H_6OClI....244, 245
$C_8H_6OCl_3I$....245
$C_8H_{10}O_2N_3K$....862, 863
$C_8H_{10}O_3NK$....1438
$C_8H_{10}O_4NK$....1442
$C_8H_{10}O_4NK, H_2O$....1442
$C_8H_{11}O_2N_2K$....1446
$C_8H_{14}O_2NCl$....1443
$C_8H_5ONCl_3Br$...1551, 1552
C_8H_7ONClI....246
$C_8H_7ONCl_3I$....247

C_9 Group.

$C_9H_6O_4$....110
$C_9H_8O_5$....103, 110
$C_9H_{10}O_2$....548
$C_9H_{12}O$....1875, 1876
$C_9H_{12}O_5$....357
$C_9H_{14}O$....1745
$C_9H_{14}O_2$....487
$C_9H_{14}O_5$....1741
$C_9H_{14}O_6$....356, 357, 359
$C_9H_{14}N_2$....364
$C_9H_{15}N$....1876
$C_9H_{16}O_3$....273
$C_9H_{16}O_4$....1837
$C_9H_7O_3N$....104, 110
$C_9H_8O_5N_2$....1259
$C_9H_{11}ON$....550
$C_9H_{11}O_6Ag_3$..356, 357, 359
$C_9H_{12}NBr$....54
$C_9H_{12}Cl_2Si$....721
$C_9H_{13}O_3Br$....849
$C_9H_{15}ON_3$....79
$C_9H_{15}OBr$....1746
$C_9H_{16}O_5N_2, H_2O$....189
$C_9H_{17}ON_3$....81
$C_9H_{17}O_3Ag$....273
$C_9H_{18}O_4N_2$....98

PAGE

$C_9H_9O_2NCl_2$....968
$C_9H_9O_3N_2Cl$....974
$C_9H_9O_3N_5S$....127
$C_9H_{10}ON_2S$....132
$C_9H_{12}O_4N_4S$....143
$C_9H_{15}O_3N_2Cl_3$....271
$C_9H_9ONClBr$....1570
$C_9H_{11}ON_2ClS$....128, 924
$C_9H_{12}ON_3ClS$....143

C_{10} Group.

$C_{10}H_{16}$....499
$C_{10}H_7N_3$....1946, 1950
$C_{10}H_8O_3$....1084
$C_{10}H_8O_4$....251
$C_{10}H_8O_6$....109
$C_{10}H_{10}O_5$....102
$C_{10}H_{12}O_2$....497, 550, 844, 994
$C_{10}H_{14}O$....1873
$C_{10}H_{14}O_2$....1874
$C_{10}H_{14}O_4$....823
$C_{10}H_{14}O_5$....360
$C_{10}H_{16}O_4$....1743
$C_{10}H_{16}O_6$....359
$C_{10}H_{16}N_2$....365
$C_{10}H_{18}O$....498, 503, 882, 883, 2049
$C_{10}H_{18}Cl_2$....500
$C_{10}H_{18}Br_2$....500
$C_{10}H_{20}O_2$....74, 501, 502
$C_{10}H_{20}O_2, H_2O$....373
$C_{10}H_{20}O_3$....294, 295
$C_{10}H_{22}N_2$....276
$C_{10}H_6O_2N_4$....1947, 1948, 1949, 1950, 1951, 1952
$C_{10}H_7O_4N$....1085
$C_{10}H_7O_4Br$....253
$C_{10}H_7O_6N$....254
$C_{10}H_8O_3N_2$....1364
$C_{10}H_8O_3N_4$....183
$C_{10}H_9O_3N$....1085
$C_{10}H_{10}O_6Ba$....252
$C_{10}H_{13}O_2Ag$....1874
$C_{10}H_{13}O_6Ag_3$....360
$C_{10}H_{15}ON_3$....1876
$C_{10}H_{15}O_3N$....1443
$C_{10}H_{15}O_3Br$....853
$C_{10}H_{15}O_4Br$....821
$C_{10}H_{16}ON_4$....874

PAGE

$C_{10}H_{16}O_3S$....523
$C_{10}H_{17}ON_3$....1746
$C_{10}H_{17}O_5N_3$....1741
$C_{10}H_{18}ON_2$....4, 16
$C_{10}H_{18}ON_2, \frac{1}{2}H_2O$....4
$C_{10}H_{24}N_2Cl_2$....277
$C_{10}H_{10}O_8N_8Hg$....1047
$C_{10}H_{11}O_2N_2Cl_3$....902
$C_{10}H_{11}O_3N_2Cl_3$....903
$C_{10}H_{12}O_2N_2S$....915
$C_{10}H_{14}O_4N_4S$....143
$C_{10}H_{15}O_3SNa, H_2O$....523
$C_{10}H_7O_2NCl_3Br$....1553
$C_{10}H_9ON_2ClBr_2$....1568
$C_{10}H_{13}ON_2ClS$....136, 137
$C_{10}H_{14}ON_3ClS$....143

C_{11} Group.

$C_{11}H_8O_4$....108
$C_{11}H_{10}O_2$....107
$C_{11}H_{12}O_3$..1081, 1228, 1232
$C_{11}H_{12}O_5$....103
$C_{11}H_{12}N_2$..1702, 1706, 1710
$C_{11}H_{16}O_4$....831
$C_{11}H_{18}O_4$....190
$C_{11}H_{18}N_2$....367
$C_{11}H_{22}O_6$....293, 297
$C_{11}H_7O_4Ag, H_2O$....109
$C_{11}H_{10}O_2N_2$....1009, 1904
$C_{11}H_{11}O_4N$....1081
$C_{11}H_{14}O_2N_2$..981, 982, 1920
$C_{11}H_{14}N_2Cl_2$....1702, 1707, 1710
$C_{11}H_{15}O_4N$....969
$C_{11}H_{16}O_3N_2$..982, 985, 987, 1921
$C_{11}H_{17}ON_3$....367, 1874
$C_{11}H_{17}O_2N_3$....18
$C_{11}H_{17}O_4Br$....830
$C_{11}H_{17}O_5N$....989
$C_{11}H_{18}ON_2$....17
$C_{11}H_{18}OSi$....220
$C_{11}H_{19}ON_3$....20
$C_{11}H_{20}O_2N_4$....870, 871
$C_{11}H_9O_2N_2K$....1009
$C_{11}H_{11}ON_2Cl$....903
$C_{11}H_{14}O_2N_2S$....919
$C_{11}H_{14}N_2Cl_6Pt$..1702, 1703, 1707, 1710
$C_{11}H_{15}ONS$....1886

PAGE

$C_{11}H_{15}ONS_2$ 1885
$C_{11}H_{16}O_5NBr$ 1923
$C_{11}H_{17}ONS_2$ 1882
$C_{11}H_{17}O_3N_2Cl$ 986
$C_{11}H_{18}ON_2S$ 1886
$C_{11}H_{19}ON_2Cl$ 5
$C_{11}H_{20}ON_3Cl$ 21

C_{12} Group.

$C_{12}H_{12}O_2$ 107
$C_{12}H_{12}O_3$ 1806
$C_{12}H_{12}O_4$ 1640
$C_{12}H_{14}O_4$ 1640
$C_{12}H_{18}O_3$ 1744
$C_{12}H_{20}O_4$ 1742
$C_{12}H_{20}O_5$ 189
$C_{12}H_{20}Si$ 221
$C_{12}H_{22}O_3$ 74
$C_{12}H_9N_3Br_2$ 1139
$C_{12}H_{10}O_3S$ 1120
$C_{12}H_{10}O_5N_2$ 1363
$C_{12}H_{10}O_6N_2$ 107
$C_{12}H_{11}O_4N$ 107
$C_{12}H_{12}O_2N_2$ 590, 1702, 1706, 1709
$C_{12}H_{16}O_2N_2$ 990
$C_{12}H_{16}O_3Br_2$ 854
$C_{12}H_{17}O_3N_3$ 14
$C_{12}H_{18}O_3N_2$ ..984, 991, 993
$C_{12}H_{19}O_3Br$ 1745
$C_{12}H_{19}ClSi$ 723
$C_{12}H_{20}OSi$ 727
$C_{12}H_{20}O_2N_2$ 6, 18
$C_{12}H_{21}O_4Br$ 1742
$C_{12}H_3ONBr_6$ 153
$C_{12}H_4ONBr_5$ 151
$C_{12}H_5ONBr_6$ 152
$C_{12}H_6ONBr_5$ 151
$C_{12}H_6O_{12}Cl_{12}Ce_2, 3H_2O$ ..477
$C_{12}H_6O_{14}S_4Ba_2$ ..1305, 1307
$C_{12}H_7O_3N_3Br_2$ 1262
$C_{12}H_9O_{11}S_3K_3$ 1307
$C_{12}H_{10}O_8S_2Na_2, H_2O$ ...1306
$C_{12}H_{16}O_3N_3K$ 15
$C_{12}H_{19}ONS_2$ 1883
$C_{12}H_{19}O_2NS$ 1888
$C_{12}H_6O_8Br_2S_2K_2$ 1308
$C_{12}H_8O_7N_4CII$ 246
$C_{19}H_{23}O_4NSSi$ 227

PAGE

C_{13} Group.

$C_{13}H_{12}O_4$ 1805
$C_{13}H_{18}O_3$ 2056, 2057
$C_{13}H_{18}O_{8.5}, \frac{1}{2}H_2O$ ..1228, 1231
$C_{13}H_{22}O_5$ 1741
$C_{13}H_{22}Si$ 730
$C_{13}H_8O_4N_4$ ..862, 865, 1354, 1358, 1359
$C_{13}H_8O_7N_4$ 1262
$C_{13}H_8O_8N_4$ 1479
$C_{13}H_9O_2N_3$ ..861, 1354, 1358
$C_{13}H_9O_4N_3$ 1263
$C_{13}H_9O_5N_3$ 1261
$C_{13}H_{14}O_2N_2$ ..585, 586, 587 1007, 1008
$C_{13}H_{16}O_3N_2, H_2O$ 1903
$C_{13}H_{18}O_4Br_2$ 842
$C_{13}H_{20}NI$ 1825
$C_{13}H_9O_2N_2Br_3$ 867
$C_{13}H_{11}O_3N_3S$ 1355
$C_{13}H_{12}O_3NAg$ 1903
$C_{13}H_{16}O_2N_2Cl_2$ 1008
$C_{13}H_{16}O_6N_2S$ 1008
$C_{13}H_{21}O_3N_2I, H_2O$ 992
$C_{13}H_{19}N_2ClIS$ 246

C_{14} Group.

$C_{14}H_{16}$ 1107, 1109
$C_{14}H_{18}O_8$ 1792
$C_{14}H_{22}O_8$ 1368
$C_{14}H_{24}O_4$ 1743
$C_{14}H_9O_3N$ 102, 112
$C_{14}H_{10}O_2Br_4$ 1311
$C_{14}H_{10}O_8N_4$ 1479
$C_{14}H_{10}O_8N_6$ 1316
$C_{14}H_{11}O_2N$ 267, 1425, 1426, 1427, 1429
$C_{14}H_{11}O_3N_3$ 1482
$C_{14}H_{11}O_4N$ 101, 198
$C_{14}H_{12}O_2Br_2$ 1310
$C_{14}H_{14}O_8N_5$ 902
$C_{14}H_{15}ClSi$ 218
$C_{14}H_{16}O_2N_2$ 1699, 1701, 1703, 1704, 1705, 1707, 1709
$C_{14}H_{18}O_2N_2$ 270
$C_{14}H_{18}O_8Br_2$ 1784, 1787
$C_{14}H_{21}O_4N$ 968
$C_{14}H_{23}O_4Br$ 1742
$C_{14}H_6O_{14}S_4Na_4$ 1307

PAGE

$C_{14}H_8O_4NBr$ 1310
$C_{14}H_{10}ON_4S$ 1316
$C_{14}H_{12}O_2N_2S$ 920
$C_{14}H_{14}O_4N_4S$ 142
$C_{14}H_{18}O_2N_2Cl_2$ ..1701, 1705, 1709
$C_{14}H_{13}O_2N_2ClS$ 920
$C_{14}H_{14}ON_2ClS$ 142
$C_{14}H_{17}O_2N_4Cl_4Au$ 902

C_{15} Group.

$C_{15}H_{10}O_3$ ..1631, 1633, 1636
$C_{15}H_{10}O_4$ 1638, 1639
$C_{15}H_{12}O_3$ 1912, 1913
$C_{15}H_{12}O_4$ ..1635, 1636, 1637
$C_{15}H_{12}O_5$ 1638, 1639
$C_{15}H_{12}O_6$ 895
$C_{15}H_{12}N_2$ 592
$C_{15}H_{16}O_2$ 1390
$C_{15}H_{24}O_7$ 188
$C_{15}H_9O_5N$ 1632
$C_{15}H_{11}ON$ 592
$C_{15}H_{11}O_3N$ 104, 111
$C_{15}H_{11}O_5N_3$ 1263
$C_{15}H_{13}O_2N$ 593
$C_{15}H_{13}O_3N$ 195, 268
$C_{15}H_{13}O_4N$ 104, 111
$C_{15}H_{16}O_2N_2$ 1703, 1707, 1710
$C_{15}H_{17}O_2N_5$ 368
$C_{15}H_{17}O_3N$ 1905, 1906
$C_{15}H_{17}ClSi$ 218
$C_{15}H_{19}O_2N$ 82
$C_{15}H_{20}O_2N_2$ 8
$C_{15}H_{13}O_8N_5S$ 129
$C_{15}H_{14}ON_2S$ 925
$C_{15}H_{14}O_2N_2S$ 921, 922
$C_{15}H_{16}O_4N_4S$ 144, 363
$C_{15}H_{17}I_3SHg$ 1398
$C_{15}H_{18}O_2N_5Cl$ 368
$C_{15}H_{15}ON_2ClS$ 138, 139, 924
$C_{15}H_{15}O_2N_2ClS$ 921, 922

C_{16} Group.

$C_{16}H_{12}O_2$ 1087
$C_{16}H_{12}O_3$ ..1093, 1631, 1633, 1637
$C_{16}H_{12}O_4$ ..1634, 1640, 1908, 1912, 2070

PAGE

$C_{16}H_{14}O$ 1090
$C_{16}H_{14}O_4$..541, 1631, 1633, 1637
$C_{16}H_{14}O_5$ 1639
$C_{16}H_{14}O_6$ 891, 892
$C_{16}H_{14}N_2$ 588
$C_{16}H_{16}O_2$ 540, 759, 1090
$C_{16}H_{16}O_6$ 1803, 1811
$C_{16}H_{16}Br_2$ 750, 757
$C_{16}H_{18}O_2$ 540, 750, 751, 1390
$C_{16}H_{18}O_4$ 539
$C_{16}H_{22}O_2$ 70
$C_{16}H_{26}O_2$ 76
$C_{16}H_{26}O_5$ 1834
$C_{16}H_{26}O_7$ 1740
$C_{16}H_{28}O_6$ 577, 578
$C_{16}H_{30}O_2$ 71, 72, 77
$C_{16}H_8O_4N_4$ 2083
$C_{16}H_9O_9N_3$ 1633
$C_{16}H_{11}O_2K$ 1087
$C_{16}H_{11}O_3Br$ 1632
$C_{16}H_{11}O_4N_3$ 1340
$C_{16}H_{11}O_5N$ 1632
$C_{16}H_{12}O_3N_2$ 281
$C_{16}H_{12}O_4N_2$ 109
$C_{16}H_{12}O_8N_2$ 2082
$C_{16}H_{13}ON$ 1303, 1304
$C_{16}H_{13}O_3N$ 267, 1632
$C_{16}H_{13}O_3N_3$ 1340
$C_{16}H_{13}O_3Cl$ 1094
$C_{16}H_{13}O_4Br$ 1631
$C_{16}H_{14}O_2N_6$ 183
$C_{16}H_{14}O_4N_2$ 284
$C_{16}H_{14}O_5S$ 1120
$C_{16}H_{15}O_6Br_3$ 1803
$C_{16}H_{15}N_2Cl$ 1304
$C_{16}H_{16}O_2Br_2$ 759
$C_{16}H_{16}O_4N_2$ 2080
$C_{16}H_{16}O_4S$ 1309
$C_{16}H_{16}O_6N_2$ 2081
$C_{16}H_{17}O_9N_5$ 365
$C_{16}H_{19}O_2N_5$ 369
$C_{16}H_{19}O_3N_3$ 1892
$C_{16}H_{19}O_4N_3$ 1892
$C_{16}H_{19}O_6N$ 256
$C_{16}H_{20}O_2N_2$ 270
$C_{16}H_{21}OBr_3$ 76
$C_{16}H_{21}O_{10}Br$ 1784

PAGE

$C_{16}H_{22}O_3N_2$ 1897
$C_{16}H_{22}O_3N_4$ 873
$C_{16}H_{26}O_8Ba$ 1835
$C_{16}H_5O_9N_5S$ 919
$C_{16}H_8ON_2Br_4$ 1572
$C_{16}H_9O_2N_2Br_3$ 1572
$C_{16}H_{10}O_2N_2Cl_2$ 1567
$C_{16}H_{10}O_2N_4Hg$ 1048
$C_{16}H_{10}O_3N_2Br_2$ 1347
$C_{16}H_{10}O_4N_3K,2\frac{1}{2}H_2O$ ..1340
$C_{16}H_{11}O_5SK$ 1089
$C_{16}H_{13}O_2N_3Br_2$ 1140
$C_{16}H_{16}O_8S_2K_2$ 1309
$C_{16}H_{17}O_3N_3Br_2$ 1895
$C_{16}H_{17}O_4N_2Br$ 1898
$C_{16}H_{17}O_4N_3Br_2$ 1895
$C_{16}H_{17}O_5SK$ 1309
$C_{16}H_{18}O_2NBr$ 1898
$C_{16}H_{18}O_2N_2Br_2$ 1895
$C_{16}H_{18}O_3N_3Br$ 1893
$C_{16}H_{18}O_4N_2S$ 364
$C_{16}H_{18}O_4N_3Br$ 1894
$C_{16}H_{19}O_2N_2Br$ 1893, 1898
$C_{16}H_{19}O_5N_2Br$ 1896
$C_{16}H_{19}I_2SHg$ 1399
$C_{16}H_{20}O_2N_2S$ 364, 367
$C_{16}H_{20}O_3NBr$ 1895
$C_{16}H_{21}O_3N_2Br$ 1896
$C_{16}H_{28}ON_2S$ 1887
$C_{16}H_9ON_2ClBr_2$ 1562
$C_{16}H_9ON_2Cl_2Br$ 1565, 1569
$C_{16}H_{20}O_2N_4Cl_2Zn$ 902
$C_{16}H_{21}O_2N_2ClS$ 364
$C_{16}H_{24}O_2N_6Cl_6Pt$ 1447
$C_{16}H_{28}O_4N_2Cl_6Pt$ 1443

C_{17} Group.

$C_{17}H_{12}O_3$ 1085
$C_{17}H_{12}O_4$ 1097
$C_{17}H_{14}O_2$ 1095
$C_{17}H_{14}O_3$ 1091, 1635
$C_{17}H_{14}O_4$ 1634, 1913
$C_{17}H_{14}O_5$ 2068
$C_{17}H_{16}O_2$ 1092
$C_{17}H_{16}O_4$ 1635
$C_{17}H_{16}O_5$ 1634
$C_{17}H_{16}O_6$ 895
$C_{17}H_{16}O_6,H_2O$ 895

PAGE

$C_{17}H_{17}N$..1930, 1931, 1933
$C_{17}H_{18}O_3$ 1092
$C_{17}H_{18}O_4$ 543
$C_{17}H_{20}O_2$ 701, 702
$C_{17}H_{20}O_4$ 543
$C_{17}H_{22}N_2$ 1932
$C_{17}H_{30}O_5$ 573
$C_{17}H_{11}O_5N_3$ 1260, 1261
$C_{17}H_{12}O_3N_4$ 1319, 1341
$C_{17}H_{12}O_4N_4$ 1318
$C_{17}H_{12}O_6N_4$ 1478, 1480
$C_{17}H_{13}ON_3$ 1904
$C_{17}H_{13}O_2N_3$ 1321
$C_{17}H_{14}O_2N_2$ 1903
$C_{17}H_{14}O_4N_4$ 1341
$C_{17}H_{15}O_4N$ 268
$C_{17}H_{16}O_4N_2$ 970
$C_{17}H_{19}O_3N$ 1413, 1414
$C_{17}H_{20}ON_2$ 366
$C_{17}H_{21}O_2N_3$ 24
$C_{17}H_{21}O_2N_3,H_2O$ 24
$C_{17}H_{21}O_2N_5$ 370
$C_{17}H_{21}N_3S$ 1890
$C_{17}H_{22}ON_2$ 7
$C_{17}H_{22}O_2N_2$ 8, 703
$C_{17}H_{24}O_6N_2$ 98
$C_{17}H_{31}O_5N$ 573
$C_{17}H_{12}ON_3Cl$ 1317
$C_{17}H_{12}ON_3Br$ 1318
$C_{17}H_{13}O_5N_3S$ 1318
$C_{17}H_{18}NCl_4Au$ ..1930, 1933
$C_{17}H_{22}O_2N_2S$ 367
$C_{17}H_{23}ON_3S$ 1889
$C_{17}H_{12}ON_2ClBr$ 1571
$C_{17}H_{19}ON_2ClS$ 138
$C_{17}H_{26}ON_2Cl_6Pt$ 1932
$C_{17}H_{35}ON_2ClS$ 923

C_{18} Group.

$C_{18}H_{10}O_4$ 421, 422, 1593
$C_{18}H_{10}O_5$ 418, 424, 1593
$C_{18}H_{12}O_5$ 421, 424
$C_{18}H_{14}O_3$ 1088
$C_{18}H_{14}O_5$ 1912
$C_{18}H_{16}O_3$ 1094, 1102
$C_{18}H_{16}O_4$ 1095
$C_{18}H_{16}O_5,2H_2O$ 1098
$C_{18}H_{18}O_3$ 1097
$C_{18}H_{18}N_2$ 1297, 1298

PAGE

$C_{18}H_{20}O_4$ 1096
$C_{18}H_{20}Br_2$ 752, 753
$C_{18}H_{22}O_2$ 751, 752
$C_{18}H_{24}O_{12}$ 1776
$C_{18}H_{24}N_4$ 370
$C_{18}H_{24}Si$ 222
$C_{18}H_{32}O_4$ 567
$C_{18}H_{32}O_5$ 575, 576
$C_{18}H_{32}O_6$ 569
$C_{18}H_{34}O_4$ 565, 566
$C_{18}H_2O_4Ag_2$ 887
$C_{18}H_8O_7N_2$ 419
$C_{18}H_9O_3Cl$ 418
$C_{18}H_{10}O_7S$ 425
$C_{18}H_{11}O_2N$ 415
$C_{18}H_{11}O_3N$ 417, 1591
$C_{18}H_{11}O_4N$ 424
$C_{18}H_{11}O_5Br$ 424
$C_{18}H_{11}O_6N$ 1590, 1591
$C_{18}H_{12}ON_4$ 1320
$C_{18}H_{13}O_4N$ ..416, 1590, 1591
$C_{18}H_{13}O_5N$ 423
$C_{18}H_{13}O_5N_3$ 1340
$C_{18}H_{14}O_2N_2$ ..333, 335, 336
$C_{18}H_{14}O_3Br_2$ 1088
$C_{18}H_{14}O_4N_2$ 1339, 1365
$C_{18}H_{15}O_2N$ 1303
$C_{18}H_{15}O_4N$ 1632
$C_{18}H_{15}O_4K$ 1095
$C_{18}H_{16}ON_2$ 1293
$C_{18}H_{16}O_2N_4$ 1298, 1299
$C_{18}H_{16}O_4N_4$ 1365
$C_{18}H_{17}O_4Cl$ 1095
$C_{18}H_{19}O_4N$ 96
$C_{18}H_{20}O_3N_2$ 1926
$C_{18}H_{20}N_2Cl_2$ 1297, 1299
$C_{18}H_{21}O_2N$ 702
$C_{18}H_{21}O_3N$ 1415
$C_{18}H_{21}O_4Cl, 2H_2O$ 549
$C_{18}H_{21}O_5N$ 94
$C_{18}H_{22}O_3N_4$ 23
$C_{18}H_{22}O_4N_2$ 270
$C_{18}H_{22}O_8N_2$ 95
$C_{18}H_{22}O_{12}Ca_3, H_2O$ 356
$C_{18}H_{23}ON_3$ 22
$C_{18}H_{22}O_2N_3$ 22, 703
$C_{18}H_{23}O_4N_5$ 873
$C_{18}H_{24}O_2N_4$ 872
$C_{18}H_{28}O_2N_6$ 71

PAGE

$C_{18}H_{12}ON_4S$ 1319
$C_{18}H_{13}O_2N_3S, 2H_2O$ 1510
$C_{18}H_{14}O_4NCl$ 416
$C_{18}H_{14}O_4N_2S$ 1508
$C_{18}H_{13}O_2N_2Cl$ 333, 335
$C_{18}H_{15}O_6N_3S_2$ 1509
$C_{18}H_{16}O_2N_2S$ 1508
$C_{18}H_{17}ON_2Cl$ 1293
$C_{18}H_{17}O_2NS$ 1516
$C_{18}H_{20}O_4NCl$ 96
$C_{18}H_{20}O_4NBr$ 96
$C_{18}H_{20}O_4NI$ 96
$C_{18}H_{20}O_4NI, H_2O$ 96
$C_{18}H_{21}O_2NS_2$ 1884
$C_{18}H_{22}O_3NI$ 1414
$C_{18}H_{22}O_5NCl$ 94
$C_{18}H_{22}O_5NBr, H_2O$ 94
$C_{18}H_{22}O_5NI$ 95
$C_{18}H_{26}O_3NBr$ 97
$C_{18}H_{26}O_6Cl_6Pt$ 550
$C_{18}H_{32}N_2Cl_6Pt$ 1877
$C_{18}H_{14}O_2N_2ClS$ 1509
$C_{18}H_{14}O_2N_3BrS$ 1509
$C_{18}H_{19}O_4NCl_4Au$ 97
$C_{18}H_{22}O_5NCl_4Au$ 95

C_{19} Group.

$C_{19}H_{12}O_4$ 423, 425
$C_{19}H_{12}O_6$ 1592
$C_{19}H_{14}O_5$ 421, 1097
$C_{19}H_{15}N$ ..1935, 1936, 1937, 1938
$C_{19}H_{16}O_4$ 1091
$C_{19}H_{16}O_5$ 1103
$C_{19}H_{18}O_4$ 1102
$C_{19}H_{18}O_5$ 1098
$C_{19}H_{20}O_4$ 1101
$C_{19}H_{20}N_2$ 1299
$C_{19}H_{22}O_5$ 1100
$C_{19}H_{26}N_2$ 1935
$C_{19}H_{28}O_{13}, 2H_2O$ .1228, 1229
$C_{19}H_{34}O_4$ 567
$C_{19}H_{34}O_6$ 577
$C_{19}H_{36}O_4$ 565
$C_{19}H_{12}O_8N_6$ 1316
$C_{19}H_{12}NCl$ 1661
$C_{19}H_{12}NBr$ 1665
$C_{19}H_{12}NBr_3$ 1663, 1664
$C_{19}H_{14}O_5S$ 1121

PAGE

$C_{19}H_{15}O_3N_5$ 1263
$C_{19}H_{16}O_6S$ 1121
$C_{19}H_{16}O_6S, H_2O$ 1121
$C_{19}H_{17}ON_3$ 1907
$C_{19}H_{17}O_5K$ 1099
$C_{19}H_{18}O_2N_2$ 1906
$C_{19}H_{18}O_2N_4$ 365
$C_{19}H_{19}ON_3$ 1299
$C_{19}H_{19}O_4Cl$ 1102
$C_{19}H_{19}O_5Cl$ 1099
$C_{19}H_{20}O_4N_2$ 970
$C_{19}H_{22}N_2Cl_2$ 1299
$C_{19}H_{24}O_{10}N_2$ 1363
$C_{19}H_{27}O_2N_3$ 23
$C_{19}H_{27}NSi$ 725
$C_{19}H_{12}O_3N_3Cl_3$ 1319
$C_{19}H_{16}O_4N_2S$ 1508
$C_{19}H_{17}O_6N_3S_2$ 1510
$C_{19}H_{18}O_2N_2S$ 1509
$C_{19}H_{18}O_2N_4S$ 1514
$C_{19}H_{20}ON_3Cl$ 1299
$C_{19}H_{22}O_4NBr$ 97
$C_{19}H_{24}O_3NI$ 1415
$C_{19}H_{24}O_5NBr$ 95
$C_{19}H_{28}N_2Cl_6Pt, H_2O$ ...1935
$C_{19}H_{16}O_2N_3ClS$ 1510
$C_{19}H_{16}O_2N_3BrS$ 1510

C_{20} Group.

$C_{20}H_{24}$ 760
$C_{20}H_{32}$ 905
$C_{20}H_{12}O_6$ 1585
$C_{20}H_{16}O_5$ 422, 425
$C_{20}H_{16}O_6$ 1592
$C_{20}H_{17}N$ 1242, 1244
$C_{20}H_{18}O_5$ 1096
$C_{20}H_{20}O_5$ 1101, 1102
$C_{20}H_{22}O_5$ 1102
$C_{20}H_{22}O_6$ 539
$C_{20}H_{22}N_2$ 1300
$C_{20}H_{24}Br_2$ 760
$C_{20}H_{26}O_{10}$ 1145
$C_{20}H_{27}O_4$ 1504
$C_{20}H_{34}O_4$ 73, 77
$C_{20}H_{36}O_5$ 575
$C_{20}H_8O_6Br_4$ 1586
$C_{20}H_{10}O_8N_2$ 420
$C_{20}H_{11}O_4Cl$ 418
$C_{20}H_{15}O_{18}Br_5$ 1505

PAGE

$C_{20}H_{16}O_3N_2$.....805
$C_{20}H_{18}O_2N_2$.....331, 332
$C_{20}H_{18}NI$.....1245
$C_{20}H_{21}ON_3$.....366, 1301
$C_{20}H_{24}O_4N_2$.....271
$C_{20}H_{24}N_2Cl_2$.....1300
$C_{20}H_{25}ON_3$.....23
$C_{20}H_{26}O_{12}Ca_3, \frac{1}{2}H_2O$.....360
$C_{20}H_{30}O_3N_4$.....872
$C_{20}H_{30}O_6S_2$.....525
$C_{20}H_{37}O_2Br$.....574
$C_{20}H_{46}O_{18}N_6$.....1011, 1012
$C_{20}H_{11}ON_2Cl$.....1484
$C_{20}H_{12}O_3N_2S_2$.....801
$C_{20}H_{12}O_4N_2S$.....802
$C_{20}H_{15}NClI$.....1662
$C_{20}H_{17}NCl_2Hg$.....1242
$C_{20}H_{18}NCl_4Au$..1242, 1245
$C_{20}H_{19}O_2N_2Cl$.....331
$C_{20}H_{20}O_2N_4S$.....1514
$C_{20}H_{30}O_6S_2Zn$.....523, 524
$C_{20}H_{31}O_7NS_2$.....524
$C_{20}H_{36}O_2I_2Cd$.....900
$C_{20}H_{36}O_2I_2Zn$.....900
$C_{20}H_{17}ON_4ClS$.....141
$C_{20}H_{38}O_2N_4Cl_6Pt$.....5

C_{21} Group.

$C_{21}H_{14}O_6$.....1586
$C_{21}H_{20}O_6$.....1099
$C_{21}H_{38}O_6$.....570
$C_{21}H_{10}O_6Br_4$.....1586
$C_{21}H_{15}O_3N$.....1428, 1429
$C_{21}H_{17}O_2N$.....1621
$C_{21}H_{20}O_6Br_2$.....1099
$C_{21}H_{22}O_4N_4$.....1340
$C_{21}H_{29}O_6N_3$.....988
$C_{21}H_{32}O_7N_4$.....988
$C_{21}H_{37}O_2N$.....1976, 1980
$C_{21}H_{18}O_8N_6S$.....144
$C_{21}H_{19}O_6NS$.....1621
$C_{21}H_{22}O_4N_2S_2$.....366
$C_{21}H_{32}O_2N_2S$.....1887
$C_{21}H_{18}O_4NSCl$.....1663
$C_{21}H_{18}O_4NSBr$.....1665
$C_{21}H_{28}O_3N_6Cl_6Pt$.....903
$C_{21}H_{30}O_3NBrS$.....459

C_{22} Group.

$C_{22}H_{14}O_6$.....422
$C_{22}H_{16}O_3$.....1636
$C_{22}H_{16}O_4$.....1639
$C_{22}H_{16}O_7$.....1587
$C_{22}H_{17}N_3$.....592
$C_{22}H_{18}O_5$.....1638
$C_{22}H_{18}N_4$.....1290
$C_{22}H_{20}O_7$.....1098
$C_{22}H_{22}O_{11}$.....1812
$C_{22}H_{29}O_5$.....1504, 1505
$C_{22}H_{12}O_7Br_4$.....1587
$C_{22}H_{14}O_8Ba, 2H_2O$.....108
$C_{22}H_{15}O_5N_5$.....1345
$C_{22}H_{16}O_3N_4$.....1344
$C_{22}H_{17}O_2N_5$.....1291
$C_{22}H_{17}O_4N$.....195
$C_{22}H_{18}O_4N_4$.....1340
$C_{22}H_{19}O_2N$.....1625
$C_{22}H_{19}N_4Cl$.....1290
$C_{22}H_{23}O_7Br$.....1099
$C_{22}H_{25}O_3N_3$.....1897
$C_{22}H_{25}O_{10}N$.....676
$C_{22}H_{38}O_6N_4$.....5
$C_{22}H_{16}O_3N_2S_2$.....802
$C_{22}H_{16}O_4N_2S$.....803
$C_{22}H_{18}O_2N_4S$....1515, 1518
$C_{22}H_{18}O_2N_5Cl$.....1291
$C_{22}H_{21}O_6NS$.....1624
$C_{22}H_{40}O_{14}N_{10}Cu$.....21
$C_{22}H_{41}O_2IMg$.....904
$C_{22}H_{41}O_4NSSi$.....734

C_{23} Group.

$C_{23}H_{16}O_3$.....1088
$C_{23}H_{20}O_{10}$.....896
$C_{23}H_{16}O_3N_2$.....1342
$C_{23}H_{18}O_3N_2$.....1342
$C_{23}H_{18}O_3N_4$.....1348
$C_{23}H_{20}O_7N_4$.....1930
$C_{23}H_{22}O_4N_2$.....268
$C_{23}H_{25}ON$.....700
$C_{23}H_{38}ON_2S$.....924
$C_{23}H_{23}O_4NBrS$.....1823
$C_{23}H_{39}ON_2ClS$.....923
$C_{23}H_{43}O_3NSSi$.....732, 736

C_{24} Group.

$C_{24}H_{14}O_4$.....1587
$C_{24}H_{20}O_3$.....1638
$C_{24}H_{22}O_{10}$.....894
$C_{24}H_{23}N_4$.....1301
$C_{24}H_{44}O_6$.....571
$C_{24}H_{14}O_5N_2$.....420
$C_{24}H_{15}O_3N$.....419
$C_{24}H_{18}ON_2$.....1317
$C_{24}H_{19}O_3N_5$.....1296
$C_{24}H_{20}ON_4$.....1291, 1296
$C_{24}H_{21}O_3N_5$.....1302
$C_{24}H_{22}O_5N_3$.....284
$C_{24}H_{24}O_4N_6$.....1364
$C_{24}H_{26}ON_2$.....701
$C_{24}H_{28}O_3N_4$.....7
$C_{24}H_{30}O_2N_2$.....278
$C_{24}H_{34}O_4N_2$.....278
$C_{24}H_{36}O_3N_2$.....6
$C_{24}H_{36}OSi_2$.....223
$C_{24}H_{20}O_3N_2S_2$.....804
$C_{24}H_{20}O_3N_5Cl$.....1296
$C_{24}H_{22}O_2N_4S$....1517, 1518
$C_{24}H_{22}O_2N_5Cl$.....1302
$C_{24}H_{22}O_3N_4S$.....1516
$C_{24}H_{20}O_2I_2S_2Cd$.....901
$C_{24}H_{21}O_2Cl_4S_2Au$.....901
$C_{24}H_{32}O_3N_6Cl_6Pt$.....902

C_{25} Group.

$C_{25}H_{16}O_4$.....1588
$C_{25}H_{18}O_2$.....1090
$C_{25}H_{18}O_8$.....1586
$C_{25}H_{22}O_{11}$.....896
$C_{25}H_{18}O_3N_2$.....1343
$C_{25}H_{29}ON_2$.....1293
$C_{25}H_{21}O_4N$.....1623
$C_{25}H_{15}O_7N_4Cl$.....1662
$C_{25}H_{15}O_7N_4Br_3$.....1664

C_{26} Group.

$C_{26}H_{22}$.....1107, 1111
$C_{26}H_{16}O_5$.....1588
$C_{26}H_{16}O_8$.....1592
$C_{26}H_{18}O_9$.....1585
$C_{26}H_{20}N_4$.....1291
$C_{26}H_{18}O_5S$.....1120
$C_{26}H_{19}ON_3$.....1289, 1294
$C_{26}H_{20}O_7N_4$.....1243, 1245
$C_{26}H_{20}O_5Br_2$.....253
$C_{26}H_{17}O_2N_3Br_2$.....1141
$C_{26}H_{25}O_3N_3S$.....364
$C_{26}H_{25}O_4NI$.....1625

C_{27} Group.

$C_{27}H_{23}N_3$.....703, 704

PAGE

$C_{27}H_{30}O_{14}$.....438
$C_{27}H_{46}O$.....1915
$C_{27}H_{30}O_6$.....571
$C_{27}H_{16}O_2N_2$.....1239
$C_{27}H_{19}O_2N_3$.....1322
$C_{27}H_{20}O_9N_4$.....1623
$C_{27}H_{22}O_3Br_2$.....253
$C_{27}H_{19}O_3N_3Hg$.....1048

C_{28} Group.

$C_{28}H_{19}N$...1235, 1236, 1237
$C_{28}H_{46}O_8$.....707
$C_{28}H_{19}ON$.....1238
$C_{28}H_{19}O_5N$.....419
$C_{28}H_{19}O_6N$.....199
$C_{28}H_{20}O_3N_4$.....1349
$C_{28}H_{21}O_2N_3$.....1294
$C_{28}H_{43}O_4N$.....1979
$C_{28}H_{16}O_3N_2S_2$.....804
$C_{28}H_{20}NCl_4Au$..1235, 1236, 1237
$C_{28}H_{21}O_3N_3S$.....1511
$C_{28}H_{20}ONCl_4Au$.....1238

C_{29} Group.

$C_{29}H_{24}O_3$.....1387, 1391
$C_{29}H_{20}O_3N_2$.....1343
$C_{29}H_{21}O_5N_5$.....1346
$C_{29}H_{22}O_3N_2$.....1344
$C_{29}H_{22}O_3N_4$.....1345, 1350
$C_{29}H_{24}ON_2$.....704
$C_{29}H_{22}O_3N_3S$.....1511

C_{30} Group.

$C_{30}H_{28}O_4$.....1387, 1392
$C_{30}H_{38}O_4$.....72, 77
$C_{30}H_{28}O_6N_2$.....539
$C_{30}H_{33}O_3N_{12}Co$.....902
$C_{30}H_{24}O_2N_6S_2Fe$.....901
$C_{30}H_{25}O_5N_5I_2Cd$.....901

C_{31} Group.

$C_{31}H_{18}O_{14}N_7Br_3$.....1665

C_{32} Group.

$C_{32}H_{25}N_5$.....1295
$C_{32}H_{38}O_{20}$.....1146
$C_{32}H_{27}N_5Cl_2$.....1295
$C_{32}H_{35}O_{20}K_3$.....1145
$C_{32}H_{35}O_{20}Na_3$.....1145

C_{34} Group.

$C_{34}H_{22}O_7N_4$.....1237
$C_{34}H_{25}O_2N_5$.....1323
$C_{34}H_{27}ON_5$.....1295

PAGE

$C_{34}H_{41}O_{18}N$.....675
$C_{34}H_{28}ON_5Cl$.....1294
$C_{34}H_{36}N_2Cl_6Pt$.....1930
$C_{34}H_{48}O_{10}N_2S$.....98
$C_{34}H_{24}O_2N_6Cl_6Pt$.....1318

C_{35} Group.

$C_{35}H_{44}O_{21}$.....1228, 1230
$C_{35}H_{25}O_4N$.....1624
$C_{35}H_{25}O_5N_5$.....1347
$C_{35}H_{26}O_3N_4$.....1346
$C_{35}H_{26}O_5N_2$.....1432, 1433
$C_{35}H_{41}O_6N_5$.....347
$C_{35}H_{42}O_6N_5Cl$.....350
$C_{35}H_{44}O_{10}N_5P$.....350
$C_{35}H_{44}O_{10}N_5P,H_2O$.....349, 350

C_{36} Group.

$C_{36}H_{40}O_{14}N_4,H_2O$.....96
$C_{36}H_{30}O_{18}S_6Ce_2,23H_2O$..477
$C_{36}H_{30}O_{24}S_6Ce_2,12H_2O$ .476
$C_{36}H_{30}O_{24}S_6Ce_2,17H_2O$ .476
$C_{36}H_{40}O_8N_2Br_2,H_2O$.....96
$C_{36}H_{51}O_{15}N_6Co$.....901
$C_{36}H_{57}O_3N_6Co$.....900
$C_{36}H_{36}O_{18}N_6S_6Ce_2.16H_2O$ 477
$C_{36}H_{40}O_8N_2Cl_6Pt$.....97
$C_{36}H_{40}O_8N_2Cl_6Pt,H_2O$...97
$C_{36}H_{44}O_{10}N_2Cl_6Pt,2H_2O$ 95

C_{37} Group.

$C_{37}H_{43}O_{10}N_5$.....351
$C_{37}H_{44}O_5N_2$.....1980

C_{38} Group.

$C_{38}H_{62}O_4,H_2O$.....1917
$C_{38}H_{26}N_2Cl_8Pt$.....1661
$C_{38}H_{26}O_4N_2Cl_2Cr$.....1662
$C_{38}H_{26}O_7N_2Br_6Cr_2$....1664, 1665
$C_{38}H_{30}O_{10}Cl_6S_2Pt$.....1121
$C_{38}H_{34}ON_2Cl_6Pt$.1936,1937
$C_{38}H_{36}O_2N_2Cl_6Pt$.....1938
$C_{38}H_{26}O_7N_2Cl_2Br_4Cr_2$..1663

C_{39} Group.

$C_{39}H_{44}O_4$.....1918
$C_{39}H_{22}O_{16}N_8$.....1240

C_{40} Group.

$C_{40}H_{26}$.....1108, 1112
$C_{40}H_{25}O_{14}N_7$....1236, 1237
$C_{40}H_{25}O_{15}N_7$.....1238

PAGE

$C_{40}H_{24}N_2Br_6$.....1243
$C_{40}H_{36}N_2Cl_6Pt$.....1245
$C_{40}H_{36}N_2Cl_6Pt,2H_2O$..1242

C_{41} Group.

$C_{41}H_{32}O_{11}$.....1777

C_{42} Group.

$C_{42}H_{36}O_{11}N_2Cr_2$.....1622

C_{44} Group.

$C_{44}H_{40}O_8N_2Cr$.....1625
$C_{44}H_{30}O_7N_2S_2Si_2$.....229
$C_{44}H_{30}O_7N_2S_2Si_2,4H_2O$.229

C_{48} Group.

$C_{48}H_{58}O_{13}S_2Cr_2$.....527
$C_{48}H_{58}O_6Cl_6S_4Pt$.....527

C_{50} Group.

$C_{50}H_{44}O_{15}N_2Cr_2$.....1623
$C_{50}H_{40}O_2N_4Cl_3Fe$.....903

C_{52} Group.

$C_{52}H_{66}O_{13}S_2Cr_2$.....528
$C_{52}H_{66}O_6Cl_6S_2Pt$.....527

C_{54} Group.

$C_{54}H_{33}O_4N_4Cl_4Au$.....1239
$C_{54}H_{34}O_4N_4Cl_6Pt$.....1239

C_{56} Group.

$C_{56}H_{40}N_2Cl_6Pt$..1236, 1237
$C_{56}H_{40}N_2Cl_6Pt,2H_2O$ 1235, 1236
$C_{56}H_{40}N_2Cl_6Pt,3H_2O$..1235
$C_{56}H_{40}O_2N_2Cl_6Pt,2H_2O$ 1238
$C_{56}H_{40}O_2N_2Cl_6Pt,3H_2O$ 1238

C_{60} Group.

$C_{60}H_{42}O_{24}S_6Ce_2,20H_2O$..476
$C_{60}H_{90}O_{24}S_6Ce_2,20H_2O$..477
$C_{60}H_{48}O_{18}N_6S_6Ce_2,32H_2O$ 477
$C_{60}H_{52}O_5Cl_6S_5Pt$.....901

C_{70} Group.

$C_{70}H_{52}O_{15}N_2Cr_2$.....1624

C_{72} Group.

$C_{72}H_{84}O_{16}N_{10}$.....351

C_{84} Group.

$C_{84}H_{70}O_8N_4Cl_6Pt$.....1623

C_{88} Group.

$C_{88}H_{78}O_8N_4Cl_6Pt$.....1625

C_{100} Group.

$C_{100}H_{86}O_{16}N_4Cl_6Pt$.....1624

ERRATA.

VOL. XCI (TRANS., 1907).

Page	Line	
37	5	*for* "$O_2{:}C_6H_2Br_2{:}N_2$" *read* "$O{:}C_6H_2Br_2{:}N_2$."
256	13*	,, "$C_{16}H_{12}O_6N$" *read* "$C_{16}H_{19}O_6N$."
335	6	,, "$C_{10}H_{14}O_2N_2$" *read* "$C_{18}H_{14}O_2N_2$."
350	7	,, "$C_{35}H_{41}O_5N_5$" *read* "$C_{35}H_{41}O_6N_5$."
354	2	,, "$a\gamma$" *read* "$a\delta$."
425	18	,, "5:1-Hydroxy-" *read* "1-Hydroxy-."
548	6*	,, "$C_2H_{10}O_2$" *read* "$C_9H_{10}O_2$."
763		*transpose* Fig. 3 to page 767.
767		,, Fig. 2 ,, 763.
920	15*	*for* "*aa*-carboxyphenylphenylthiocarbonate" *read* "*aa*-carboxyphenylphenylthiocarbamide."
1375	2*	,, "t" read "t_2."
1376	2*	and 11* in equation, *for* "t_1, t_2, and t_3" read "z_1, z_2, and z_3" respectively.
1377		in equation (19), in right-hand expression, *for* "$=$" *read* "$-$," and in equation (21*a*), in left-hand expression, *for* "k''" read "k_2''."
1441	2*	*for* "$C_8H_7O_4N$" *read* "$C_8H_{11}O_4N$."
1531	18	,, "B" *read* "β."
1591	2	,, "7(10)-*amino*-1-*naphthacenequinone*" read "7(10)-*amino*-1-*hydroxynaphthacenequinone*."
1640	4*	,, "$C_{16}H_{12}O_4$" *read* "$C_{12}H_{12}O_4$."
1662	4*	,, "$C_{13}H_{19}NClBr_2$" *read* "$C_{19}H_{12}NClBr_2$."
1749	2*	,, "mostly" *read* "only."
1750	6	,, "Serturnier" *read* "Sertuerner."
1750	7	,, "ten years" *read* "decades."
1752	17*	,, "biose" *read* "glycollaldehyde."
1752	16*	,, "Mackenzie" *read* "A. McKenzie."
1755	7	,, "no less than" *read* "some."
1755	10	,, "as well as" *read* "of."
1756	2	*delete* the sentence "I may mention . . . . the yeast cell." NOTE.—Buchner has recently informed me that his earlier statement (*Oesterreich. Chem. Zeit.*, 1898, No. 7), from which the above conclusion could be drawn, was meant in a different sense.—E. F.
1760	6	*for* "H. Kossel" *read* "A. Kossel and H. D. Dakin."
1761	26	*after* "acid" *insert* "ornithine, oxyproline, and *iso*leucine."
1763	15	*for* "ten years" *read* "decades."
1764	6*	,, "ten years" *read* "decades."
1765	2	,, "blood" *read* "flower."
2034	20 & 21	,, "$3Hg_2O{\cdot}N_2O_5$" *read* "$3Hg_2O,N_2O_5$."
2034	26	,, "$HgO{\cdot}2Hg_2O{\cdot}N_2O_5$" *read* "$HgO,2Hg_2O,N_2O_5$."
2035	9, 10 & 21	*for* "Hg′·Ag" *read* "Hg′,Ag."
2036	2, 4, 6, 9, 21, 22 & 24	,, "Hg′·Ag" *read* "Hg′,Ag."

* From bottom.